

BERRYALLOC®

LAMINATE ■ PARQUET ■ WALLS ■ VINYL PLANKS



Stone

Class 34 - AC6

BerryAlloc High-Tech Laminate

Wherever. Forever.




Stone

BerryAlloc High-Tech Laminate

High Pressure Surface
AluminiumLOC

Wherever. Forever.



Wherever. Forever.



BerryAlloc High-Tech Laminate

BerryAlloc High-Tech Laminate is the world's strongest and most durable laminate floor. Combining beautiful aesthetics and exceptional technical performance, BerryAlloc High-Tech Laminate is suitable for use in **high-traffic areas** such as hotels, restaurants, shops, offices and yes, even airport terminals. Its **unique high pressure** surface offers customers a floor with guaranteed long-term performance and outstanding resistance to water, wear, fading and stains. BerryAlloc's High-Tech Laminate comes with our **unique aluminium locking system**, the strongest in the industry. These unique qualities, together with a wide choice of colours in a variety of surface finishes, make BerryAlloc High-Tech Laminate the floor of choice worldwide.

BerryAlloc also offers you wonderful laminate for residential use, wall panels for use in kitchens and bathrooms, a complete parquet flooring range and extraordinary click vinyl flooring, each with accompanying accessories.

Thanks to our excellent quality, our innovative range and exceptional service, the BerryAlloc Group has grown into an international player and highly rated interior and decoration specialist for both residential and commercial projects.

BerryAlloc is about providing you with the best of the best in a greener and more sustainable way. This particular passion influences both our philosophy and our actions.

You can find more information about the full BerryAlloc product range at www.berryalloc.com

BERRY=ALLOC®

LAMINATE • PARQUET • WALLS • VINYL PLANKS

Why choose BerryAlloc High-Tech Laminate?

Strength and Resistance

What makes High-Tech Laminate unique is the high pressure surface and the ultra strong, patented aluminium locking system that ensures a strong and tight joint, effortlessly standing up to heavy weights and high traffic. Installation is child's play thanks to this unique locking system.

The aluminium lock has a joint strength of 1200 kg per linear metre on the long side, much more than fibre locking systems of competitors. BerryAlloc High-Tech Laminate creates very durable floors for public areas and commercial projects. We are so confident our floors will last we offer lifetime guarantee on residential projects and a ten-year guarantee on commercial installations.

**BEST
LOC[®]
X-TREME**
ON SHORT SIDE

**HIGH
PRESSURE**


EXTREME DURABLE

**SILENT
SYSTEM**


**HIGH
TECH
LOC**
ALUMINIUM

**LOC
STRENGTH**


1200 kg/lm



What makes our High-Tech Laminate unique is the high pressure surface and the ultra strong aluminium locking system.



What makes our Stone collection so unique?



1. AC6 overlay / Class 34
2. Decor paper
3. 2 Kraft papers
4. AquaResist HDF board
5. Impregnated edges
6. Counterbalance paper
7. Best Loc® X-Treme
8. SilentSystem
9. AluminiumLOC



Colour and Design for any site



In addition to its unsurpassed lock strength, the floor also has to be aesthetically pleasing - especially if it is going to last as long as BerryAlloc High-Tech Laminate. Our High-Tech Laminate range includes more than 100 colours and a variety of surface finishes to suit any preference. In addition to the standard formats we also offer planks which are extra wide or narrow.

BerryAlloc SilentSystem



BerryAlloc's High-Tech Laminate range comes with SilentSystem - a unique sound-absorbing underlay which comes pre-attached to the back of the individual planks. As well as making the floor more comfortable to walk on, SilentSystem significantly reduces the transfer of walking and impact noises to adjacent rooms. Noise within the room is also reduced considerably.

Top quality manufacture



BerryAlloc High-Tech Laminate is manufactured in accordance with internationally approved standards. The strong and durable top layer is pressed separately before being glued to the core material. This process creates a plank which is stronger than conventional laminate floors on the market, enabling the surface to resist extreme wear and tear.

Water and moisture resistant



The core material of BerryAlloc High-Tech Laminate is our unique AquaResist HDF board which reduces moisture absorption to an absolute minimum. The edges of our planks are sealed to prevent moisture penetration.

BerryAlloc takes the environment seriously



This is shown in the choice of raw materials, partners, transportation and manufacturing processes. Our selection of raw materials is made based on a combination of our customers' requirements for product quality and demands for minimal environmental impact. Suppliers are chosen based on their ability to live up to our way of thinking. We also set a requirement that our providers evolve in the same direction and that they are certified in accordance with ISO 14001. Our High-Tech Laminate is made of natural and synthetic materials.



This collection is FSC (Forest Stewardship Council) certified and helps promoting the responsible management of forests worldwide.

Extra Strong

Under pressure



BerryAlloc's Stone range is extremely durable thanks to its high pressure surface. Its class 34 (AC6) rating ensures much higher wear and impact resistance than other laminate floors. It can also withstand moisture, most acids and alkaline solutions, lit cigarettes and high-impact blows. It is also very resistant to scratches, especially in high traffic areas.



Warm Grey Stone
1670-7920



Natural Slate
1670-5921



Street Art
1670-5931



Rustic Stone
1670-7910

The strength of BerryAlloc High-Tech Laminate is the reason it was installed at London's Heathrow Airport and in Volkswagen showrooms across Europe.



Wherever. Forever.

Wherever. Forever.



Acoustic & noise reduction

Exceptional Sound Absorption



Sooooo quiet

The BerryAlloc SilentSystem is a sound-absorbing underlay which is attached to the back of our High-Tech Laminate planks. SilentSystem typically decreases noise in a room by 19 decibels. The result is a quieter room and a significant reduction in noise transmission within the building.

BerryAlloc's SilentSystem also helps to make the floor more comfortable to walk on. This is an important consideration in commercial spaces such as showrooms where sales staff may be on their feet for much of the day.

SilentSystem underlay is attached
to the back of each plank.

Super Fast Installation



Work less, enjoy more

Our patented ultra-strong aluminium locking system combined with the Best Loc® X-Treme on the short side will help you save up to 30% on the time needed to install the floor. You can install up to 225m² or up to 15m length without having to use transition profiles. Our locking system's unequalled strength ensures a tight and unbreakable joint.

Installing our durable floors is a cinch and they will effortlessly withstand both the busiest traffic and the heaviest weights.

High-Tech Laminate with an aluminium lock for a superfast installation.



Wherever. Forever.



BerryAlloc High-Tech Laminate

Lifetime Warranty

We are so convinced about the quality of our laminate that we are pleased to include a **lifetime warranty for residential installations** of BerryAlloc High-Tech Laminate. In **commercial installations** we offer a **10-year warranty** on our Stone collection.

The BerryAlloc High-Tech Laminate warranty covers:

- Fading
- Joint integrity
- Stain resistance
- Water resistance
- Wear damage

Want to learn more? You will find everything you need to know in the insert in the carton, or on our webpage www.berryalloc.com, where you will also find our installation videos.

BERRY  ALLOC®
HIGH-TECH LAMINATE


Stone



BEDROOMS, LIVING ROOMS,
ENTRANCES AND KITCHENS




PUBLIC AREAS WITH
VERY HEAVY TRAFFIC



Warm Grey Stone

Product Code: 1670-7920
EAN-Code: 7052870126444

- SlateStructure • 30x30
- Oiled




60 mm
skirting
9320-7920




Rustic Stone

Product Code: 1670-7910
EAN-Code: 7052870126437

- SlateStructure • 60x30
- Oiled



60 mm
skirting
9320-7910



Concrete

Product Code: 1670-5959
EAN-Code: 7052870126420

- Oiled
- 120x30



60 mm
skirting
9320-5959




T-Profile 2,4 m
9411-5959



Natural Slate

Product Code: 1670-5921
EAN-Code: 7052870126406

- SlateStructure • 60x30
- Oiled




60 mm
skirting
9320-5921



Grey Slate

Product Code: 1670-4954
EAN-Code: 7052870126383

- StoneStructure
- 30x30




60 mm
skirting
9320-4954



Slate

Product Code: 1670-4951
EAN-Code: 7052870126376

- StoneStructure
- 30x30



60 mm
skirting
9320-4951




T-Profile 2,1 m
185021




Street Art

Product Code: 1670-5931
EAN-Code: 7052870126413

- Oiled
- 120x30




60 mm
skirting
9320-5931



Ironite

Product Code: 1670-4962
EAN-Code: 7052870126390

- SlateStructure • 60x30
- Oiled































60 mm
skirting
9320-4962

PACKAGING: BOX: 5 boards - 1,80 m² PALLET: 39 boxes - 70,08 m² BOARD (mm): 1200 x 299,5 x 10,3 + 2 (mm)



Wherever. Forever.

Discover our other High-Tech Laminate collections

COLLECTIONS	GRAND AVENUE	PRESTIGE	COMMERCIAL	STONE	ORIGINAL	UNIVERSAL
DIMENSIONS (MM)	236  2410  10,3	128 299  1200  10,3 + 2	193  1207  9 + 2	299,5  1200  10,3 + 2	193  1207  9 + 2	190  1200  8,8
PACKAGING						
Boards / Box	4 boards 2,28 m ²	8 / 5 boards 1,23 / 1,79 m ² (12,2 / 17,4 kg)	8 boards 1,86 m ² (16,5 kg)	5 boards 1,80 m ² (18,2 kg)	8 boards 1,86 m ² (16,3 kg)	10 boards 2,28 m ² (19,3 kg)
Boxes / Pallet	39 boxes 88,73 m ²	48 boxes 58,98 m ² / 39 boxes 70,08 m ²	36 boxes 67,10 m ²	39 boxes 70,08 m ²	36 boxes 67,10 m ²	40 boxes 91,20 m ²
Lock		 		 		
Classification	34 / AC6	34 / AC6	34 / AC6	34 / AC6	33 / AC5	33 / AC5
Fire Classification	B _{fl} - s1	B _{fl} - s1	B _{fl} - s1	B _{fl} - s1	B _{fl} - s1	B _{fl} - s1
Guarantee commercial residential	 	 	 	 	 	 
Surface Core Material	  ANTI-STATIC	  ANTI-STATIC	  ANTI-STATIC	  ANTI-STATIC	  ANTI-STATIC	  ANTI-STATIC
Sound-Absorbing Underlay						
FSC	FSC	FSC	FSC	FSC		
Number of decors	8	8 narrow • 6 wide	12	8	42 ww • 26 export	9
WoodStructure	8	5	9		20	2
AntiqueStructure		3			3	
NaturalStructure		1			1	1
SlateStructure				4		
StoneStructure				2		
WoodView (2 bevels)			8		14	
WoodView4 (4 bevels)	8				5	
WoodGrain		1	1		7	5
Shipdeck		1			6	
Oiled	8	3	5	6	29	2
Matt		1			1	
Oxid		2				
Satin		1	2			

What makes our High-Tech Laminate so unique?

- Our patented ultra-strong aluminium locking system combined with the Best Loc® X-Treme locking system on the short side.
- Installation up to 225 m² or up to 15 m length without having to use transition profiles.
- Thanks to its High Pressure Surface the floor is extremely durable against wear and tear.
- Pre-attached SilentSystem: sound-absorbing underlay to reduce room noise.
- AquaResist HDF board and impregnated edges to reduce moisture absorption.
- Perfect for all commercial and residential projects.
- Commercial warranty: 10 years.
- Perfect for professional environments: suitable for office chairs, anti-static and allergy-free.
- Higher classification: class 34.



BerryAlloc accessories

BerryAlloc has a wide range of accessories, quick and easy to install

Matching Skirtings



h 60 x w 14 x l 2400 mm
60 mm skirting



Clips for skirtings

White Skirtings



h 100 x w 14 x l 2400 mm
White Skirting Modern




h 60 x w 14 x l 2400 mm
White Skirting 60 mm



h 80 x w 12 x l 2400 mm
White High Skirting 80 mm

NEW



h 20-160 x w 14 x l 2400 mm
Adjustable White Skirting



Create your own skirting

- Cut this skirting to the height you prefer
- Different heights possible: 20, 55, 80, 105, 140 mm

Matching Profiles MDF



h 12,3 x w 40,5 x l 1000 mm
Reducer MDF **



h 11,1 x w 44 x l 2400 mm
T-Profile MDF



h 12,3 x w 30,3 x l 2400 mm
End Profile MDF **

ALU Profiles



h 11,7 x w 46 x l 1000/2000 mm
Reducer ALU Silver *



h 11,7 x w 46 x l 1000/2000 mm
T-Profile ALU Silver *



h 8,65-18 x w 20 x l 2000 mm
End-Profile Alu Silver *



* Also available in Champagne and Bronze
** Available until end of stock.

BERRYALLOC®

LAMINATE ■ PARQUET ■ WALLS ■ VINYL PLANKS

icllaba.be

Due to limitations in printing technology slight colour variations may occur. Non-binding document. BerryAlloc reserves the right to alter its product line without prior notice.
Printed 04/14. Products available until stock depletion. Resp. ed.: P. Vandenweghe, Industrielaan 100, B-8930 Menen, Belgium.

Dealer

Stone English
9030-0087

BERRYALLOC®

LAMINATE ■ PARQUET ■ WALLS ■ VINYL PLANKS

WHEREVER. FOREVER.

www.berryalloc.com



Discover our products

BerryAlloc, Industrielaan 100 - 8930 Menen - Belgium - Tel. +32 56 52 84 80 - Fax. +32 56 52 84 90 - info@berryalloc.com

Alloc AS, Fiboveien 26, N-4580 Lyngdal - Tel. +47 383 42 200 - Fax. +47 383 43 744

Berry Wood, La Parqueterie - RD 20144 BP 5 - F 03360 Meaulne France - Tél. +33 4 70 08 15 15 - Fax. +33 4 70 08 15 16

Member of the Beaulieu International Group
Manufactured by the Beaulieu International Group under license of Flooring Industries Ltd.
Manufactured by the Beaulieu International Group under license of Valinge Innovation AB.
Manufactured under license of Faus (US 6,401,415 ; US 6,688,061).



Beaulieu
International
Group

Flooring
Solutions