

product index

porcelain

ashton

thinner

20 aventis
24 berkshire^{HDP}
28 cinema^{HDP}
32 cliffside^{HDP}

16

- **36** continent^{DP}
- **40** craftsman^{DP}
- **44** earthstone^{HDP}
- **48** fontana
- **52** formations
- 56 gallant^{HDP}
- 58 hamlet manor
- 62 impero^{HDP}
- 66 legend^{HDP}
- **70** level 10^{HDP}
- 74 magnolia^{HDP}
- 78 maltese^{DP}
- 82 marquis^{HDP}
- 86 mingle^{HDP}
- 88 mosaicart fresco
- 92 natura^{HDP}
- 96 paramount^{HDP}
- 98 phoenix
- **102** pristine
- 104 renaissance
- 108 rhyme
- 110 savannah
- **114** soul
- **118** taconic slate
- 122 tides^{HDP}
- **128** time/2.0
- 134 urbanite

- 144 aventis
- 148 time/2.0152 restore^{HDP}

ceramic

- 159 retroclassique
- 164 streamline

pietraart

- 172 bliss180 classic mosaics183 mexican travertine
- 188 pebbles
- **191** polished travertine
- **193** rustic travertine
- 195 slate
- 200 stone mosaics

204 travertine

metalart

- 209 matrix
- 211 ornaments
- 216 signature

vitraart

- 221 fusion
- 223 harmony
- 225 stained glass
- 228 tranquil

installations & information

- 231 product installations
- 250 florida tile website
- **251** florida tile internet sales policy
- 252 hdp high definition porcelain®
- 253 corporate sustainability
- **255** sustainable building
- 256 panariagroup
- **257** florida tile who we are
- 258 trim chart
- 260 merchandising chart
- 262 technical data
- 264 care & maintenance
- 265 thinner applications & handling
- 266 thinner installation & tools
- 268 florida tile distributor locations
- 270 florida tile showroom locations
- 271 warranty


l

color search

Neutrals, monochromatics, cool colors, warm colors... terms you will generally hear tossed around most any interior design firm, as well as here at Florida Tile. So what does it all mean? For those who are uninitiated and even for those familiar with the former terms, Florida Tile takes a step to make things simpler. Want to see if there is a particular color in our palette? We have it all laid out for you. Want to look for a color? We can think of no better place to start your search than right here.



COOL (Whites, Grays & Blacks)



28017 Cape Cod Charcoal Natura^{HDP}

312

Gunmetal

Streamline



4

25205

Flint

Formations



23805 Carbon Urbanite



24905 **Body Black** Soul



28219 Gorge Dark Gray Cliffside



26101 Carrara Gallant^{HDP}



28110 Sea Salt Tides^{HDP}



25316 Marini Grey Fontana



M25503 Crema MosaicArt Fresco



Biscuit Phoenix



IP10 Chester Impero^{HDP}



T22B1 White Time/2.0



24301 Magnolia White Savannah



25213 Gravel Formations



60312 Silver Retroclassique



24911 Flow Grey Soul




28004 Wilmington White Natura^{HDP}



27010 Silverscreen Cinema^{HDP}



28460 Dry Stream Mingle^{HDP}



28217 Light Grotto Cliffside^{HDP}



7757T Gray Metropolitan Quarry



011 Shadow VitraArt Tranquil (3x6 • 4x4 only)



34018 Weathered Dock Restore^{HDP}



AT1RA Ask Aventis



7757X Stone Gray Metropolitan Quarry



60366 Pewter Retroclassique



24913 Passion Antracite Soul



T28B1 Carbon Time/2.0



ATORA Eclipse Aventis



T29B1 Black Time/2.0



005 Midnight VitraArt Tranquil (3x6 • 4x4 only)

NEUTRAL (Tans, Beiges & Browns)





WARM (Gold, Ochre & Red)



26132 Onice Gallant^{HDP}



25347 Callisto Gold Fontana



IP30 Todi Impero^{HDP}



25415 Olympic Legend^{HDP}



26124 Navona Gallant^{HDP}



23821 Stone Urbanite



25282 Boulder Formations



23835 Gild Urbanite



28034 Hampton Blonde Natura^{HDP}



25624 Ultima Paramount^{HDP}



25425 Titan Legend^{HDP}



25430 Apollo Legend^{HDP}



33002 Chamois Earthstone^{HDP}



23882 Clay Urbanite



M25509 Multi Dark MosaicArt Fresco



M25507 Nocé MosaicArt Fresco



25183 Red Ridge Taconic Slate



7731T Red Metropolitan Quarry

BLUE



25612 Empire Paramount^{HDP}



28060 Newport Blue Natura^{HDP}



064 Sky VitraArt Tranquil (3x6 • 4x4 only)



069 Cobalt VitraArt Tranquil (3x6 • 4x4 only)



28260 Blue Oasis Cliffside^{HDP}



25644 Crest Paramount^{HDP}



24824 Nocé Renaissance



25372 Terrina Clay Fontana



IP00 Arles Impero^{HDP}



33341 Mezzanine Gold Level 10^{HDP}



29936 Coastal Sand Continent^{DP}



040 Golden VitraArt Tranquil (3x6 • 4x4 only)



24348 Carriage Gold Savannah



25148 Gold Summit Taconic Slate



M25506 Saddle MosaicArt Fresco



27048 Burbank Beige Cinema^{HDP}



29927 Sierra Clay Continent^{DP}



77310 Mayflower Red Metropolitan Quarry



7731X Commercial Red Metropolitan Quarry



28088 Cayman Red Natura^{HDP}



28378 Cherry Magnolia^{HDP}

GREEN



60359 Lt. Avocado Retroclassique



053 Meadow VitraArt Tranquil (3x6 • 4x4 only)



055 Lime VitraArt Tranquil (3x6 • 4x4 only)



050 Sage VitraArt Tranquil (3x6 • 4x4 only)



25152 Green Valley Taconic Slate



350 Camo Streamline

commercial index

floridatile

Page #	Series Name	Made in USA	DCOF AcuTest	Recycled Content	Surface Hardness	Durability/ PEI Rating	Shade Variation	Break Strength	Water Absorption	Cove Base	Mosaic
					Throug	h Body					
20	aventis		≥0.42	40*	7 mohs	P1	V2	650 lbf	<0.1%		\checkmark
52	formations	USA	≥0.42	40*	7 mohs	P1	V2	450 lbf	<0.5%	\checkmark	\checkmark
128	time/2.0 (natural)		≥0.42		7 mohs	P1	V2	850 lbf	<0.1%	\checkmark	\checkmark
129	time/2.0 (textured)		≥0.42		7 mohs	P1	V2	850 lbf	<0.1%		
148	time/2.0 THINNER		≥0.42		7 mohs	P1	V1	250 lbf	<0.1%		
134	urbanite		≥0.42		9 mohs	P1	V3	1000 lbf	<0.1%	\checkmark	\checkmark
					Color	Body					
24	berkshire ^{HDP}	USA	≥0.42	40%	6 mohs	IV	V2	800 lbf	<0.5%		\checkmark
32	cliffside ^{HDP}	USA	≥0.42	40**	7 mohs	v	V2	425 lbf	<0.5%	\checkmark	\checkmark
66	legendHDP	USA	≥0.42	40*	7 mohs	IV	V4	550 lbf	<0.5%	\checkmark	\checkmark
70	level 10 ^{HDP}	USA	≥0.42	40	7 mohs	IV	V3	479 lbf	<0.5%	\checkmark	\checkmark
74	magnolia ^{HDP}	USA	≥0.42	40	7 mohs	IV	V2	800 lbf	<0.5%		
92	naturaHDP	USA	≥0.42	40**	6 mohs	IV	V2	800 lbf	<0.5%		
96	paramount ^{HDP}	USA	≥0.42	40	7 mohs	IV	V3	500 lbf	<0.5%		\checkmark
152	restore ^{HDP} THINNER		≥0.42		7 mohs	v	V3	250 lbf	<0.1%		
108	rhyme	USA	≥0.42	40*	7 mohs	Ш	V1	465 lbf	<0.5%		\checkmark
					Glazed P	orcelain					
16	ashton	USA	≥0.42	40*	7 mohs	IV	V2	400 lbf	<0.5%		\checkmark
36	continent ^{DP}	USA	≥0.42	40	7 mohs	IV	V2	365 lbf	<0.5%	\checkmark	\checkmark
40	craftsman ^{DP}	USA	≥0.42	40	7 mohs	IV	V2	375 lbf	<0.5%		\checkmark
44	earthstone	USA	≥0.42	40**	7 mohs	IV	V2	396 lbf	<0.5%		\checkmark
48	fontana	USA	≥0.42	40**	7 mohs	IV	V3	450 lbf	<0.5%		\checkmark
58	hamlet manor	USA	≥0.42	40	7 mohs	IV	V1	400 lbf	<0.5%		
78	maltese ^{DP}	USA	≥0.42	40	7 mohs	IV	V2	400 lbf	<0.5%		\checkmark
82	marquis ^{HDP}	USA	≥0.42	40	7 mohs	IV	V2	449 lbf	<0.5%		\checkmark
88	mosaicart fresco	USA	≥0.42	40**	6 mohs	IV	V2	344 lbf	<0.5%		\checkmark
110	savannah	USA	≥0.42	40	7 mohs	IV	V2	325 lbf	<0.5%	\checkmark	\checkmark
114	soul	MARK IN	≥0.42		8 mohs	III & IV	V2	310-450 lbf	<0.5%		
118	taconic slate	USA	≥0.42	40**	7 mohs	III & IV	V2	450 lbf	<0.5%	\checkmark	\checkmark
122	tides ^{HDP}	USA	≥0.42	40*	7 mohs	IV	V2	550 lbf	<0.5%		\checkmark

www.floridatile.com

icon & reference explanations

The icons and certifications below refer to the porcelain floor and wall tile only.



DYNAMIC COF (DCOF)

This logo represents the Dynamic COF (Coefficient of Friction) methodology for testing the slip potential of a tile while an object is in motion. The recommendation for use in a commercial setting is ≥0.42. No standards body has a specifically stated 'safe' SCOF value. Due to the difficulty in measuring SCOF and lack of a specific recommendation, in 2012 the tile industry introduced a new method and requirement. The DCOF AcuTest under ANSI 137.1 now includes a method for measuring Dynamic Coefficient of Friction (DCOF) and a recommended value of 0.42 for interior, level floors that are likely to be walked upon when wet.



MADE IN USA

This logo indicates that the product line is manufactured in the United States of America at our facility in Lawrenceburg, KY with the exception of select trim, decorative and ceramic pieces, this product line is Made in the USA of 40% post-industrial recycled content.



GREEN SQUARED®

The logo for Green Squared[®] involves one industry, one standard, and one mark and covers the gamut of products used in a tile installation. As the first multi-attribute sustainability standard developed for tiles and tile installation materials. Green Squared[®] uses the transparency and consensus of the ANSI process combined with third party certification to evaluate, validate, and communicate products which have a positive impact on the environment and society. Green Squared[®] covers product characteristics, manufacturing, end of product life management, progressive corporate governance, and innovation in an effort to establish sustainability criteria for products throughout their full lifecycle.



GREENGUARD®

This logo indicates that this product has been tested and certified by the GREENGUARD® Children & Schools standard. This evaluates the sensitive nature of school populations combined with the unique building characteristics, and presents the most stringent product emissions criteria to date. Products certified under GREENGUARD® Children & Schools are specified in the USGBC's LEED for School Rating System and CHIPS Best Practices Manual as criteria for low-emitting materials.



OUTDOOR

This logo indicates that this product can be used outdoors with some exposure to the elements. These products are not adversely affected by the freeze/thaw cycle due to their extremely low water absorption. A horizontal application can be used because of the surface of the product, but exposure to elements such as rain, snow and debris can create a slip hazard on any surface.



RECYCLED CONTENT

This logo indicates that the product line contains some quantity of recycled content. In most cases the percentage of recycled content is post-industrial, pre-consumer material. If the recycled logo is accompanied by a number inside the box, then it has been tested and determinded that the product contains at least that percentage of recycled material.



PORCELAIN TILE

This logo indicates that the product line has been tested and certified by the Porcelain Tile Certification Agency (PTCA) to meet the ANSI 137.1 standard for a true porcelain tile. This means that the product line has a water absorption rate of 0.5% or less.



format index

	бхб	
	(15x15 cm)	
36	continent	
40	craftsman ^{DP}	
48	fontana	
52	formations	
66	legendhdp	
118	taconic slate	

	бх24
	(15x60 cm)
24	berkshire
86	mingle
92	natura

	8 x 36		
	(20x91 cm)		
24	berkshire		
74	magnolia		

	9 x 18
	(22.5x45 cm)
Р	6 paramount ^{HDP}
Ρ	

	12 x 12
	(30x30 cm)
16	ashton
28	cinema
32	cliffside
36	continent [₽]
40	craftsman ^{DP}
44	earthstone ^{HDP}
48	fontana
52	formations
58	hamlet manor
66	legendher
78	maltese
82	marquis
86	mingle
88	mosaicart fresco
96	paramount
98	phoenix
102	pristine
104	renaissance
110	savannah
118	taconic slate


	12 x 24
	(30x60 cm)
28	cinema
32	cliffsidehdp
36	continent
40	craftsman ^{DP}
44	earthstone ^{HDP}
52	formations
66	legendher
70	level 10HDP
78	maltese
86	mingle ^{HDP}
108	rhyme
114	soul
122	tidesHDP

13 x 13	
(33x33 cm)	
soul	

	10 10
	18 x 18
	(45x45 cm)
16	ashton
28	cinema
32	cliffsidehdp
34	craftsman [₽]
44	earthstone
48	fontana
52	formations
56	gallanthdp
58	hamlet manor
66	legend
70	level 10HDP
78	maltese
82	marquis
86	mingle
96	paramount
98	phoenix
102	pristine
104	renaissance
110	savannah
118	taconic slate

	20 x 20		
	(50.5x50.5 cm)		
114	soul		


		_	
	12 x 22 wall only		39 x 39 rectified
	(30x56 cm)		(1x1 m)
62	impero ^{hdp}	144	aventis thinner
	I	148	time/2.0 thinner
		110	unie, 2.0 unimer
	6 x 24 rectified		39 x 118 rectified
	(15x60 cm)		
			(1x3 m)
128	time/2.0	144	aventis thinner
		148	time/2.0 thinner
	8 x 24 rectified		
	(20x60 cm)		
134	urbanite		
	8 x 39 rectified		3 x б ceramic
	(20 x100 cm)		(7.5x15 cm)
152	restore ^{HDP} thinner	159	retroclassique
		164	streamline
	8 x 59 rectified		Streamme
	(20x150 cm)		4 x 4 ceramic
152	restore ^{HDP} thinner		(10x10 cm)
		164	streamline
	12 x 12 rectified		
	(30x30 cm)		4 x 16 ceramic
128	time/2.0		(10x40.5 cm)
134	urbanite	164	streamline
	12 x 24 rectified		6 x 6 ceramic
	(30x60 cm)		(15x15 cm)
20	aventis	157	metropolitan quarry
128	time/2.0		
134	urbanite		8 x 8 ceramic
	dibarnee		(20x20 cm)
	18 x 36 rectified	157	metropolitan quarry
	(45x91 cm)	157	metropolitari quarry
=0	level 10 ^{HDP}		9 x 18 ceramic
70	level 10 ^{ner}		
			(22.5x45 cm)
	24 x 24 rectified	56	gallant
	(60x60 cm)	82	marquis
20	aventis	102	pristine
128	time/2.0		
134	urbanite		10 x 13 ceramic
			(25x33 cm)
	19.5 x 39 rectified	16	ashton
	(.05x1 m)	78	maltese ^{₽₽}
144	aventis thinner	104	renaissance
148	time/2.0 thinner	110	savannah
1-10		110	Juvurnull



porcelain








ashton

glazed porcelain floor & ceramic wall tile 10 x 13 • 12 x 12 • 18 x 18

floridatile







23902 Stone White



23942 Camel Haze (not available in 18x18)



23931 10x13 (ceramic wall) Smokey Beige



23931 Smokey Beige




23990 Light Walnut

listellos • chair rails*





23902/L2.75x10 Reflections Stone White




23931/L2x10 Palisade

Smokey Beige




23931/L2.75x10 Reflections Smokey Beige




23931/CR2x10 Smokey Beige


mosaics



23902/M12 Stone White



23942/M12 Camel Haze



23931/M12 Smokey Beige



23990/M12 Light Walnut

*Chair Rail Stops (CRS2x1) available in all colors, not shown.

properties	results	shade variation	
DCOF AcuTest	Pass		
Water Absorption	<0.5%		
Breaking Strength	400 lbf avg		
Surface Hardness	7 mohs		
Thickness	8mm (10x13) 8.5mm (12x12) 9.5mm (18x18)	V2 Slight Variation	
Durability Classification	IV Commercial		
certifications			

ashton





 S43A9 Bullnose
 SN4339 Outside Corner

 3 x 10 in
 3 x 3 in



ave<mark>ntis</mark>



ATORA 24x24 Eclipse

AT2RA 24x24 Velvet



AT1RA 24x24 Ask

aventis

through body porcelain floor & wall tile 12 x 24 • 24 x 24 (all sizes rectified)

floridatile



ATORA Eclipse



AT3RA Titanium



AT1RA Ask



AT4RA Nut



AT2RA Velvet



AT5RA Cotton

mosaics

and and	Ser.	12		
			16	5
No. 1	The second		10	
			No.	

ATORA/M12 Eclipse



AT2RA/M12 Velvet



AT4RA/M12 Nut

190	12.2		57
See .		18	
Ra		20	
	Pro la	No.	
AT1RA/M12 Ask			

AND STREET STREET



AT3RA/M12 Titanium



AT5RA/M12 Cotton

properties	results	shade variation	
DCOF AcuTest	Pass		
Water Absorption	<0.1%		
Breaking Strength	650 lbf avg		
Surface Hardness	7 mohs		
Thickness	10mm	V2 Slight Variation	
Deep Abrasion	P1	V Z Slight Variation	
certifications			
<u>×</u>	CREINCURP THOMAN AND AND AND AND AND AND AND AND AND A		

N

P43C9 Bullnose 3 x 12 in

Ø

aventis

AT4RA 12x24 & 24x24 Nut AT4RA/M12 Nut Mosaic AT3RA 12x24 & 24x24 Titanium AT3RA/M12 Titanium Mosaic AT35 39x188 THINNER Titanium AT0RA 24x24 Eclipse



25585 6x24 Walnut

10 10

25525 6x24 Oak



berkshire HDP

color body porcelain floor & wall tile $6 \times 24 \cdot 8 \times 36$



25525 Oak






25535 Hickory



25555 Olive



25595 Maple



25585 Walnut

mosaics



25525/M12REC Oak



25535/M12REC Hickory



25555/M12REC Olive



25595/M12REC Maple



25585/M12REC Walnut



floridatile

properties	results	shade variation	
DCOF AcuTest	Pass		
Water Absorption	<0.5%		
Breaking Strength	800 lbf avg		
Surface Hardness	6 mohs		
Thickness	11mm	V2 Slight Variation	
Durability Classification	IV Commercial	V Z Slight variation	
certifications			
	CREENCUARD		

berkshire HDP

P43N9 Bullnose 3 x 24 in







cinema HDP

Í



1. 20 - 20

12

27048 12x24 & 18x18 Burbank Beige 27048/M12 Burbank Beige Mosaic

cinema HDP

glazed porcelain floor & wall tile 12 x 12 • 18 x 18 • 12 x 24



27048 Burbank Beige



27003 Ivory Lace



27010 Silverscreen



27010 Silverscreen



27010/M12 Silverscreen



27010/M1x2 Silverscreen







27010/CR2x12 & CRS2x1 Silverscreen

27048 Burbank Beige

mosaics



27048/M12 Burbank Beige



27048/M1x2 Burbank Beige

listellos • chair rails • chair rail stops



27048/L2.5x12 Vintage Beige



27048/CR2x12 & CRS2x1 Burbank Beige



27003 Ivory Lace



27003/M12 Ivory Lace



27003/M1x2 Ivory Lace





properties	results	shade variation
DCOF AcuTest	Fail	
Water Absorption	<0.5%	
Breaking Strength	425 lbf avg	
Surface Hardness	7 mohs	
Thickness	9.5mm (12x12 • 18x18) 10mm (12x24)	V3 Moderate Variation
Durability Classification	V Heavy Commercial	
	certifications	
	G	

cinema HDP

P43C9 Bullnose

3 x 12 in



cliffside HDP

7

1700 - 48

28230 12x12 Beige Bluff 28200A/L2x12 Warm Listello

28219 18x18 Gorge Dark Gray 28219/M12 Gorge Dark Gray Mosaic

28260 12x24 Blue Oasis

cliffside HDP

color body porcelain floor & wall tile $12 \times 12 \cdot 12 \times 24 \cdot 18 \times 18$

28219 Gorge Dark Gray




28217 Light Grotto



28217 Light Grotto

mosaics



28217/M12 Light Grotto



28219 Gorge Dark Gray

28219/M12 Gorge Dark Gray




28230 Beige Bluff



28230 Beige Bluff



28230/M12 Beige Bluff



28260/M12 Blue Oasis



listellos • cove base • cove base corner

28200B/L2x12 Cool Listello



28217 P36C9 & PB3169 Light Grotto Cove Base & Corner



28219 P36C9 & PB3169 Gorge Dark Gray Cove Base & Corner



28200A/L2x12 Warm Listello



28230 P36C9 & PB3169 Beige Bluff Cove Base & Corner



28260 P36C9 & PB3169 Blue Oasis Cove Base & Corner



28260 Blue Oasis



28260 Blue Oasis

floridatile

properties	results	shade variation	
DCOF AcuTest	Pass		
Water Absorption	<0.5%		
Breaking Strength	425 lbf avg		
Surface Hardness	7 mohs		
Thickness	9.5mm (12x12 • 18x18) 10mm (12x24)	V2 Slight Variation	
Durability Classification	V Heavy Commercial		
certifications			
		P CERTIFIED RCELAIN 0.5% of has ware adverted	

cliffside HDP





P36C9 Cove Base **6 x 12 in**

PB3169 Cove Base Corner 6 x 1 in



continent DP


-

-

1

-

29927 6x6 & 12x12 Sierra Clay 29900/L1x8.75 Artesian Glass Listello



ione Clicquot

glazed porcelain floor & wall tile $6 \times 6 \cdot 12 \times 12 \cdot 12 \times 24$




29914 Delta Haze



29914 Delta Haze

mosaic



29914/M12 Delta Haze

chair rails • chair rail stops* • listello



Delta Haze (*chair rail stop not shown)



29900/L1x8.75 Artesian Glass



29936 Coastal Sand



29936 Coastal Sand



29936/M12 Coastal Sand



29936/CR2x12 & CRS2x1 Coastal Sand (*chair rail stop not shown)

floridatile



29927 Sierra Clay




29927 Sierra Clay



29927/M12 Sierra Clay



Sierra Clay (*chair rail stop not shown)



29936 6x6 & 12x24 Coastal Sand 29900/L1x8.75 Artesian Glass Listello

Contraction of the second



27224 12x12 Rye 27200B/L1.5x12 Prairie Dark Listello

craftsman **DP**

glazed porcelain floor & wall tile $6 \times 6 \cdot 12 \times 12 \cdot 18 \times 18 \cdot 12 \times 24$



27202 Biscuit



27202 Biscuit

mosaic



27202/M12 Biscuit

listellos



27224 Rye



27224 Rye



27224/M12 Rye



27230 Wheat



27230 Wheat



27230/M12 Wheat



27200A/L1.5x12 Prairie Light Listello




27200B/L1.5x12 Prairie Dark Listello

floridatile

properties	results	shade variation
DCOF AcuTest	Pass	
Water Absorption	<0.5%	
Breaking Strength	375 lbf avg	
Glaze Hardness	7 mohs	
Thickness	8mm (6x6 •12x12) 8.5mm (18x18) 9mm (12x24)	V2 Slight Variation
Durability Classification	IV Commercial	
	certifications	

P43C9 Bullnose 3 x 12 in



earthstone HDP

新王

R.

See Comp

33012 12x12 Seal 33002B/M12HEX Fossil Cool Mosaic

33015 12x24 Mink 33015/L3x12 Paleo Mink Listello

33041 12x24 Vellum 33002A/M12HEX Fossil Warm Mosaic 33041/CR2x12 Vellum Chair Rail

earthstone HDP

glazed porcelain floor & wall tile 12 x 12 • 12 x 24 • 18 x 18



33012 Seal



33012 Seal


mosaics • listellos • ledger



33012/M12 Seal



33002B/M12HEX Fossil Cool Mosaic



chair rails • chair rail stops



33012/CR2x12 & CRS2x1 Seal Chair Rail & Stop



33015 Mink




33015 Mink




33015/M12 Mink



33002A/M12HEX Fossil Warm Mosaic



Paleo Mink Listello



33015/CR2x12 & CRS2x1 Mink Chair Rail & Stop




33041 Vellum



33041 Vellum



33041/M12 Vellum



書書記 33000B/L2x12

Fossil Cool Listello



33041/L3x12 Paleo Vellum Listello



33041/CR2x12 & CRS2x1 Vellum Chair Rail & Stop

floridatile



33002 Chamois



33002 Chamois



33002/M12 Chamois



33001/L6.25x15.5 Cambrian Ledger (wall only)



33002/L3x12 Paleo Chamois Listello



33002/CR2x12 & CRS2x1 Chamois Chair Rail & Stop

properties	results	shade variation	
DCOF AcuTest	Pass		
Water Absorption	<0.5%		
Breaking Strength	396 lbf avg		
Surface Hardness	7 mohs		
Thickness	9mm	V2 Slight Variation	
Durability Classification	IV Commercial	V Z Slight Variation	
certifications			

Car Sour - Als


earthstone HDP



P43C9 Bullnose 3 x 12 in

> 33002 18x18 Chamois 33000A/L2x12 Fossil Warm Listello 33001/L6.25x15.5 Cambrian Ledger 33002/P43C9 Chamois Bullnose





(Shi

25316 18x18 Marini Grey

fontana

glazed porcelain floor & wall tile $6 \times 6 \cdot 12 \times 12 \cdot 18 \times 18$






25321/M12 Navona Sand

25321/FP Navona Sand

25321 Navona Sand* 25316 Marini Grey* *When ordering 6x6 add the letter "c" after the color number

mosaics



25316/M12 Marini Grey



25316/FP Marini Grey (12x18)

listellos & inserts



(Sand & Gold)



(12x18)





25347 Callisto Gold*



25372 Terrina Clay*

	3	N.H	2.4	1
	f			1
		1	1	5
R	2)		10	1P

25347/M12 Callisto Gold



25347/FP Callisto Gold (12x18)

2532A/L2x12

(Clay & Grey)

Edera Cool Listello



25372/M12 Terrina Clay



25372/FP Terrina Clay (12x18)




2532B/I6x6 Fioré Cool Insert

(Clay & Grey)

chair rails • chair rail stops*



25316/CR2x12 & CRS2x1 Marini Grey *Chair Rail Stops (CRS2x1) not shown.



Navona Sand



25347/CR2x12 & CRS2x1 Callisto Gold



2532A/I6x6 Edera Cool Insert (Clay & Grey)



25372/CR2x12 & CRS2x1 Terrina Clay



properties	results	shade variation	
DCOF AcuTest	Pass		
Water Absorption	<0.5%		
Breaking Strength	450 lbf avg		
Surface Hardness	7 mohs		
Thickness	9.5mm		
Durability Classification	IV Commercial	V3 Moderate Variation	
certifications			
	CREENCLARD CREENCLARD WINNING		

fontana

P43C9 Bullnose 3 x 12 in

l			
S	4669	Bullno	se

6 x 6 in



SN4669 Outside Corner 6 x 6 in



formations

25296 12x12 Dark Pebble 25296/M2x4 Dark Pebble Mosaic 25213 12x12 Gravel 2522B/L1.25x12 Geyser Listello Cold

25282 6x6 & 18x18 Boulder 2522B/I6x6 Geyser Insert Cold

25205 18x18 Flint

8

....

formations

through body porcelain floor & wall tile $6 \times 6 \cdot 12 \times 12 \cdot 12 \times 24 \cdot 18 \times 18$

floridatile




25204 Quartz



25204 Quartz

mosaics



25204/M12 Quartz



25204/M2x4 Quartz (12x12)

25204 P36C9 & PB3169

Cove Base & Corner

Quartz





25205 Flint



25205/M12 Flint



25205/M2x4 Flint (12x12)

listellos • inserts • cove base • cove base corners



25205 P36C9 & PB3169

Cove Base & Corner

Flint









25213 P36C9 & PB3169



25296 Dark Pebble



25296 Dark Pebble



25282 Boulder (12x24 not available)



25296/M12 Dark Pebble



25282/M12 Boulder



25296/M2x4 Dark Pebble (12x12)

25282/M2x4 Boulder (12x12)

100		521	ļ

2520A/L2x12 Lava Listello

2522B/I6x6 Geyser Insert Cold


Boulder

25282 P36C9 & PB3169

Cove Base & Corner



25296 P36C9 & PB3169 Dark Pebble Cove Base & Corner







(12x12)


25213 Gravel


25213 Gravel

25213/M12 Gravel

25213/M2x4 Gravel








52





formations



P36C9 Cove Base 6 x 12 in PB3169 Cove Base Corner 6 x 1 in

SN4669 Outside Corner 6 x 6 in



gallant HDP

26101 9x18 Carrara 26101 18x18 Carrara





26126 9x18 Botticino Classico 26126 18x18 Botticino Classico

.....

gallant

glazed porcelain floor & ceramic wall tile $9 \times 18 \cdot 18 \times 18$



26130 9x18

Botticino Bianco

(ceramic wall)



26126 9x18 Botticino Classico (ceramic wall)



26125 9x18 Travertino Bianco (ceramic wall)



26132 9x18 Onice (ceramic wall)



26101 9x18 Carrara (ceramic wall)



26124 9x18 Navona (ceramic wall)



26130 Botticino Bianco



26126 Botticino Classico

26125 Travertino Bianco



26132 Onice



26101 Carrara



26124 Navona






Botticino Bianco



26126/M12 Botticino Classico




26125/M12 Travertino Bianco









26130/CR2x9 & 26130/CRS2x1 Botticino Bianco Chair Rail & Stop



Travertino Bianco Chair Rail & Stop



26101/CR2x9 & 26101/CRS2x1 Carrara Chair Rail & Stop





Onice Chair Rail & Stop



26124/CR2x9 & 26124/CRS2x1 Navona Chair Rail & Stop

26133/L1.3x9 Plaza Bianco Listello

26127/L2x9 Royale Bianco Listello



26135/L2.5x9 Deluxe Carrara Listello

26134/L1.3x9 Plaza Classico Listello

26128/L2x9 Royale Beige Listello



26136/L2.5x9 Deluxe Onice Listello

(ceramic wall tile, trims & decos have a gloss finish)

properties	results	shade variation
DCOF AcuTest	Fail	
Water Absorption	<0.5%	
Breaking Strength	250 lbf avg	
Surface Hardness	5 mohs	
Thickness	9mm	V2 Slight Variation
Durability Classification	IV Commercial	V Z Slight variation
	certifications	
		P RCELAIN

gallant HDP

P43H9 Bullnose 3 x 18 in

4399 Bullnose 3 x 9 in

SN4339 Outside Corner 3 x 3 in



hamlet manor

glazed porcelain floor & wall tile $12 \times 12 \cdot 18 \times 18$



23215P Thatch



23203P Straw

listellos • corners*



23235P/L4x12 Pathway Crest Listello



23235P/C4x4 Pathway Crest Corner 23235P/L2x8 Pathway Crest Listello



23235P Pathway



23250P Moss



*Available in all colors, use color number when ordering

properties	results	shade variation
DCOF AcuTest	Pass	
Water Absorption	<0.5%	
Breaking Strength	400 lbf avg	
Surface Hardness	7 mohs	
Thickness	8.5mm (12x12) 9.5mm (18x18)	V1 Uniform Appearance
Durability Classification	IV Commercial	
certifications		

23215P 12x12 & 18x18 Thatch

23203W 8x12 Straw (discontinued) 23203P 12x12 Straw 23235P/L4x12 Pathway Crest Listello 23235P/C4x4 Pathway Crest Corner

0

hamlet manor

P43C9 Bullnose 3 x 12 in





impero HDP

glazed porcelain wall tile 12×22



IP00 12x22 Arles



IP10 12x22 Chester




IP30 12x22 Todi

outside corners





IP300C12x6 Todi Outside Corners (Available in all three colors)







25420 18x18 Magna 25420/SFM (12x18) Magna Mosaic

25415 12x12 Olympic 25415 24x24 Olympic (discontinued)

25430 12x24 Apollo 25430/M122 Apollo Mosaic

13

Consection Allow

legend HDP

floridatile

color body porcelain floor & wall tile $6 \times 6 \cdot 12 \times 12 \cdot 18 \times 18 \cdot 12 \times 24$



25415 Olympic



25415 Olympic

mosaics



25415/M122 Olympic Mosaic

cove base • cove base corners



25415 P36C9 & PB3169 Olympic Cove Base and Outside Corner

split face mosaics



25415/SFM Olympic (12x18) Mosaic



25425 Titan



25425 Titan



25425/M122 Titan Mosaic



25425 P36C9 & PB3169 Titan Cove Base and Outside Corner




25425/SFM Titan (12x18) Mosaic



25430 Apollo



25430 Apollo



25430/M122 Apollo Mosaic



25430 P36C9 & PB3169 Apollo Cove Base and Outside Corner





25420 Magna



25420/M122 Magna Mosaic




25420 P36C9 & PB3169 Magna Cove Base and Outside Corner





25420/SFM Magna (12x18) Mosaic





25430/SFM Apollo (12x18) Mosaic





33315 18x36 Platinum Suite 33301B/I9x9 Ornament Cool Inserts

level 10 HDP

33341 18x18 Mezzanine Gold 33301A/I9x9 Ornament Warm Inserts

2

level 10 HDP

floridatile

color body porcelain floor & wall tile 12 x 24 • 18 x 18 • 18 x 36 (rectified)



33310 Pearl Atrium





33341 Mezzanine Gold



33310 Pearl Atrium

33341 Mezzanine Gold

33341/M12

Mezzanine Gold

Mezzanine Gold

33341 P43C9

Mezzanine Gold

33341 P36C9 & PB3169

mosaics • cove base • cove base corners • bullnose



33310/M12 Pearl Atrium



33310 P36C9 & PB3169 Pearl Atrium

33310 P43C9 Pearl Atrium

listellos • inserts



Ornament Warm

33300B/L3x12 Ornament Cool



33301A/I9x9 Ornament Warm (set of 4)



33318 Salon Bronze



33318 Salon Bronze



33318/M12 Salon Bronze



33318 P36C9 & PB3169 Salon Bronze

33318 P43C9 Salon Bronze



33315 Platinum Suite



33315 Platinum Suite

		1000	1.0
E I			1
			N
1			-

33315/M12 Platinum Suite



33315 P36C9 & PB3169 Platinum Suite





33301B/I9x9 Ornament Cool (set of 4)

properties	results	shade variation	
DCOF AcuTest	Pass		
Water Absorption	<0.5%		
Breaking Strength	479 lbf avg		
Surface Hardness	7 mohs		
Thickness	9mm (12x24 • 18x18) 9.5mm (18x36 rectified)	V3 Moderate Variation	
Durability Classification	IV Commercial		
certifications			

level 10 HDP



3 x 12 in



PB3169 Cove Base Corner 6 x 1 in

*18x36 rectified made in Italy.



magnolia

28395 8x36 Mahogany


28325 8x36 Burl





magnolia HDP

color body porcelain floor & wall tile 8×36




28315 Ash



28327 Chestnut



28395 Mahogany



floridatile

28338 Fir



28325 Burl





74

properties	results	shade variation			
DCOF AcuTest	Pass				
Water Absorption	<0.5%				
Breaking Strength	800 lbf avg				
Surface Hardness	7 mohs				
Thickness	11mm	V2 Slight Variation			
Durability Classification	IV Commercial	V Z Slight Variation			
certifications					

magnolia HDP



P43N9 Bullnose **4 x 24 in**





29615 10x13 Roman Gray 29615 12x12 Roman Gray 29600B/L2x10 Roundabout Cool Listello 29615/CR2x12 Roman Gray Chair Rail

maltese **DP**

floridatile

glazed porcelain floor and ceramic wall tile $10 \times 13 \cdot 12 \times 12 \cdot 12 \times 24 \cdot 18 \times 18$



29615 10x13 Roman Gray (ceramic wall)



29626 10x13 Palma Brown (ceramic wall)



29622 10x13 Porto Cream (ceramic wall)



29615 Roman Gray

mosaics



29615/M12 Roman Gray

chair rails • chair rail stops • listellos




29615/CR2x10 & CRS2x1 Roman Gray



29600B/L2x10 Roundabout Cool



29626 Palma Brown



29626/M12 Palma Brown



29622 Porto Cream



29622/M12 Porto Cream



29626/CR2x10 & CRS2x1 Palma Brown




29600A/L2x10 Roundabout Warm




29622/CR2x10 & CRS2x1 Porto Cream

properties	results	shade variation		m	
DCOF AcuTest	Pass				Digital Porcelain
Water Absorption	<0.5%				
Breaking Strength	400 lbf avg				
Surface Hardness	7 mohs				
Thickness	6.5mm (10x13) 8mm (12x12) 8.5mm (18x18) 9mm (12x24)	V2 Slight Variation			
Durability Class	IV Commercial				\frown
	certifications				
			P43C9 Bullnose 3 x 12 in	S43A9 Bullnose 3 x 10 in	SN4339 Outside Corner 3 x 3 in

C





arquis

11

0

0

28695 9x18 & 18x18 Light Emperador 28695/L2.5x12 Perlite Light Emperador Listello

4 =

22

28632 9x18, 18x18 Crema Marfil 28632/M128 Crema Marfil Mosaic 28600A/L2x9 Optical Warm Listello 28632/L2.5x12 Perlite Crema Marfil Listello 图 _________

28631 9x18, 12x12 & 18x18 Beige Breccia 28632/CR2x9 Crema Marfil Chair Rail 28600A/L2x9 Optical Warm Listello

ないのないとう

Country!

marquis HDP

floridatile

glazed porcelain floor and ceramic wall tile 9 x 18 • 12 x 12 • 18 x 18 (ceramic wall tile, trims & decos have a gloss finish)



28613 9x18 (ceramic wall) Grey Breccia



28631 9x18 (ceramic wall) Beige Breccia



28695 9x18 (ceramic wall) Light Emperador



28611 9x18 (ceramic wall) Carrara



28632 9x18 (ceramic wall) Crema Marfil



28613 Grey Breccia



28631 Beige Breccia



28695 Light Emperador



28611 Carrara



28632 Crema Marfil




28613/M128 Grey Breccia



28631/M128 Beige Breccia



28695/M128 Light Emperador



28611/M128 Carrara



28632/M128 Crema Marfil

chair rails • chair rail stops • listellos



properties	results	shade variation		
DCOF AcuTest	Pass			
Water Absorption	<0.5%			
Breaking Strength	449 lbf avg			
Surface Hardness	7 mohs			
Thickness	6.5mm (9x18) 8.5mm (12x12) 9mm (18x18)	V2 Slight Variation		
Durability Class	IV Commercial			
certifications				
		P RCELAIN		

marquis HDP

P43C9 Bullnose 3 x 12 in

TILE

S4399 Bullnose **3 x 9 in**

SN4339 Outside Corner 3 x 3 in



mingle HDP

28412 6x24 & 12x24 Cool Summer Mix

28430 12x12 & 12x24 Warm Winter Mix

28460 6x24 Dry Stream 28401A/I6x6 Cool Insert 28401B/I6x6 Cool Insert

0

 \geq

MC IN

i 🛄 i

+

-

10.00

12.44

 \geq

-

-

-

<u>12</u>m

-

T

T

-

mingle HDP

glazed porcelain floor & wall tile $6 \times 24 \cdot 12 \times 12 \cdot 18 \times 18 \cdot 12 \times 24$



28412 Cool Summer Mix



28412 Cool Summer Mix

mosaics



28412/M12 Cool Summer Mix



28430 Warm Winter Mix



28430 Warm Winter Mix



28434 Soft Rock



28434 Soft Rock



28434/M12 Soft Rock



28460 Dry Stream



28460 Dry Stream



28460/M12 Dry Stream



28400A/L1.5x12 Warm Listello



28400A/I6x6 Warm Insert (set of 2)

28434/CR2x12 & 28434/CRS2x1

Soft Rock Chair Rail & Stop




28400B/I6x6 Warm Insert (set of 2)



28460/CR2x12 & 28460/CRS2x1 Dry Stream Chair Rail & Stop



28430/M12 Warm Winter Mix



28401A/L1.5x12 Cool Listello



28401A/I6x6 Cool Insert (set of 2)

28412/CR2x12 & 28412/CRS2x1 Cool Summer Chair Rail & Stop



28401B/I6x6 Cool Insert (set of 2)



28430/CR2x12 & 28430/CR52x1 Warm Winter Chair Rail & Stop



properties	results	shade variation
DCOF AcuTest	Fail	
Water Absorption	<0.5%	
Breaking Strength	525 lbf avg	
Surface Hardness	7 mohs	
Thickness	9.5mm (12x12 • 18x18) 10mm (6x24 • 12x24)	V2 Slight Variation
Durability Classification	V Heavy Commercial	
	certifications	

mingle HDP

P43C9 Bullnose


3 x 12 in



mosaicart fresco


glazed porcelain floor & wall tile mosaics (12" mesh-mounted)

M25501 3x3 white



M25502 3x3 Bone





M25503 3x3 Crema

3	為		No.
	100	TAL.	
			1

M25504 3x3 Sea Oats



M25505 3x3 Tan



M25506 3x3 Saddle



M25507 3x3 Nocé



M25508 3x3 Multi Light



M25509 3x3 Multi Dark


properties	results	shade variation	
DCOF AcuTest	Pass		
Water Absorption	<0.5%		
Breaking Strength	344 lbf avg		
Surface Hardness	6 mohs		
Thickness	6mm	V2 Slight Variation	
Durability Classification	IV Commercial	V Z Slight variation	
	certifications		
		P P P P P P P P P P P P P P P P P P P	54339 Bullnose 3 x 12 in

mosaicart fresco

SN4339 Outside Corner


3 x 3 in

*The DCOF is a pass on all the colors except the M25501 3X3 White.



natura HDP

1



Web & Contraction

82

28013 6x24 Nantucket Gray

28034 6x24 Hampton Blonde 28088 6x24 Cayman Red 28092 6x24 Charleston Brown






28004 6x24 Wilmington White

6

and a

natura HDP

color body porcelain floor & wall tile 6×24



28004 Wilmington White



28017 Cape Cod Charcoal



28060 Newport Blue




28092 Charleston Brown

floridatile



28013 Nantucket Gray



28034 Hampton Blonde



28088 Cayman Red

properties	results	shade variation			
DCOF AcuTest	Pass				
Water Absorption	<0.5%				
Breaking Strength	800 lbf avg				
Surface Hardness	6 mohs				
Thickness	11mm	V2 Slight Variation			
Durability Classification	IV Commercial				
certifications					

natura HDP

P43N9 Bullnose 3 x 24 in

1 10 100 28017 6x24 Cape Cod Charcoal



25624 9x18 & 18x18 Ultima 25624/CR2x9 Ultima Chair Rail

paramount HDP

color body porcelain floor & wall tile $9 \times 18 \cdot 12 \times 12 \cdot 18 \times 18$



25612 9x18 Empire



25624 9x18 Ultima

floridatile



25644 9x18 Crest



25612 Empire



25624 Ultima



25644 Crest

mosaics



25612/M12 Empire



25624/M12 Ultima



25644/M12 Crest



25612/M1x2 Empire (9x9)



25624/M1x2 Ultima

(9x9)



25644/M1x2 Crest (9x9)


chair rails • chair rail stops • listellos • liners



25612/CR2x9 & CRS2x1 Empire



25612/L2x9 Empire




25612/MR1x9 Empire



25624/CR2x9 & CRS2x1 Ultima



25624/L2x9 Ultima





25644/CR2x9 & CRS2x1 Crest



25644/L2x9 Crest

25644/MR1x9 Crest

properties	results	shade variation
DCOF AcuTest	Pass	
Water Absorption	<0.5%	
Breaking Strength	500 lbf avg	
Surface Hardness	7 mohs	
Thickness	9.5mm	
Durability Classification	IV Commercial	V3 Moderate Variation
	certifications	
		PASC9 Bullnu

paramount HDP





phoenix

glazed porcelain floor & wall tile $12\,x\,12 \boldsymbol{\cdot} 18\,x\,18$








24202K Biscuit

24204K Light Beige

24224K Nocé

mosaics



24202K/M12 Biscuit



24204K/M12 Light Beige



24224K/M12Nocé

properties	results	shade variation
DCOF AcuTest	Fail	
Water Absorption	<0.5%	
Breaking Strength	350 lbf avg (12x12) 425 lbf avg (18x18)	
Surface Hardness	7 mohs	
Thickness	8mm (12x12) 8.5mm (18x18)	V2 Slight Variation
Durability Classification	IV Commercial	
	certifications	
	2 CREEN	

24204K 12x12 Light Beige 24204K 6x6 Light Beige (discontinued) 24204/L2x6 Light Beige Listello (discontinued)

phoenix

P43C9 Bullnose 3 x 12 in

pristine

25926 9x18 & 12x12 Classic Beige 25926/L2x9 Radiant Classic Beige Listello 25926/M12 Classic Beige Mosaic 25926/D9x18 Baroqué Classic Beige Insert

1

V

25902 9x18 Alabaster 25900/L1.75x9 Ritz Listello 25902/CR2x9 Alabaster Chair Rail

3

pristine

glazed porcelain floor & ceramic wall tile 9 x 18 • 12 x 12 • 18 x 18 (ceramic wall tile, trim & decos have a gloss finish)



25902 9x18 Alabaster (ceramic wall)



25926 9x18 Classic Beige (ceramic wall)



25902 Alabaster



25926 Classic Beige

mosaics



25902/M12 Alabaster



25926/M12 Classic Beige

decorative inserts



25902/D9x18 Baroqué Alabaster



25926/D9x18 Baroqué Classic Beige



25902/I3x6 Baroqué Alabaster insert



25926/I3x6 Baroqué Classic Beige insert

chair rails • chair rail stops • listellos





25926/CR2x9 & CRS2x1 Classic Beige



25902/L2x9 Radiant Alabaster



25902/L2.5x9 Baroqué Alabaster



25900/L1.75x9 Ritz



25926/L2x9 Radiant Classic Beige



25926/L2.5x9 Baroqué Classic Beige

properties	results	shade variation			pristine
DCOF AcuTest	Fail				pristine
Water Absorption	<0.5%				
Breaking Strength	430 lbf avg				
Surface Hardness	7 mohs				
Thickness	8.5mm (12x12 • 18x18) 9mm (9x18)	V2 Slight Variation			
Durability Classification	IV Commercial				
	certifications				
			P43C9 Bullnose 3 x 12 in	S4399 Bullnose 3 x 9 in	SN4339 Outside Corner 3 x 3 in



renaissance

glazed porcelain floor & ceramic wall tile 10 x 13 • 12 x 12 • 18 x 18 (ceramic wall tile, trims & decos have a gloss finish)



24811 10x13 Grigio (ceramic wall)



24811 Grigio

mosaics



24811/M12 Grigio

listellos • chair rails • chair rail stops*




Grigio DaVinci



Grigio Angelo

24800A/L1.5x10 Platinum Sistine



24824 10x13 Nocé (ceramic wall)



24824 Nocé



24824/M12 Nocé



24824/L1.25x10 Nocé DaVinci





24824/CR2x10 Nocé

*Chair Rail Stops (CRS2x1) available in all colors.



24830 10x13 Crema (ceramic wall)



24830 Crema



24830/M12 Crema



Crema DaVinci



24800B/L1.5x10 Gold Sistine

24830/CR2x10 Crema



24895 10x13 Brun (ceramic wall)



24895 Brun



24895/M12 Brun



24895/L1.25x10 Brun DaVinci





24895/CR2x10 Brun


properties	results	shade variation			
DCOF AcuTest	Fail				
Water Absorption	<0.5%				
Breaking Strength	400 lbf avg				
Surface Hardness	7 mohs				
Thickness	9.5mm (18x18) 8.5mm (all other sizes)	V2 Slight Variation			
Durability Classification	IV Commercial				
certifications					

renaissance






 $\left(\right)$



A113 Quarter Round 13.25 x 1 in AZ108 Quarter Round Corner 1 x 1 in



rhyme

28593 12x24 Stone Chambe

Still 1224 Siker Melox

28503 12x24 Ivory Staccato 28500A/M12ROMAN Soprano Mosaic

rhyme

color body porcelain floor & wall tile 12 x 24





28503 12x24 Ivory Staccato



28513 12x24 Silver Melody



28522 12x24 Almond Note




28532 12x24 Desert Harmony




28593 12x24 Stone Chamber

bullnose




28513 P43C9 Silver Melody




28532 P43C9 Desert Harmony



mosaics



28503/M1x6 Ivory Staccato



28513/M1x6 Silver Melody




Almond Note



28532/M1x6 Desert Harmony



28593/M1x6 Stone Chamber



28500A/M12ROMAN Soprano



28500B/M12ROMAN Alto



28500C/M12ROMAN Tenor

properties	results	shade variation	
DCOF AcuTest	Pass		
Water Absorption	<0.5%		
Breaking Strength	465 lbf avg		
Surface Hardness	7 mohs		
Thickness	9mm		
Durability Classification	III Commercial	V1 Uniform Appearance	
	certifications		

rhyme





savannah

floridatile

glazed porcelain floor & ceramic wall tile $10 \times 13 \cdot 12 \times 12 \cdot 18 \times 18$



24301 10x13 (ceramic wall) Magnolia White



24324 10x13 (ceramic wall) Cobblestone Taupe



24301 Magnolia White

mosaics



24324 Cobblestone Taupe



24330 10x13 (ceramic wall) Plantation Beige



24330 Plantation Beige



24348 Carriage Gold

24301/M12 Magnolia White



24324/M12 Cobblestone Taupe



24330/M12 Plantation Beige



24348/M12 Carriage Gold

listellos • cove base • cove base corners



24301/L2x10 Magnolia White



24301 P36C9 & PB3169 Magnolia White



24324/L2x10 Cobblestone Taupe




24324 P36C9 & PB3169 Cobblestone Taupe




24330/L2x10 Plantation Beige



24330 P36C9 & PB3169 Plantation Beige







24904 20x20 & 12x24 Spirit Pearl 24900A/L2x19 Interlude Listello

The second

sou

floridatile

glazed porcelain floor & wall tile $13 \times 13 \cdot 12 \times 24 \cdot 20 \times 20$





24913 Passion Antracite



24911 Flow Grey



24905 Body Black



24904 Spirit Pearl

24904 Spirit Pearl



24913 Passion Antracite 24911 Flow Grey



24905 Body Black



24930 Motion Beige (available in 13x13 & 20x20)

listellos



24900B/L2x19 Traffic

24900A/L2x19 Interlude

properties	results	shade variation			
DCOF AcuTest	Pass				
Water Absorption	<0.5%				
Breaking Strength	310 lbf avg (13x13) 450 lbf avg (12x24 • 20x20)				
Surface Hardness	8 mohs				
Thickness	8mm (13x13) 9mm (12x24 • 20x20)	V2 Slight Variation			
Durability Classification	IV Commercial Spirit Pearl, Flow Grey & Motion Beige III Heavy Residential or Light Commercial Passion Antracite & Body Black				

certifications





P43D9 Bullnose 3 x 13 in



taconic slate

5

2

25183 12x12 & 18x18 Red Ridge

25106C 6x6 Dark Rock 25106 12x12 & 18x18 Dark Rock

22

14

-

taconic slate

glazed porcelain floor & wall tile $6 \times 6 \cdot 12 \times 12 \cdot 18 \times 18$



25104 Light Peak*





25148 Gold Summit*



25152 Green Valley*



25183 Red Ridge*

floridatile

*When ordering 6x6 add "c" after color sku number

mosaics • listellos • inserts



25104/M12 Light Peak

25106/M12 Dark Rock



25148/M12 Gold Summit



25152/M12 Green Valley



25183/M12 Red Ridge

1.4	(frees	西型	141	261	南部
中午台	AS		Post P	6 . 1	N. S.

25100A/L2x12 Summit Ridge Coordinates with Gold Summit and Red Ridge



25100A/I6x6 Summit Ridge Coordinates with Gold Summit and Red Ridge



and Green Valley

25100B/L2x12 Peak Valley

Coordinates with Light Peak

25100B/l6x6 Peak Valley Coordinates with Light Peak and Green Valley



25106/L2x12 Dark Rock Coordinates with Dark Rock



25106/I6x6 Dark Rock Coordinates with Dark Rock

cove base • cove base corners



25104 P36C9 & PB3169 Light Peak



25106 P36C9 & PB3169 Dark Rock



25148 P36C9 & PB3169 Gold Summit



25152 **P36C9 & PB3169** Green Valley



25183 **P36C9 & PB3169** Red Ridge

properties	results	shade variation		tac	onic slate
DCOF AcuTest	Pass				
Water Absorption	<0.5%				
Breaking Strength	450 lbf avg				
Surface Hardness	7 mohs				
Thickness	9.5mm				
Durability Classification	III Heavy Residential or Light Commercial (Dark Rock) IV Commercial (All other colors)	V2 Slight Variation	P36C9 Cove Base 6 x 12 in	LL PB3169 Cove Base Corner 6 x 1 in	
	certifications				
			P43C9 Bullnose 3 x 12 in	54669 Bullnose 6 x 6 in	SN4669 Outside Corner 6 x 6 in
States and the second		0	0	•	TORESH BARRIER BE
					1
			0.01	THE P	
		0			Less Min
	-				
	17				
				AND I	
	•	•			
			- M		
	the state of the s		A CONTRACTOR		
/	All second and				
11=		and a second			
			3.3.	K	
ME	and and		- Alexander		C 6x6 Gold Summit
11/1-			and the second	25148	12x12 Gold Summit
11 K	and the second		A REAL PROPERTY AND A REAL	251004	A/I6x6 Summit Ridge Insert
11	X A	1 com			1
1/1			< - J =		
111-22	- AND	her the	-		

tides HDR

P

28115 12x24 Marine Fog 28115/M12 Marine Fog Mosaic



tides HDP

glazed porcelain floor & wall tile 12 x 24

floridatile



28110 Sea Salt **28115** Marine Fog



Sand Castle




28190 Coconut Shell



28155 Waters Edge


mosaics



28110/M12 Sea Salt



28115/M12 Marine Fog



28130/M12 Sand Castle



28190/M12 Coconut Shell



28155/M12 Waters Edge

listellos



2382A/L1.25x12 Concrete/Carbon Trek*





*Trek Listellos from the Urbanite series coordinate with Tides^{HDP} colors.




2380A/L1.25x12 Stone Trek*

properties	results	shade variation		
DCOF AcuTest	Pass			
Water Absorption	<0.5%			
Breaking Strength	550 lbf avg			
Surface Hardness	7 mohs			
Thickness	10mm			
Durability Classification	IV Commercial	V2 Slight Variation		
	certifications			

tides HDP

P43N9 Bullnose **3 x 24 in**




time/2.0



time/2.0

T2561 24x24 Dove polished (special order)





T2161 24x24 Snow polished (special order)

time/2.0

floridatile

through body porcelain floor and wall tile 12 x 12 • 12 x 24 • 6 x 24 • 24 x 24 (all sizes rectified)

natural (12 x 12 • 12 x 24 • 6 x 24 • 24 x 24)

		. T		1000
T21B1 Snow	T22B1 White	T23B1 Cream	T24B1 Biege	T25B1 Dove
T26B1 Silver	T27B1 Grey	T28B1 Carbon	T29B1 Black	
				15.10-11.15
T21B1 Snow		T22B1 White	T2:	3B1 Cream
	-			
			100	
			1.00	
T24B1 Biege		T25B1 Dove	T20	6B1 Silver
	100	Hard and the state of the	100	
T27B1 Grey		T28B1 Carbon 128	Τ2	9 B1 Black

floridatile

time/2.0

polished (12 x 12 • 12 x 24)



textured (12 x 12 • 12 x 24)



T217B1 Snow

T237B1 Cream

T247B1 Biege


T267B1 Silver

T287B1 Carbon


T297B1 Black

time/2.0

mosaics



T21B1/M12 Snow (natural finish only)




T26B1/M12 Silver (natural finish only)




T22B1/M12 White (natural finish only)




T27B1/M12 Grey (natural finish only)



T23B1/M12 Cream (natural finish only)




T28B1/M12 Carbon (natural finish only)



T24B1/M12 Biege (natural finish only)

8	d.	٠Ĺ,	T)	
	1	1		


T29B1/M12 Black (natural finish only)



floridatile

T25B1/M12 Dove (natural finish only)

rsp mosaics (a mixture of natural, polished & textured finishes)




T2126/RSP 12x24 Dawn (T2161 Snow polished, T22B1 White natural & T267B1 Silver textured)



T2345/RSP 12x24 Dusk (T2461 Beige polished, T25B1 Dove natural & T237B1 Cream textured)



T2789/RSP 12x24 Midnight (T2861 Carbon polished, T27B1 Grey natural & T297B1 Black textured)






T21B1 P36C9 & PB3169 Snow (natural finish only)



T26B1 P36C9 & PB3169 Silver (natural finish only)



T22B1 P36C9 & PB3169 White (natural finish only)




T27B1 P36C9 & PB3169 Grey (natural finish only)



T23B1 P36C9 & PB3169 Cream (natural finish only)



T28B1 P36C9 & PB3169 Carbon (natural finish only)





T29B1 P36C9 & PB3169 Black (natural finish only)



T25B1 P36C9 & PB3169 Dove (natural finish only)

properties	results	shade variation		ti	me/2.0
DCOF AcuTest	Pass (natural & textured)				
Water Absorption	<0.1%				
Breaking Strength	850 lbf avg (natural & textured) 750 lbf avg (polished)				
Surface Hardness	7 mohs				
Thickness	10mm (polished) 10.5mm (natural & textured)	V2 Slight Variation			
Deep Abrasion	P1				Π
	certifications				
		CERTIFIED RCELAIN Official and	P43C9 Bullnose 3 x 12 in	P36C9 Cove Base 6 x 12 in	PB3169 Cove Base Corner 6 x 1 in

special order items	snow	white	cream	beige	dove	silver	grey	carbon	black
12x24 polished		T2261			T2561		T2761		
24x24 polished	T2161	T2261	T2361	T2461	T2561	T2661	T2761	T2861	T2961

7711



urbanite

前

23811 8x24 & 12x24 Concrete

23882 12x12, 12x24 & 24x24 Clay



urbanite

through body porcelain floor & wall tile $12 \times 12 \cdot 8 \times 24 \cdot 12 \times 24 \cdot 24 \times 24$

(all sizes rectified)

SILK



23821 Stone







23811 Concrete



23805 Carbon



floridatile

23882 Clay



23821 Stone

23835 Gild



23811 Concrete



23805 Carbon



23882 Clay



23821 Stone



23835 Gild



23811 Concrete



23805 Carbon




23882 Clay

floridatile

urbanite

mosaics



23835/M128 Gild


cove base • cove base corners








23811/M128 Concrete



23805/M128 Carbon



23882/M128 Clay

rners



23811 P36C9 & PB3169 Concrete




23805 P36C9 & PB3169 Carbon



23882 P36C9 & PB3169 Clay

listellos

Stone




23811C/L6x18 Concrete Stratus






23821C/L6x18 Stone Stratus



23835C/L6x18 Gild Stratus



23882C/L6x18 Clay Stratus



2382B/L1.25x12 Concrete/Carbon Reed



2381B/L1.25x12 Gild Reed



2380B/L1.25x12

Stone Reed



2383B/L1.25x12 Clay Reed

urbanite

listellos • liner

floridatile



2382A/L1.25x12 Concrete/Carbon Trek



2381A/L1.25x12 Gild Trek



2380A/L1.25x12 Stone Trek



2383A/L1.25x12 Clay Trek



23811B/L8x24 Concrete Moon



23805B/L8x24 Carbon Moon




23821B/L8x24 Stone Moon



23835B/L8x24 Gild Moon




23882B/L8x24 Clay Moon



23811A/L3.5x24 Concrete Rays

23805A/L3.5x24 Carbon Rays



Stone Rays


23835A/L3.5x24 Gild Rays

23882A/L3.5x24 Clay Rays

23800/L1/2x24 Metalico Liner

properties	results	shade variation					
DCOF AcuTest	Pass						
Water Absorption	<0.1%						
Breaking Strength	1000 lbf avg						
Surface Hardness	9 mohs						
Thickness	11.5mm						
Deep Abrasion	P1	V3 Moderate Variation					
certifications							

P43N9 Bullnose 3 x 24 in 3 x 18 in



P43H9 Bullnose



P36C9 Cove Base 6 x 12 in

PB3169 Cove Base Corner 6 x 1 in







SLIM • LIGHTWEIGHT • PORCELAIN



SLIM " LIGHTWEIGHT " PORCELAIN

Florida Tile is pleased to announce a revolutionary new porcelain tile concept THINNER; large format thin porcelain tile. Created with the latest technology in technical porcelain production we are able to create a true porcelain tile that is only 3mm thick. Using the finest raw materials in combination with the newest manufacturing techniques, we have effectively created an entirely new product category. This new thin tile is incredibly lightweight, durable, flexible, easy to cut and handle, allowing an enormous possibility of installation options, only a fraction of which we have explored.


Our unique manufacturing process compresses each tile to greater than 15,000 tons psi. This creates a very dense, strong, thin tile with increased flexibility and breaking strength. Further, a 0.5mm fiberglass mesh backing is adhered to each panel, providing additional strength and allowing for ease of drilling, cutting and handling. This process allows us to create a single 3.5mm thick panel with a size up to 1m x 3m (39" x 118").

With the large-scale commercial and residential installations in mind, sizes available are 1m x 3m (39" x 118"), 1m x 1m (39" x 39") and 0.5m x 1m (19.5" x 39") all rectified. All THINNER products have been third-party tested at the Tile Council of North America laboratory. 3plus (3.5mm) is suitable for interior and exterior, wall, floor and countertop applications in residential and light commercial construction. 5plus (5.5mm) received an "extra heavy" duty service rating and is ideal for commercial floor, wall and exterior applications as well as all residential floor, wall, countertop, stairs, and the list goes on.

More detailed areas of use charts are available in the THINNER Technical Manual at www.floridatile.com/thinner. This Florida Tile product is GREENGUARD[®] certified and will contribute to USGBC registered LEED projects as well as ANSI approved NAHB Green Building Standard ICC 70.

Sizes 3plus (3.5mm)







Sizes 5plus (5.5mm)



8" x 59"





SLIM • LIGHTWEIGHT • PORCELAIN

THE ADVANTAGES OF BEING UNIQUE:

Application Benefits

- Ease of installation; thin and lightweight, easy to cut and drill
- Ideal for installations over properly prepared existing tile, avoiding the demolition and waste disposal
- Innovative applications can be curved surfaces, interior design applications, furniture and accents
- This unique production process of Florida Tile's THINNER, allows us to produce perfectly flat tile panels
- Rectified edges; all edges have been mechanically finished for a more exact dimension
- The thin tile reduces the need to cut doors, and allows for less drastic transitions to other floor finishes

Technical Benefits

- Florida Tile's THINNER is fully vitreous porcelain making it non-absorbent, easy to clean, freeze thaw stable, resistant to acids, stains and pollution
- Thin porcelain plus boasts excellent values for resistance to bending and breaking strength
- Large sizes never seen before in tile; 1m x 3m (39" x 118"), 1m x 1m (39" x 39"), 0.5m x 1m (19.5" x 39")
- Proven; thin large format tile has been used successfully around the world for residential and commercial applications for over 10 years

Environmental Benefits

- Strong decrease in raw materials, water and energy consumption, as well as pollution
- Reduced CO² exhausts during firing, up to 20x less than standard tile and 50% less natural gas used compared to traditional tile production
- Transportation uses less fuel because you can fit more tile in a smaller space
- Incredibly light for size weight ratio for 3.5mm = 1.6 lbs. per SQFT, for 5.5mm = 2.3 lbs. per SQFT, compared to a typical 10mm – 11mm porcelain tile, weighing 5 – 6 lbs. per SQFT

aventis thinner

1

AT55 19.5x39 Cotton AT15 39x118 Ask

AT45 19.5x39 & 39x39 Nut AT35 19.5x39, 39x39 & 39x118 Titanium AT05 39x39 Eclipse

H

N

aventis thinner

through body porcelain floor & wall tile $19.5 \times 39 \cdot 39 \times 39 \times 39 \times 118$ (all sizes rectified)



AT55 39x118 Cotton

AT35 39x118 Titanium AT45 39x118 Nut

AT25 39x118 Velvet


AT15 39x118 Ask

AT05 39x118 Eclipse

properties	results	shade variation	
DCOF AcuTest	Fail		
Water Absorption	<0.1%		
Breaking Strength	250 lbf avg		
Surface Hardness	7 mohs		
Thickness	3.5mm		
Durability Classification	IV Commercial	V1Uniform Appearance	
Deep Abrasion	P1		
	certifications		



aventis thinner



time/2.0 thinner

Still.

PLT21 39x39 Snow PLT24 39x118 Beige

105

PLT28 39x39 & 39x118 Carbon

非正(1)

9

time/2.0 thinner

floridatile

through body porcelain floor & wall tile 19.5 x 39 • 39 x 39 • 39 x 118 (all sizes rectified)



properties	results	shade variation	
DCOF AcuTest	Pass		
Water Absorption	<0.1%		
Breaking Strength	250 lbf avg		
Surface Hardness	7 mohs		
Thickness	3.5mm		
Durability Classification	IV Commercial	V1 Uniform Appearance	
Deep Abrasion	P1		
certifications			



time/2.0 thinner



PLT23 39x39 & 39x118 Cream





ليبا

Developer

CET

UNA.

17

10.00

.....

.....

1

a

1

Sec.

1

1 al

24

11.4

restore HDP thinner

floridatile

color body porcelain floor & wall tile 8 x 39 • 8 x 59 (all

(all sizes rectified)





34093 Antiqued Fence






34018 Weathered Dock





34015 Tobacco Barn





34003 Cotton Mill

properties	results	shade variation	
DCOF AcuTest	Pass		
Water Absorption	<0.1%		
Breaking Strength	250 lbf avg		
Surface Hardness	7 mohs		
Thickness	5.5mm		
Durability Classification	V Heavy Commercial	V3 Moderate Variation	
Deep Abrasion	P1		
certifications			
		CCGF Actest CCGF A	


restore HDP thinner

34003 8x39 Cotton Mill

estore HDP thinner

P

34015 8x39 & 8x59 Tobacco Barn



ceramic



metropolitan quarry

FFF



floridatile

metropolitan quarry

ceramic floor & wall tile

quarrybasics[®] x-colors




7731X Commercial Red

7757X Stone Gray

Available in 6x6 & 8x8 Only X-Colors available in trim sizes Q1665 and QC1665 only.

metrotread®







7757T Gray (6x6 only)


Added Slip Resistance - METROTREAD® features nine raised treads across the surface of each tile, spaced 5/8" apart for added slip resistance. Please note: METROTREAD® is a floor layout program and should only be used in one of two patterns depending on the application.

quarrybasics[®] cleartones




77310 Mayflower Red


Cleartones available in 6x6 & 8x8 only.



77507 Puritan Gray



Grid System - for use in multidirectional traffic such as commercial kitchens.



Linear System - for use in one directional traffic such as access ramps and directional pathways.

QC1665

6x6 in

Q3585 Cove Base

6x7⁵/ଃ in

Bullnose Corner

specifications	test	results
Abrasion Resistance Absorption 5-Hour Boil	ASTM C501 ASTM C373	>80 or better 3% Maximum
Freeze/Thaw	ASTM C67 Special Florida Tile Freeze/Thaw Test	50 Cycles (Internal Standard 3,000 Cycles)
Facial Size Variation	ASTM C499	Meets Standards
Breaking Strength	ASTM C648	400 lbf or better
Shear-Bond Strength Compression Strength	ASTM C482 ASTM C67	Exceeds Standards 10,000 PSI or better
Static C.O.F	ASTM C1028	0.70 Dry 0.60 Wet (Enhanced Slip Resistance) 0.90 Dry 0.70 Wet
Thickness Warpage Wedging	ASTM C499 ASTM C485 ASTM C502	Maximum Range of .050 1.5 along edge 1.0 on either diagonal Maximum Range of 1.0%







 QL3565 & QR3565
 QL3585 & QR3585

 Cove Outside Corner
 Cove Outside Corner

 6x6 in
 6x7⁵/s in

QB3565 Cove Inside Corner 6x6 in

152

曹

Ker Ale

Restance Contrastication

ALL STRATES

60301 3x6 Lily 60301/CR4x6 Lily Chair Rail 60301/L3x6 Lily Floral Listello

1

ceramic wall tile 3 x 6







60301 3x6 Lily



60325 3x6 Mocha

mosaics (12 x 12 sheets)





60359 3x6 Lt. Avocado

60312 3x6 Silver



60366 3x6 Pewter



60301/M12BULB Lily

60302/M12BULB Linen

60312/M12BULB Silver

60325/M12BULB

60359/M12BULB Avocado



60366/M12BULB Pewter

Mocha

chair rails • chair rail stops (not shown)



60301/CR4x6 & CRS4x1.5 Lily



60301/CR2x6 & CRS2x1.2 Lily



60325/CR4x6 & CRS4x1.5 Mocha



60325/CR2x6 & CRS2x1.2 Mocha

listellos



60301/L3x6 Lily Floral



60301/L2x6 Lily Circles



60325/L3x6 Mocha Floral



60325/L2x6 Mocha Circles



60302/CR4x6 & CRS4x1.5 Linen



60302/CR2x6 & CRS2x1.2 Linen



60359/CR4x6 & CRS4x1.5 Lt. Avocado



60359/CR2x6 & CRS2x1.2 Lt. Avocado



60302/L3x6 Linen Floral



60302/L2x6 Linen Circles



60359/L3x6 Lt. Avocado Floral



60359/L2x6 Lt. Avocado Circles



60312/CR4x6 & CRS4x1.5 Silver





60366/CR4x6 & CRS4x1.5 Pewter



60366/CR2x6 & CRS2x1.2 Pewter



60312/L3x6 Silver Floral



60312/L2x6 Silver Circles



60366/L3x6 Pewter Floral



60366/L2x6 Pewter Circles

properties	results	shade variation
Water Absorption	14%	
Breaking Strength	125 lbf avg	
Surface Hardness	5 mohs	
Thickness	9mm	V1
Durability Classification	I Light Residential	Uniform Appearance
	certifications	






SN4339 Outside Corner 3 x 3 in









411 3x6 Dorian (matte) 411/L1/2x6 Dorian Liner (matte) 519A/L2x8 Gemstone Cool listello 312 3x6 Gunmetal 312/L1/2x6 Gunmetal Liner T2761 12x12 Grey polished Time/2.0

6425

1:2

aneren a

1. Martin States

201 8.23

0

0

.

0

100000000

ceramic wall tile $3 \times 6 \cdot 4 \times 4 \cdot 4 \times 16$ (ceramic wall tiles have a glossy finish) 310 4x16 Arctic 310 3x6 Arctic 310 4x4 Arctic 320 4x16 Buff 320 3x6 Buff 320 4x4 Buff 311 4x16 Dorian 311 3x6 Dorian 311 4x4 Dorian 350 3x6 Camo 350 4x16 Camo 350 4x4 Camo 330 4x4 Earth 330 4x16 Earth 330 3x6 Earth 325 3x6 Fawn 325 4x4 Fawn 325 4x16 Fawn 312 4x16 Gunmetal 312 3x6 Gunmetal 312 4x4 Gunmetal

ceramic wall tile 3 x 6 • 4	4 x 4 • 4 x 16 (ceramic w	all tiles have a matte finish)	
410 3x6 Arctic (matte)	410 4x4 Arctic (matte)	410 4x16 Arctic (matte)	
420 3x6 Buff (matte)	420 4x4 Buff (matte)	420 4x16 Buff (matte)	
411 3x6 Dorian (matte)	411 4x4 Dorian (matte)	411 4x16 Dorian (matte)	
chair rails • liners			
310/CR1.75x6 Arctic	320/CR1.75x6 Buff	311/CR1.75x6 Dorian	
310/L1/2x6 Arctic	320/L1/2x6 Buff	311/L1/2x6 Dorian	
410/CR1.75x6 Arctic (matte)	420/CR1.75x6 Buff (matte)	411/CR1.75x6 Dorian (matte)	
410/L1/2x6 Arctic (matte)	420/L1/2x6 Buff (matte)	411/L1/2x6 Dorian (matte)	
330/CR1.75x6 Earth	325/CR1.75x6 Fawn	312/CR1.75x6 Gunmetal	350/CR1.75x6 Camo
330/L1/2x6 Earth	325/L1/2x6 Fawn	312/L1/2x6 Gunmetal	350/L1/2x6 Camo

wave listello







330/L3x6 Earth





f 311/L3x6 Dorian



325/L3x6 Fawn



420/L3x6 Buff (matte)



350/L3x6 Camo



411/L3x6 Dorian (matte)

jewel listello



310/L1x6 Arctic




325/L1x6 Fawn



312/L1x6 Gunmetal

glass mosaics (12x12 sheets)



313/M1/2x1/2 Polar

323/M1/2x1/2 Desert



395/M1/2x1/2 Monsoon



352/M1/2x1/2 Tropical



listellos

liners



518/L3x6 Ivy Shadow Gray

538/L3x6 Ivy Shadow Beige





519B/L2x8 Gemstone Warm

519A/L2x8 Gemstone Cool




311/L1x6 Dorian



330/L1x6 Earth

320/L1x6 Buff


350/L1x6 Camo



4x4 & 4x16 are modular when using a 1mm spacer. 50% offset brick patterns have unique installation challenges regardless of the tile selected. Substrates need to be completely flat and wash lighting is not recommended. A larger grout joint should also be considered. See the latest TCNA Handbook for Tile Installation for tips on brick patterns.



410 4x4 Arctic matte 355/L1/2x6 Envy Liner 352/M1/2x1/2 Tropical Mosaic



Pietra Art


natural stone





Pietra Art bliss

mosaics 5/8 x 5/8 (12x12 sheets)



NS344M125/8 Cabernet




NS342M125/8 Bamboo



NS341M125/8 Cappucinno



NS343M125/8 Midnight



NS346M125/8 Waterfall



NS347M125/8 Iceland



NS340M125/8 Spa



NS345M125/8 Créme Bruleé

Pietra Art bliss

mosaics 5/8 x 5/8 (12x12 sheets)



NS360M125/8 Amber Tea



NS362M125/8 Black Timber




NS363M125/8 Cotton Wood



NS365M125/8 Norwegian Ice



NS364M125/8 Silver Aspen



NS361M125/8 Smoky Mica

PietraArt Bliss natural stone & glass blends

• Due to the nature of the stone, PA Bliss has shiny and dull areas as part of the surface. Please take this into consideration at the time of purchase.



Pietra Art bliss

rsp (random size pattern) linear blend mosaics (1



NS354RSP5/8 Cabernet

s (12x12 sheets)



NS352RSP5/8 Bamboo



NS351RSP5/8 Cappucinno



NS353RSP5/8 Midnight



NS356RSP5/8 Waterfall



NS357RSP5/8 Iceland



NS350RSP5/8 Spa



NS355RSP5/8 Créme Bruleé

Pietra Art bliss

rsp (random size pattern) linear blend mosaics (12x12 sheets)



NS370RSP5/8 Amber Tea



NS372RSP5/8 Black Timber



NS373RSP5/8 Cotton Wood



NS375RSP5/8 Norwegian Ice



NS374RSP5/8 Silver Aspen



NS371RSP5/8 Smoky Mica

PietraArt Bliss natural stone & glass blends

• Due to the nature of the stone, PA Bliss has shiny and dull areas as part of the surface. Please take this into consideration at the time of purchase.




Pietra Art bliss

rsp (random size pattern) linear blend mosaics with stainless steel (12x

(12x12 sheets)



NS389RSP5/8 Arctic Night



NS386RSP5/8 Deep Grotto




NS385RSP5/8 Fossil Rock



NS387RSP5/8 Nature Trail




NS388RSP5/8 Nordic Storm



NS384RSP5/8 Sea Coast



NS380RSP5/8 Twilight Mist



NS383RSP5/8 Woodland Park



NS389RSP5/8 Arctic Night Mosaic

1=11


Pietra Art classic mosaics

T781/M12OCT Honey Onyx/Black Mosaic



Pietra *Hrt* classic mosaics

polished octagon mosaics 12 x 12



T781/M12OCT Honey Onyx/Black


polished basketweave mosaics 12 x 12



T790/M12BW Honey Onyx/Black



T791/M12BW Crema Marfil/ Emperador Dark



T782/M12OCT Crema Marfil/Emperador Dark

T792/M12BW

China White/ Black Marquina



T783/M12OCT Statuary/Black



T793/M12BW Honey Onyx/Timber



Pietra Hrt classic mosaics

polished 3 x 6



T762 Crema Marfil



T764 Honey Onyx

Honey Onyx



T768 White Statuary



T766 Ming Green

honed 3 x 6




T763 Crema Marfil



T769 White Statuary

mosaics 5/8 x 5/8 (12x12 sheets)



Pietra Hrt mexican travertine


ANALAS ANAL

the the the

90333 12x12 Desert Cream Imperial 90300E/L5x12 Melissa Listello (discontinued)


Pietra *Hrt* mexican travertine

tumbled 3 x 6



90325 Nocé

tumbled $4 \times 4 \cdot 6 \times 6$




90325 Nocé

90333 Desert Cream Imperial

90333 Desert Cream Imperial


pencils (unfilled & honed)

90325/MR1/2x12 Nocé



and the second sec

90325/MR3/4x12 Nocé



6" travertine planks $6 \times 18 \& 6 \times 36^*$



90333 6PL Desert Cream Imperial



90325 6PL Nocé



90333V 6PL Desert Cream Imperial (Vein Cut)

*When ordering Mexican Travertine planks, cartons contain a mixture of lengths. This provides better variation in the final installation.

tumbled mosaic 2 x 2



90325/M122 Nocé Also available in: 90333/M122 Desert Cream Imperial (not shown)

chair rails (unfilled & honed)

90325/CR2.5x12 Nocé

90325/CR2x12 Nocé

filled & honed 12 x 12 • 18 x 18



90325 Nocé



90333 Desert Cream Imperial



90333/CR2.5x12 Desert Cream Imperial



90333/CR2x12 Desert Cream Imperial

$4^{\prime\prime}$ travertine planks $4~x~12~\&~4~x~24^{*}$



90333 4PL Desert Cream Imperial



90325 4PL Nocé



90333V 4PL Desert Cream Imperial (Vein Cut)

Pietra Hrt mexican travertine

filled & polished 3 x 6



P90333 Desert Cream Imperial (vein cut)



P90325 Nocé (vein cut)

filled & honed 3 x 6



D90333 Desert Cream Imperial (domed)

filled & polished $4 \times 4 \cdot 6 \times 6$



P90333 Desert Cream Imperial (vein cut)



P90325 Nocé (vein cut)



D90325 Nocé (domed)

filled & honed $4 \times 4 \cdot 6 \times 6$






P90333 Desert Cream Imperial (vein cut)



P90325 Nocé (vein cut)



D90333 Desert Cream Imperial (domed)




D90325 Nocé (domed)

polished chair rails • pencils



P90333/C2.5x12 Desert Cream Imperial (vein cut)



P90333/CR1x12 Desert Cream Imperial (vein cut)



P90325/C2.5x12 Nocé (vein cut)

P90325/CR1x12 Nocé (vein cut)

Pietra *Hrt* mexican travertine

split face mosaics



90333/SFM1x2 Desert Cream Imperial



90325/SFM1x2 Nocé

domed basketweave mosaics (filled & honed)

D90333/DBW12 Desert Cream Imperial



D90325/DBW12 Nocé

fireplace mosaics (filled & honed)



90333/FP12 Desert Cream Imperial



90325/FP12 Nocé

domed diamond mosaics (filled & honed)



D90333/DM4x9 Desert Cream Imperial



D90325/DM4x9 Nocé

mosaics 1 x 2



P90333/1x2 Desert Cream Imperial (vein cut)



P90325/1x2 Nocé (vein cut)



P90333/M122 Desert

Cream Imperial

(vein cut)



P90325/M122 Nocé (vein cut)



P90300/M125/8 Fusion (filled & polished)

inserts





90303/l4x4 Desert Cream/Nocé Insert (3 Insert Design Set)

listellos



90301/L3x12 Desert Cream Blend

90302/L3x12 Nocé Blend




90303/I2x2 Desert Cream/Nocé Insert (4 Insert Design Set)



90303/L3x12 Desert Cream/Nocé Blend







SP104/4x12 Mixed Salad Standing

Pietra Art pebbles

standing pebbles 4 x 12



SP104/4x12 Mixed Salad Standing

round pebbles 6 x 12



PT104/6x12 Mixed Salad Round

round pebbles 12 x 12



PT101/12x12 Yellowstone Round



PT104/12x12 Mixed Salad Round



PT103/12x12 White Snowball Round



PT102/12x12 Black Pearl Round

Pietra Art pebbles

flat pebbles 12 x 12



FP306/12x12 Cotton Flat



FP104/12x12 Mixed Salad Flat



FP102/12x12 Black Pearl Flat



FP105/12x12 Redwood Flat



PietraArt Pebbles Information

• Pebbles products are mosaics made from natural pebbles which have been polished and mounted into sheets for ease of installation.

• They can act as an accent in a traditional stone or ceramic installation or be used as a stand-alone floor, countertop, or pool deck; outdoors or around a fireplace.

Care & Maintenance

• Pebbles should be sealed before and after grouting and every 2-3 years thereafter with a penetrating stone sealer.

• Routine cleaning can be done with neutral, mild detergents and a stiff bristled brush.

• For deep cleaning, a vinegar or 10% hydrochloric acid solution mixed with water can be used. Apply with a stiff bristled brush and rinse.

thoroughly with water after cleaning.

• Pebbles are porous and can stain, quickly clean up any spills.





MS721/M2x8 Brown Stone Mosaics 90490 18x18 Walnut

Pietra Hrt polished travertine

polished 3 x 6



90403 Light Travertine



90424 Nocé




90440 Scabos



90444 Picasso








90403 Light Travertine

90410 Silver





90440 Scabos



90444 Picasso







90424/M125/8 Nocé



90440/M125/8 Scabos



90444/M125/8 Picasso

polished beveled mosaics 2 x 4



90403/MB2x4 Light Travertine

90403/M125/8

Light Travertine

90410/MB2x4 Silver

90410/M125/8

Silver



90424/MB2x4 Nocé



90440/MB2x4 Scabos



90444/MB2x4 Picasso

listellos



5000A1/L1x8 **Triple Garnet**



PietraArt Polished Travertine Information

• Due to the nature of the stone, PA Polished Travertine has shiny and dull areas as part of the surface. Please take this into consideration at the time of purchase.













Pietra Art rustic travertine

chiseled edge $8 \times 8 \cdot 8 \times 16 \cdot 16 \times 16 \times 24$



TM520 8x8 lvory TM521 8x16 lvory TM522 16x16 lvory TM523 16x24 lvory



TM540 8x8 Picasso TM541 8x16 Picasso TM542 16x16 Picasso TM543 16x24 Picasso



TM580 8x8 Walnut TM581 8x16 Walnut TM582 16x16 Walnut TM583 16x24 Walnut



TM560 8x8 Scabos TM561 8x16 Scabos TM562 16x16 Scabos TM563 16x24 Scabos

straight edge/brushed $8 \times 8 \cdot 8 \times 16 \cdot 16 \times 16 \times 24$



TM720 8x8 lvory TM721 8x16 lvory TM722 16x16 lvory TM723 16x24 lvory



TM740 8x8 Picasso TM741 8x16 Picasso TM742 16x16 Picasso TM743 16x24 Picasso



TM780 8x8 Walnut TM781 8x16 Walnut TM782 16x16 Walnut TM783 16x24 Walnut



TM760 8x8 Scabos TM761 8x16 Scabos TM762 16x16 Scabos TM763 16x24 Scabos

modular versailles pattern



rsp (random size pattern) mosaic (12x12 sheets)



TM526/RSP12 lvory



TM546/RSP12 Picasso



TM586/RSP12 Walnut



TM566/RSP12 Scabos

TM525 MODULAR Ivory Chiseled TM724 MODULAR Ivory Brushed TM545 MODULAR Picasso Chiseled TM744 MODULAR Picasso Brushed TM584 MODULAR Walnut Chiseled TM784 MODULAR Walnut Brushed TM564 MODULAR Scabos Chiseled TM764 MODULAR Scabos Brushed

PietraArt Rustic Travertine Information

• PA Rustic Travertine has natural pits and holes that are an inherent part of this natural stone product, with the Walnut and Picasso colors being the most notable.

• Modular bundles consist of (1) pc 16x24, (2) pcs 16x16, (1) pc 8x16 and (2) pcs of 8x8.





NS300/L6x24 Ash Ledger Stone

Pietra Art slate

natural stone floor 12 x 12




IS011 Silver Gray

IS012 Copper

liners

IS710/MR3/4x12 Multi

IS711/MR3/4x12 Indian Autumn



IS713/MR3/4x12 African Gold

IS714/MR3/4x12 Copper

chair rails





IS701/CR1.5x12 Indian Autumn



IS703/CR1.5x12 African Gold



tumbled slate 4 x 4



IS400 Kund Multi





IS402 California Gold



IS403 African Gold



IS404 Copper

Pietra Art slate

natural stone floor 12 x 12 • 16 x 16 • 16 x 24



Kund Multi IS002 12x12; IS100N 16x16; IS022 16x24



Indian Autumn IS003 12x12; IS102N 16x16; IS027 16x24



California Gold IS004 12x12; IS103N 16x16; IS032 16x24



African Gold IS006 12x12; IS104N 16x16; IS037 16x24

tumbled slate mosaics



IS171/1x2 Indian Autumn



IS170/1x2 Multi



IS172/1x2 California Gold



IS173/1x2 African Gold



IS174/1x2 Copper Slate



IS302/2x4 California Gold



IS300/2x4 Multi



IS301/2x4 Indian Autumn



IS303/2x4 African Gold



IS304/2x4 Copper Slate



IS204/M122 Copper Slate



IS200/M122 Multi



IS201/M122 Indian Autumn



IS203/M122 African Gold



IS202/M122 California Gold

Pietra Art slate

listellos



4501/L3x13 Pinwheel Listello (Slate w/Glass)



4502/L3x13 Pinwheel Listello (Slate & Stone)

ledger stone $6 \times 24 \cdot \text{ledger stone corner}^* 6 \times 24$



NS300/L6x24 Ash NS301/C6x24 Ash* not shown



NS302/L6x24 Ember NS303/C6x24 Ember* not shown



NS304/L6x24 Coal NS305/C6x24 Coal* not shown



NS306/L6x24 Smoke NS307/C6x24 Smoke* not shown

PietraArt Slate Information

- PA Slate natural stone tiles are appropriate for all residential and commercial wall applications, residential and light commercial countertops and floors.
- Smaller sizes are tumbled to leave a radius on the edges and weathered appearance.
- Size variation on tumbled stone varies more than the untumbled field tiles.

• Since slate is a naturally rough stone, PA Slate is gauged (machined) on one side to create a thickness within a defined parameter and provide a flat backing for ease of installation. The product will vary in thickness but the range of thickness with gauged slate is less than that of the natural random thickness of stone.

- Flaking and shaling are an inherent part of the beauty of natural slate and should be taken into consideration.
- Not recommended for outside installations where freeze/thaw or regular contact with water is likely.

Pietra Hrt stone mosaics

1111

MS731/M12Hex Brown Mosaic

MS633/M125/8 Glacier Blend Mosaic



(12x12 sheets)

mosaics 5/8 x 5/8

MS630/M125/8 Khaki Blend



MS635/M125/8 Emperador Blend

3-d pinwheel mosaics



MS660/M12PW Light



MS631/M125/8 Summerhouse Blend




MS636/M125/8 Onyx Blend

(12x12 sheets)



MS661/M12PW Brown




MS632/M125/8 Chai Blend



MS700/M125/8 White

MS663/M12PW

Scabos



MS633/M125/8 Glacier Blend



MS701/M125/8 Brown



MS634/M125/8 Countryside Blend



MS664/M12PW Silver



MS665/M12PW Picasso

mosaics 2 x 8



MS720/M2x8 Light



Brown

splitface piano strip mosaics



MS640/SFMPS Light



MS641/SFMPS Brown



MS723/M2x8 Scabos



MS724/M2x8 Silver





MS645/SFMPS



(12x12 sheets)





MS643/SFMPS Scabos 200





MS644/SFMPS Silver

octagonal mosaics



MS801/M12OCT White with Yellow Dots

basketweave mosaics

12

100

84 207



MS802/M12OCT Brown with White Dots



MS800/M12OCT White with Brown Dots

herringbone mosaics 1 x 2



MS740/M12HERR White

hexagon mosaics





MS741/M12HERR Brown



MS731/M12Hex Brown

mosaics 2 x 2

10 251

121 15

MS670/M12BW

Light Blend

51



MS830/M122 White



MS671/M12BW

Dark Blend

Brown

roman pattern mosaics



MS750/M12ROMAN White

diamond mosaics 2 x 2



MS770/M12D White







MS771/M12D Brown



MS672/M12BW Vein Blend



MS730/M12Hex White

random strip mosaics 5/8 x 5/8





MS760/M12STRIP White

MS761/M12STRIP Brown

listellos



MS650/L2x12 Light Blend Listello



MS651/L2x12 Dark Blend Listello



MS654/L2x12 Silver Blend Listello









tumbled $3 \times 6 \cdot 4 \times 4 \cdot 6 \times 6$



P003 3x6 Light Travertine P003 4x4 Light Travertine P003 6x6 Light Travertine



P024 3x6 Nocé P024 4x4 Nocé P024 6x6 Nocé



P0444 3x6 Picasso P0444 4x4 Picasso P0444 6x6 Picasso



P040 3x6 Scabos P040 4x4 Scabos P040 6x6 Scabos



P010 3x6 Silver P010 4x4 Silver P010 6x6 Silver

filled & honed 12 x 12 • 18 x 18



P003 Light Travertine

pencils • chair rails

P003/MR1x12 Light Travertine

P003/MCR2x12 Light Travertine

P003/MCR2.5x12 Light Travertine

cambria strips



P090 Walnut

P024/MCR2x12

P024/MCR2.5x12

Nocé

Nocé

Nocé



P0444 Picasso



P040 Scabos



P010 Silver



Picasso

P0444/MCR2x12 Picasso

P0444/MCR2.5x12 Picasso

P040/MR1x12 Scabos

P040/MCR2x12 Scabos



P040/MCR2.5x12 Scabos

P010/MR1x12 Silver



P010/MCR2x12 Silver



P010/MCR2.5x12 Silver







P010/L7x21 Silver



P024/L7x21 Nocé



P0444/L7x21 Picasso





P040/L7x21 Scabos

Pietra Art travertine

tumbled mosaics (12x12 sheets)



P003/1x2 Light Travertine



P024/1x2 Nocé



P0444/1x2 Picasso



P040/1x2 Scabos



P010/1x2 Silver




P003/2x4 Light Travertine

P024/2x4 Nocé



P0444/2x4 Picasso



P040/2x4 Scabos



P010/2x4 Silver

domed mosaics with 2×2 antico dots



P003/DBW2x4 Light Travertine



P024/DBW2x4 Nocé



P0444/DBW2x4 Picasso



P040/DBW2x4 Scabos



P010/DBW2x4 Silver

travertine accents*





P192/L4x12 Grape Vine

P183/M16x24 Wine Basket Mural



P151/l4x4 Grape Cluster



P343/M16x16 Spice Rack Mural

PietraArt Travertine Information


• Due to the nature of the stone, holes can develop in filled and honed travertine in heavy traffic areas. These can be filled with unsanded grout or commercially available travertine fillers.

• Placement of PA Travertine accent murals where they will be exposed to direct sunlight is not recommended. UV light can fade the graphic*

Pietra Art travertine

6.4

P003 4x4 & 12x12 Light Travertine 90333/M122 Desert Cream Imperial Mosaic P003/MCR2x12 Light Travertine Chair Rail



METAL ART accents & mosaics



METAL ART matrix

-

MT110/M1x2 Stainless Brick Mosaic

METAL ART matrix

stainless steel accents

MT110/L1/2x6 Stainless Edger 1/2"x6"

鮰



MT110/3x6 Stainless 3"x6" Rectangle



MT110/4x4 Stainless 4"x4" Square



MT110/M12PAR Stainless Parquet (not a true 12"x12" sheet)

mosaics 12 x 12



MT110/M1x2 Stainless Brick



MT110/M12BW Stainless Basketweave



MT110/M1/2x4 Stainless Edger/Thin Brick



MT110/M12OCT Stainless Octagons and Dots



MT110/M2x2 Stainless Medium Square 1 7/8"



MT110/M12HEX Stainless Small Hexagon

METAL ART ornaments

E.

1c

MT111Z L3.5x12 Antique Pewter Renaissance Flat Listello MT111O 8x11.5 Antique Pewter Distressed Wall Plaque 90444/M125/8 Picasso Polished Travertine 90444 3x6 Picasso Polished Travertine

1.25

METAL ART ornaments

MT111B 2x2

MT155B 2x2

Iron Rust Verde

Antique Pewter

squares $2 \times 2 \cdot 4 \times 4$



MT111E 2x2 Antique Pewter Richly Embossed



MT155E 2x2 Iron Rust Verde Richly Embossed



MT111C 2x2 Antique Pewter Modern Art



MT155C 2x2 Iron Rust Verde Modern Art



MT111H 4x4 Antique Pewter Bullseye



MT155H 4x4 Iron Rust Verde Bullseye



MT178E 2x2 Aged Copper Richly Embossed



MT198E 2x2 Oiled Bronze Richly Embossed

MT178C 2x2

Aged Copper

Modern Art

MT198C 2x2

Oiled Bronze

Modern Art

MT178H 4x4

Aged Copper

MT198H 4x4

Oiled Bronze

Bullseye

Bullseye



MT111F 2x2

Antique Pewter

MT155F 2x2 Iron Rust Verde Renaissance

MT111G 2x2

MT155G 2x2

Cubism

Iron Rust Verde

Cubism

Antique Pewter





MT178F 2x2

Aged Copper

Renaissance

MT178G 2x2 Aged Copper Cubism



MT198G 2x2 Oiled Bronze Cubism

MT155D 2x2 Simplistically





MT111K 4x4 Antique Pewter Daisy Delight



MT155K 4x4 Iron Rust Verde Daisy Delight



MT111A 2x2 MT178A 2x2 Antique Pewter Aged Copper Flower Spray Flower Spray

MT155A 2x2



MT198A 2x2 Oiled Bronze Iron Rust Verde Flower Spray



MT178D 2x2 Aged Copper Simplistically Square



MT198D 2x2 Oiled Bronze Simplistically Square







Frame



MT178B 2x2 Aged Copper Simply Geometric Simply Geometric



MT198B 2x2

Oiled Bronze Simply Geometric Simply Geometric





Antique Pewter

Aged Copper Frame

MT155J 4x4 Iron Rust Verde Frame







MT178K 4x4

Aged Copper

Daisy Delight

MT198K 4x4

Oiled Bronze

Daisy Delight



















Flower Spray

METAL ART ornaments

listellos



MT111K L3x13 Antique Pewter Daisy Chain Listello

MT111Q MR1/2x6 Antique Pewter Smooth Rod Listello



And in case of the local division of the loc

MT111Y MRP1x8 Antique Pewter Rope Listello

MT111U MR3/4x8 Antique Pewter Ridge Listello

MT111P L1x8 Antique Pewter Sound Waves Listello

Sold States

MT1111 L1x8 Antique Pewter Uneven Block Listello



MT111W L2x8 Antique Pewter Looped Fleur de Lis Listello

MT111V CR2x8 Antique Pewter Mantle Listello

111 848 044 041 121 131 848 848 858

MT111R MR1x12 Antique Pewter Grooved Listello

the state of the s

MT111T MR1x12 Antique Pewter Log Listello



MT111Z L3.5x12 Antique Pewter Renaissance Flat Listello



MT178K L3x13 Aged Copper Daisy Chain Listello

MT178Q MR1/2x6 Aged Copper Smooth Rod Listello



MT178Y MRP1x8 Aged Copper Rope Listello

MT178U MR3/4x8 Aged Copper Ridge Listello

MT178P L1x8 Aged Copper Sound Waves Listello

MT178I L1x8 Aged Copper Uneven Block Listello



MT178W L2x8 Aged Copper Looped Fleur de Lis Listello



MT178V CR2x8 Aged Copper Mantle Listello

MT178R MR1x12 Aged Copper Grooved Listello

MT178T MR1x12 Aged Copper Log Listello

NAXIONA LIONA LIONA L

MT178Z L3.5x12 Aged Copper Renaissance Flat Listello



MT155K L3x13 Iron Rust Verde Daisy Chain Listello

MT155Q MR1/2x6 Iron Rust Verde Smooth Rod Listello

all and

MT155Y MRP1x8 Iron Rust Verde Rope Listello

MT155U MR3/4x8 Iron Rust Verde Ridge Listello

MT155P L1x8 Iron Rust Verde Sound Waves Listello

MT155I L1x8 Iron Rust Verde Uneven Block Listello



MT155W L2x8 Iron Rust Verde Looped Fleur de Lis Listello

MT155V CR2x8 Iron Rust Verde Mantle Listello

MT155R MR1x12 Iron Rust Verde Grooved Listello

MT155T MR1x12 Iron Rust Verde Log Listello



MT155Z L3.5x12 Iron Rust Verde Renaissance Flat Listello



MT198K L3x13 Oiled Bronze Daisy Chain Listello

MT198Q MR1/2x6 Oiled Bronze Smooth Rod Listello



MT198Y MRP1x8 Oiled Bronze Rope Listello

MT198U MR3/4x8 Oiled Bronze Ridge Listello

MT198P L1x8 Oiled Bronze Sound Waves Listello

MT198I L1x8 Oiled Bronze Uneven Block Listello



MT198W L2x8 Oiled Bronze Looped Fleur de Lis Listello


MT198V CR2x8 Oiled Bronze Mantle Listello

MT198R MR1x12 Oiled Bronze Grooved Listello

MT198T MR1x12 Oiled Bronze Log Listello



MT198Z L3.5x12 Oiled Bronze Renaissance Flat Listello



inserts



MT111L 4.5x7.5 Antique Pewter Archway



MT111N 5x11.5 Antique Pewter Medici Marvel



MT178L 4.5x7.5 Aged Copper Archway



MT178N 5x11.5 Aged Copper Medici Marvel



MT155L 4.5x7.5 Iron Rust Verde Archway



MT155N 5x11.5 Iron Rust Verde Medici Marvel



MT198L 4.5x7.5 Oiled Bronze Archway



MT198N 5x11.5 Oiled Bronze Medici Marvel









MT1110 8x11.5 Antique Pewter Distressed Wall Plaque

MT1780 8x11.5 Aged Copper Distressed Wall Plaque

MT1550 8x11.5 Iron Rust Verde Distressed Wall Plaque

MT1980 8x11.5 Oiled Bronze Distressed Wall Plaque

Medic 213

METAL ART signature





MT112A 2x2 Sterling Bead Chain Square MT112G/L1/2x6 Sterling Beaded Listello MT112E 2x2 Sterling Fleur de Lis Square 24023 6x6 Millenia Aura (discontinued)

METAL ART signature

squares 1 x 1



MT199B 1x1 Antique Bronze Double Swirl





MT144M 1x1

MT112M 1x1

MT144E 2x2

Fleur De Lis

Brass

Sterling

Brass

Abstract

MT177B 1x1 Copper Double Swirl



MT199M 1x1 Antique Bronze Abstract



MT177M 1x1 Copper Abstract



MT199E 2x2 Antique Bronze Fleur De Lis



MT199J 2x2 Antique Bronze Fleur De Lis Squared



MT177J 2x2 Copper Fleur De Lis Squared



MT144J 2x2

Fleur De Lis

Squared

Brass

MT112J 2x2 Sterling Fleur De Lis Squared



MT177C 1x1

MT199N 1x1

Copper

MT177E 2x2

Fleur De Lis

Antique Bronze

MT177K 2x2

Copper

Maze

Maze

Copper

Copper

Florentine

MT199C 1x1 Antique Bronze Florentine



MT112B 1x1 Sterling Double Swirl



MT144C 1x1 Brass Florentine



MT112C 1x1 Sterling Florentine




MT144N 1x1 Brass Antique Bronze Smooth Square Smooth Square



MT177N 1x1 MT112N 1x1 Sterling Smooth Square Smooth Square



MT112E 2x2 Sterling Fleur De Lis



MT144K 2x2 Brass Maze



MT112K 2x2 Sterling Maze



MT144D 1x1 MT199D 1x1 Antique Bronze Brass Feather Feather



MT112D 1x1 Sterlina Feather



MT144F 1x1



MT199F 1x1 Antique Bronze Brass Smooth Domed Smooth Domed





MT177F 1x1 Copper Smooth Domed Smooth Domed

MT112F 1x1 Sterlina

squares 2 x 2

MT177D 1x1

Copper

Feather



MT199H 2x2 MT144H 2x2 Brass Fleur Seule

MT112H 2x2 Sterling Fleur Seule



MT199A 2x2 MT144A 2x2 Antique Bronze Brass Bead Chain



Sterling

MT112A 2x2

Bead Chain

MT177A 2x2 Copper Bead Chain





MT199I 2x2 MT144I 2x2 Antique Bronze Brass Entwined Entwined



MT112I 2x2 Sterling Entwined



MT177I 2x2

Copper

Entwined

MT199L 2x2 MT144L 2x2 Antique Bronze Brass Hope Symbol Hope Symbol



MT177L 2x2 Copper Hope Symbol









MT177H 2x2

Fleur Seule

Bead Chain

......

Copper

METAL ART signature

Copper

Smooth Peg

decorative accents





MT144G BR1/2 Brass Beaded Peg



MT112G BR1/2 Sterling Beaded Peg





MT144F BR1/2

Smooth Peg

Brass





MT112F BR1/2 Sterling Smooth Peg



MT144A BR1

Smooth with

Rope Accent

Brass





MT199C BR2 Antique Bronze Florentine Accent



MT144C BR2 Brass Florentine Accent



MT177C BR2 Copper Florentine Accent



MT112A BR1 Sterling Smooth with Rope Accent



MT112C BR2 Sterling Florentine Accent



MT199E BR2 Antique Bronze Fleur De Lis Accent



MT177E BR2 Copper Fleur De Lis Accent



MT144E BR2 Brass Fleur De Lis Accent



MT112E BR2 Sterling Fleur De Lis Accent

listellos

883888888888

MT199G L1/2x6 Antique Bronze Beaded Listello

MT199F L1/2x6 Antique Bronze Smooth Domed Listello

MT199A L1x6 Antique Bronze Smooth with Rope Center Listello

MT199B L1x6 Antique Bronze Double Swirl Listello (Celtic)

MT199C L1x6 Antique Bronze Florentine Listello

MT199D L1x6 Antique Bronze Feather Listello

MT144G L1/2x6 Brass Beaded Listello

MT144F L1/2x6 Brass Smooth Domed Listello

MT144A L1x6 Brass Smooth with Rope Center Listello



MT144B L1x6 Brass Double Swirl Listello (Celtic)

MT144C L1x6 Brass Florentine Listello



MT144D L1x6 Brass Feather Listello

6666666666666666

MT177G L1/2x6 Copper Beaded Listello

MT177F L1/2x6 Copper Smooth Domed Listello

MT177A L1x6 Copper Smooth with Rope Center Listello

MT177B L1x6 Copper Double Swirl Listello (Celtic)

MT177C L1x6 Copper

Florentine Listello

MT177D L1x6 Copper

Feather Listello

MT112G L1/2x6 Sterling Beaded Listello

MT112F L1/2x6 Sterling Smooth Domed Listello

MT112A L1x6 Sterling Smooth with Rope Center Listello



MT112B L1x6 Sterling Double Swirl Listello (Celtic)

MT112C L1x6 Sterling Florentine Listello



MT112D L1x6 Sterling Feather Listello



METAL ART signature



ó


6



•

MT177C BR2 Copper Florentine Accent MT177C L1x6 Copper Florentine Listello P024 4x4 Nocé PietraArt Travertine

0



VitraART accents & mosaics





VitraART fusion

rsp (random size pattern) mosaics (12 x 12 sheets)




NS390RSP5/8 Carbon



NS394RSP5/8 Erosion



NS391RSP5/8 Oxide



NS393RSP5/8 Rock



NS395RSP5/8 Clay



NS399RSP5/8 Ice



NS396RSP5/8 Plantation



NS392RSP5/8 Sand



kitraART harmony

- -

VitraART harmony

mosaics 5/8 x 5/8



105/M125/8

Broadway



165/M125/8

Malibu

151/M125/8

Piedmont



295/M125/8 Palisades Frosted




215/M125/8 Broadway Frosted



195/M125/8 Palisades



195/M1x2 Palisades



Broadway

rsp (random size pattern) mosaics (9.5 x 10.5 sheets)*

165/M1x2 Malibu

5/M1x2



151/M1x2 Piedmont



295/M1x2 Palisades Frosted



215/M1x2 Broadway Frosted



195 RSP Palisades



Pal

*RSP sheets do not cover a full 12"x12" area. Please consult your CSR for coverage calculations



105 RSP Broadway



165 RSP Malibu



215 RSP Broadway Frosted



VitraART stained glass

NS523RSTK Peperino Mosaic

VitraART stained glass

mosaics 1 X 1 (12 x 12 sheets)



NS560M1X1 Alabastro



NS596M1X1 Paradiso



NS532M1X1 Calacatta



NS501M1X1 Carrara



NS594M1X1 Corallo



NS505M1X1 Arabescato

NS523M1X1 Peperino

random size stacked mosaics (12 x 12 sheets)



NS560RSTK Alabastro



NS505RSTK Arabescato




NS532RSTK Calacatta



NS501RSTK Carrara



NS594RSTK Corallo



NS596RSTK Paradiso





rsp (random size pattern) mosaics (12 x 12 sheets)



NS560RSP Alabastro



NS596RSP Paradiso

NS505RSP Arabescato



NS523RSP Peperino



NS532RSP Calacatta



NS501RSP Carrara



NS594RSP Corallo



225

VitraART tranquil

0


055 3x6 Lime



098/M2x2 Mahogany Mosaic 098 4x4 Mahogany 040 4x4 Golden 095 4x4 Mocha

VitraART tranquil

3 x 6



VitraART tranquil

mosaics 5/8 x 5/8

005/	010/	011/	021/	040/	050/	053/	055/	064/	069/	095/	098/
M125/8	M125/8	M125/8	M125/8	M125/8	M125/8	M125/8	M125/8	M125/8	M125/8	M125/8	M125/8
Midnight	Glacier	Shadow	Desert	Golden	Sage	Meadow	Lime	Sky	Cobalt	Mocha	Mahogany

mosaics 1 x 2





010/M1x2



Glacier




011/M1x2 Shadow



021/M1x2 Desert

1	-	al line of
		-
	100	

040/M1x2 Golden



050/M1x2 Sage



Lime

055/M1x2



064/M1x2 Sky



095/M1x2 Mocha



mosaics 2 x 2

Meadow



005/M2x2 Midnight



010/M2x2 Glacier



011/M2x2 Shadow



021/M2x2 Desert



040/M2x2 Golden



050/M2x2 Sage



053/M2x2 Meadow



055/M2x2 Lime



064/M2x2 Sky



Cobalt

229



095/M2x2 Mocha



098/M2x2 Mahogany



Recycled Content





installations & information





product installation table of contents

232	Medical
233	Casino
234	Education
238	Medical
239	Gym
240	Hotel
241	Retail
243	Office

THINNER tile installations

245	Car Dealershi
246	Education
247	Sports Arena
248	Retail
249	Office





crozer chester medical center (upland, pa) berkshire HDP: walnut 6 x 24

red parrot lounge

(san diego, ca) berkshire^{HDP}: walnut 6x24

齒

Parre

F

SIOTS

in south

å

.





university of dayton campus south apartments

(dayton, oh) urbanite: concrete 8x24 vitraart harmony: broadway rsp mosaic project manager: lindsay lease





-

elementary school

(des moines, ia) soul: spirit pearl, flow grey & passion antracite 12x24 distributor: sunderland brothers company

Ξ

university of dayton cronin athletic facility

(dayton, oh) urbanite: concrete m128 mosaic vitraart harmony: malibu m1x2 project manager: cathy ford

university of missouri columbia athletic training center

(columbia, mo) berkshire^{HDP}: hickory 6x24

wacker institute at chattanooga state campus

(chattanooga, tn) urbanite: concrete 24x24 architect: grant interior design lab designer: jane grant ВΑ





colorado college

(colorado springs, co) urbanite: concrete, carbon 12x12 architect: oz architecture






larkin neurological cancer center

(miami, fl) soul: flow grey 12x24, 20x20 architect: naya architects design consultant: suzette chaves rivero





times square hotel

(manhattan, ny) aventis: titanium & eclipse 12x24 & 24x24 installation: L&K L.



(burlington, ma) berkshire^{HDP}: hickory 6x24



pet suites (columbus, oh) paramount^{HDP}: ultima 18x18

1

pink coconut boutique

(olive branch, ms) magnolia^{HDP}: burl 8x36 pietraart slate: ash ledgerstone 6x24




bristol infusion clinic

1

(johnson city, tn) tides^{HDP}: sand castle 12x24 streamline: camo 4x16 & monsoon glass mosaic distributor: winco distributors





schluter canada office

(quebec, canada) urbanite: concrete 24x24, carbon 24x24 -0









children's hospital (parma, italy) THINNER 3plus







(sioux falls, sd) THINNER 3plus





plaza of americas (dallas, tx) THINNER 3plus










florida tile website



www.floridatile.com

The updated Florida Tile website is a resource for all homeowners, designers, installers and sales people. Featuring constantly updated content, the website is the backbone of the Florida Tile product information.

Updates include an innovative color wheel that will allow users to select tile by color, further refining our tile finder and improving all users experience. We have also done a large revision of the room scene gallery and product installation page, offering a vast database of real tile installations.

One of the most visual updates is the intergration of YouTube directly into the site. This allows us to show all of our product feature videos directly from our YouTube site and gives users access across both websites to more easily access videos.

With all these changes, we hope to improve the user experience and we encourage you to check out the site today!



florida tile internet sales policy

floridati	Products Identificants Philippes News Adentitis Resources Malaonnahi
Daniers & Commones Arch	han A Designers
products	
Online Catalog Inspection Dailory The Finder	Tile Finder
Video Clattery Michile Catalogs	Search by
QUICK LINKS Tom Chart	
Made In The USA Installation Com & Mantenance Warranty	Search by Body Type (Select () (Search Servers)
PRODUCTS	
Percelaim (B) (mgh.Derfanition Percelai (B) Caramic (B) (Percelain (C))	

INTERNET SELLING POLICY

Our products are sold only through a nationwide network of floor covering professionals, carefully chosen for their specialized knowledge and ability to help consumers make the best flooring decision for their needs. In addition, authorized Florida Tile retailers can provide consumers with quality tile and stone samples and the latest flooring design trends that can be seen in-person.

When purchasing flooring, we feel there is no substitute for personal, professional service and installation. Flooring is a substantial investment, and we highly recommend that consumers purchase their flooring from a local Florida Tile dealer in order to get the best service both during and after the sale. For this reason we prohibit the sale of Florida Tile products through Internet resellers, and we actively pursue any individual that attempts to mis-represent themselves as an approved online seller of Florida Tile products.

Use of our graphics is strictly forbidden in selling directly to consumers.

Only graphic use of our pictures and logo can be obtained by signing a Florida Tile Digital Licensing Agreement and no products can be sold to the consumer directly since we have strict distribution territories and agreements.

To find a trusted Florida Tile trade partner, dealer or distributor near you, please visit our Store Locator www.floridatile.com/store-locator.

hdp-high definition porcelain®





- Marble, Travertine, Wood, Fabric, Text, Concrete
- Can duplicate any graphic image on a tile
- Allows for huge range of color and variation
- Graphics not repeated for over 100'
- 8 times the graphic variation of previous process
- Glaze is durable and exceeds all ANSI/ ASTM standards
- Graphic goes to edge of tile, eliminating "pillow" effect
- Trims can be matched exactly using the same glazing process
- Environmentally safe process is low maintenance and waste free

HDP–High Definition Porcelain[®] is an exclusive trademarked process by Florida Tile that utilizes the most technically advanced glazing system in the industry today, digital printing. This process has taken decades of painstaking work to bring the technology from the research and development laboratories to the production line. Continuing to be an innovator in the industry, Florida Tile was the first manufacturer to use this technology in the United States.

Similar to the revolution in the television industry, the digital printing process on ceramic and porcelain brings you the most realistic image possible, except it is on a tile. Much like the picture on a television screen, the graphics on tiles are made up of millions of small dots of color; the smaller the dots, the higher the definition.

Using a blend of real photography and artist developed graphics, the digital printing process uses over 500 injectors to print each tile. The use of digital images allow for an overall variation that is 8 times that of the previous process and creates a graphic pattern that wont be repeated for over 100'. The Florida Tile specific HDP–High Definition Porcelain[®] production process utilizes this digital printing technology that is a huge leap forward in both resolution and pattern variation.

While the look is what draws your eye, HDP–High Definition Porcelain[®] products from Florida Tile combine the best of both worlds, a rugged and low maintenance tile that looks just like the natural product it represents. One look and you'll know immediately you've never seen anything so real in a manufactured product. HDP–High Definition Porcelain[®], only from Florida Tile.

corporate sustainability



FLORIDA TILE CARES INITIATIVE

The Florida Tile CARES initiative (Creating A Responsible Environmental Strategy) has put several programs into place to lessen our carbon footprint. Here are some of the numbers to show how just one company can drastically reduce its waste stream:

- 5,000,000 pounds of finished goods recycled for clean fill
- 2,000,000 pounds of solid clay recycled into our body
- 1,630,000 gallons of water recycled
- 1,452,000 pounds of plastic and wood recycled
- 764,000 pounds of dust recycled into our body
- 285,000 pounds of greenware recycled into our body

As part of the Florida Tile CARES program, we now have developed and brought on-line a scrap tile crushing facility which allows postproduction fired tile to be crushed for reintroduction into the body of our tile made in the Lawrenceburg facility.

Previously, we could only crush and reuse ceramic wall and floor along with unfired porcelain. Now, with the installation of our new crushing line, we have the capability of crushing and recycling not only those products as well as fired porcelain, but also virtually any scrap tile for body content across all product lines.

This achieves two things simultaneously; first, our proprietary design and subsequent implementation will have a dramatic impact on the waste stream. Now, virtually any scrap tile can be diverted from landfills for use in our production. Second, the nature of the process allows for all of our tile lines to contain recycled content. This is important to our industry leadership as well as our customers, all of which have an interest in a broader spectrum of tile with recycled content.

We chose a different path, in engineering a process using the most advanced machinery to create an ideal aggregate by which we can introduce a greater percentage of reworked material into all of our tile lines. Right now, we are able to include over 40% pre-consumer recycled content in products made at the Kentucky plant. This has been 3rd party certified. Other Florida Tile products contain even higher amounts and we are committed to increasing those percentages in the future.



BUREAU VERITAS

Bureau Veritas SA (EPA:BVI) is a multinational company providing conformity assessment, certification and consulting services to industry, government and individuals. Originally formed in Antwerp in 1828 as Bureau de Renseignements pour les Assurances Maritimes (Information Office for Maritime Insurance), the Bureau Veritas name was adopted in 1829. As of the end of 2010, the Group has more than 47,000 employees in 1000 offices and laboratories located in 140 countries.Bureau Veritas provides consulting in compliance with quality, health and safety, environmental protection standards and regulations, particularly in the shipping and construction industries.

corporate sustainability

Another initiative in the CARES program is working closely with local and national organizations that improve the lives of less fortunate individuals. In reducing our waste stream by donating usable products, we are not only saving tile from the land fill and preserving the integrity of our natural resources but we are also able to help our greatest resource. People. Below are some of the organizations that we partner with.

TILE PARTNERS FOR HUMANITY



Tile Partners for Humanity was formed in December, 2002 when Curt Rapp of The Tile Doctor and Gray LaFortune of the Ceramic Tile Institute of America realized that the industry's excess tile disposed of in landfills could be put to much better use. They worked with Habitat for Humanity International (HFHI) to create the partnership which serves to utilize this excess inventory, raise awareness of HFHI within the industry and to solicit donations of materials, labor and other support for HFHI. TPFH is supported by the tile industry and accepts donations of tile, installation materials, tile tools, cleaners and sealers, labor and installation training for HFHI projects.



OPERATION COMPASSION



Operation Compassion focuses on three priorities: (1) responding to natural disasters nationally and around the world; (2) providing inspiration, information, training and resources to help mobilize churches, individuals and community groups to provide food and basic necessities to the poor and needy; (3) concentrating on international distribution to widows, single mothers and children.

Key Programs

Relief America: The Disaster Response Network - Responding to national and international natural disasters with containers of bottled water, food, cleaning supplies, building materials, etc.

Compassion America: The Urban Network - Meeting various needs of the poor and underprivileged living within America's largest cities by utilizing partnerships with civic and community leaders, school districts, police departments, fire departments, parks and recreation departments, churches and other local agencies.



Dream America: The Native American Network - Supplying Native Americans living on reservations in the western United States with many necessities that are difficult to obtain, including food, water, educational material and building supplies.

Hope America: The Appalachia Network - Targeting one of the four most extreme areas of poverty in the U.S. through food distribution, hot meals, job training and home repair. Global Compassion Network - Providing countries of the developing world with medical supplies, medical equipment, textbooks, clothing, food and toys.

MOUNTAIN RE-SOURCE CENTER



Mountain Re-Source Center is a division of Faith Mountain Ministries, Inc. Faith Mountain was founded by Herb and Kathy Miller in 1997 as a non profit retreat.

Mountain Re-Source Center is a gathering point for dozens of benevolent organizations that have a common goal of helping people who are experiencing a temporary need in a difficult time.

With a network of thirty organizations with sixty warehouses from coast to coast, MRC is able to accept a few pallets or hundreds of truckloads of donated product. There is always an urgent need for usable product.




sustainable building



Ecoscorecard is Florida Tile's latest tool to help architects and designers measure the environmental impact of products and materials against the major environmental rating systems. Partnered with Ecoscorecard, we are able to provide immediate and manageable product data for all major commercial environmental rating systems. The result can be used to evaluate and compare groups of products for inclusion in final submittals for bids, proposals, specs or for project certification. EcoScorecard evaluates products against all major commercial rating systems including LEED V4, Green Guide for Hearlthcare, LABS21 and all legacy LEED Rating systems. EcoScorecard also evaluates products against all major residential rating systems including LEED for Homes, NAHB's National Green Building Standard, Green Globes and REGREEN. EcoScorecard generates a product's documentation for inclusion in the submission process, but of course the client creates the final submittable project documention for LEED or equivalent rating system.

For more information visit www.floridatile.ecoscorecard.com



www.floridatile.com

panariagroup





Panariagroup, with registered offices in Finale Emilia (Modena) Italy, heads a group listed on the Star segment of the Italian Stock Exchange, and has been active for 30 years in the manufacture and marketing of ceramic materials for flooring and wall tiles, with a focus on the high-end and deluxe segment of the market.

With over 1800 employees and 6 manufacturing plants (3 in Italy, 2 in Portugal and 1 in the US), Panariagroup is among the leading manufacturers of ceramic tiles in the world. Panariagroup operates through 8 benchmark brands (Panaria, Lea, Cotto d'Este, Fiordo, Margres, Bluestyle, LOVE and Florida Tile). The company distributes its products through a sales network coordinated and managed by the heads of the eight brands, and made up of 500 employees in management, sales correspondence, and pre- and post-sale customer assistance, serving a base of over 7,000 customers.

Following Florida Tile's acquisition, the group relies also on a network of 22 directly managed Branches in the large US market. Export, particularly towards Western European countries and the United States, represents about 70% of the consolidated turnover. The main factors in the company's success are its solid experience, the name recognition of its brands, its intense research and development activity, its extensive sales network, and the international scope of its end markets.

who we are



floridatile


For over sixty years, the employees of Florida Tile, have committed ourselves to producing the best tile in the industry. We have consistently taken the lead as innovators by implementing new technology, delivering high quality products, providing the best service we can offer to our clients and protecting our indoor and outdoor environments.

From being the first to build a floor tile plant in the United States, to pioneering the Monoporosa process for single-firing large format wall tile, we continue to improve our production process. We promise to go the extra mile to show our commitment to quality, value and beauty for your home or business. This promise reflects the ideas we strive to maintain every day.


From our home in Kentucky, we manufacture 95% of our tile lines which contain 40% recycled content. We are dedicated to keeping our local environment as pristine as we can and having met the standards for GREENGUARD[®] Certification, we strive to protect indoor air quality as well as our precious natural resources. From all of us here, thank you for being our partner and we look forward to growing our business with you for another sixty years and beyond.

www.floridatile.com

trim



trim



merchandising

Merchandising*							
product line	literature	dealer board(s)	dealer boards by color	contractor board	architectural binder	cradle display	concept boards
ashton	48813RA	48333A	•	•	•	•	•
aventis	48858R	48447	•	48554	48099	•	•
berkshire HDP	48842R	48377	48490	48533	48094	49555T	•
cinema HDP	48851R	48422 (floor) / 48423 (wall)	48491	•	•	49556A	•
cliffside HDP	48849R	48398	48492	48551	48163	49556Y	•
continent DP	48863R	48455	•	48563	•	•	•
craftsman DP	48854RA	48443A	•	48548A	•	49556D	•
earthstone HDP	48868R	48483	48586	48567	48313	49556H	•
fontana	48831R	48360 (floor) / 48359 (wall)	•	48517	48088	49555F	•
formations	48829R	48361	•	48519	48086	49555G	•
gallant HDP	48847R	48391 (floor) / 48384 (wall)	48493	•	•	49555W	•
hamlet manor	48764RA	47325A	•	48535	•	•	•
impero HDP	48876R	48588	•	•	•	•	•
legend HDP	48830R	48357	48494	48518A	48087	49555H	•
level 10 HDP	48871R	48487	48589	48568	48592	•	•
magnolia HDP	48856R	48445	48495	48552	48056	49555V	•
maltese DP	48862R	48453 (floor) / 48454 (wall)	48496	48566	•	•	•
marquis HDP	48861R	48451 (floor) / 48452 (wall)	48497	48565	•	49556F	•
mingle HDP	48859R	48448	48498	•	•	48555Y	•
mosaicart fresco	48836R	48368	•	48539	•	•	•
natura HDP	48853R	48442	48499	48547	48054	49556C	•
paramount HDP	48833R	48364A (12x12) / 48363 (9x18)	48580	48524	48089	495551	•
phoenix	48798RA	48328A	•	•	•	•	•
pristine	48834R	48366 (floor) / 48365 (wall)	•	•	•	49555J	•
renaissance	48817RA	48339A (floor) / 48338A (wall)	48581	•	•	•	•
rhyme	48860R	48449	48587	48564	48092	•	•
savannah	48815R	48334A	•	48529	•	•	•
soul	48822R	48343	•	48538	48083A	•	•
taconic slate	48824R	48347	•	48530	48085	49555E	•
tides HDP	48855R	48444	48583	48549	48055	49556E	•
time/2.0	48846R	48383	•	48544	48097	•	•
urbanite	48796RA	47369	•	48528	•	49555C	•

merchandising

Merchandising*							
product line	literature	dealer board(s)	dealer boards by color	contractor board	architectural binder	cradle display	concept boards
THINNER aventis	48873R	48489	•	•	48593	•	•
THINNER restore HDP	48872R	48488	•	48569	48593	•	•
THINNER time/2.0	48874R	48489	•	•	48593	•	•
metropolitan quarry	48689R	48281	•	48516	•	•	•
retroclassique	48828R	48354	48584	•	48595	•	49605
streamline	48852R	48433 (field) / 48441 (decos)	48582	48546	48057	•	49609
pa bliss	48840RA	48382 (slate & travertine) 48456 (stainless steel)		48540	48093B	•	49613
pa classic mosaics	48795RA	47359	•	•	•	•	•
pa mexican travertine	48775R	48340A (domed) / 48341A (filled & honed) / 48342A (vein cut)		48558		49555X	•
pa pebbles	48784RA	47349A	•	•	•	•	49607
pa polished travertine	48845R	47351	•	48557	•	49555Q	49604
pa rustic travertine	48844R	48378	•	•	•	49555P	•
pa slate	48748RA	48156	•	48559	•	49555N	•
pa stone mosaics	48771R	47340	•	48560	•	49555S	49606
pa travertine	48734R	48379 (floor) / 48380 (wall)	•	48545	•	495550	49604
ma matrix	48825R	48348	•	•	•	•	•
ma ornaments	48827R	48350	•	•	•	49556C	•
ma signature	48826R	48349		•			•
va fusion	48864R	48479		•	48590		49614
va harmony	48839R	48375	•	48542	48091	•	49602
va stained glass	48869R	48484	•	•	48591	•	49610
va tranquil	48839R	48373 (M1x2) / 48374 (M125/8)	•	48541	48091	•	49602

* Note that merchandising updates change part numbers frequently. For the most up-to-date merchandising brochure, please visit www.floridatile.com/dealers-and-contractors/merchandising

technical data

GENERAL AND INSTALLATION SPECIFICATIONS

Florida Tile recommends the methods included in the TCNA Handbook for Ceramic, Glass, and Stone Tile Installation. This publication is produced yearly with input from industry professionals and includes both general considerations and specific installation recommendations for a wide array of substrates and situations. The latest version of the Handbook is available at www.tcnatile.com

Offset Installations (Brick Patterns): The TCNA Handbook recommends no more than a 33% offset and a wider grout joint for offset installations of tile larger than 18" on the longest side. This is because all tiles are higher in the middle than at the edges. When the highest point (middle) of one tile is next to the lowest point (edge) of the tile next to it, unacceptable lippage can result. Florida Tile is aware that many installers wish to use tiles (especially 12"x24" tiles) in brick patterns with a 50% offset. Typically our tiles are flatter than those of our competitors and better suited for this type of application. We do recommend a wider (3/16" minimum) grout joint for this type of installation and it is important to avoid 'wash' lighting that is set close to the tiled surface which can aggravate the appearance of lippage due to shadows. Our 6x24 and wall tile products can be installed with a typical 1/8" grout joint and a 50% offset. Care must be taken to follow the subfloor flatness and installation guidelines in the TCNA Handbook for a successful installation.

Outdoor Installations: Porcelain tile is very hardy and is fine for vertical outdoor installations. Horizontal applications require additional considerations. Any hard surface flooring will be slippery when covered in standing water, icy, greasy, or covered in wet leaves. Florida Tile publishes a list of our product lines that we recommend for outdoor covered applications and outdoor uncovered applications. Most lines with a DCOF (see below) of 0.42 or higher will be fine for an outdoor covered application where standing water, ice, and slippery contaminants won't be routinely present. The only lines we recommend for outdoor uncovered applications are those with especially high DCOF values and a textured surface that allow water to be displace from beneath a pedestrian's foot. Regular cleaning, maintenance and inspection of the surface is critical to a successful outdoor tile installation. For more information, see www.floridatile.com/exteriors

TECHNICAL SPECIFICATIONS

Florida Tile floor products are glazed or unglazed porcelain, high-strength, flat-backed tiles. All Florida Tile floor tile products are made by the "single-fired" process, which generally imparts superior impact resistance and superior breaking strength. All products are formulated using high quality clays, specifically designed for density and strength then pressed, glazed and fired. Note that the data represented in this literature represents typical test results of randomly selected "standard" products.

Dynamic Coefficient of Friction: No standards body has a specifically stated 'safe' SCOF value. Due to the difficulty in measuring SCOF and lack of a specific recommendation, in 2012 the tile industry

introduced a new method and requirement (DCOF) which is detailed in the next section. ANSI 137.1 now includes a method for measuring Dynamic Coefficient of Friction (DCOF) and a recommended value of 0.42 for interior, level floors that are likely to be walked upon when wet.

DCOF differs from SCOF in that the shoe material moves across the flooring surface and the resistance to movement is constantly recorded and averaged. This test uses an automated device (the BOT 3000) instead of the human hand which reduces the variation in the test method from 30% in the SCOF measurement to less than 10% for DCOF. For a full description of the test, its benefits and limitations please refer to ANSI 137.1-2012 (or later) Standards for Ceramic Tile.

Moh's Hardness: Scratch resistance of glazes is measured by scratching the glaze with a mineral of known hardness. Hardness of minerals is classified by Moh's Scale, which lists 10 minerals according to their hardness. Each mineral in this scale will scratch those with lower numbers in the scale, but will not scratch minerals with higher numbers. Talc is classified as number one on the Moh's Scales and diamond ten. Resilient flooring materials, such as vinyl and asphalt tile, are relatively soft and can be scratched by talc, number one on the scale. White polished marble can be scratched by calcite, which is number three. Black marble rates a four and can be scratched by fluorite. Most glazes used on ceramic tile fall in the five to six range, which is also slightly harder than most steels. Case-hardened steel, such as what is used in drill bits used for drilling holes in steel, is approximately six and will scratch most glazes. Some glazes used on ceramic tiles, designed for floor use, cannot be scratched by a case-hardened drill bit. Quartz, number 7 on Moh's Scale, will scratch most glazes and all but the hardest unglazed ceramic tiles. Sand is a common example of natural quartz.

Breaking Strength: ASTM C-648 describes the standard test method for determining structural strength of ceramic tile. This test provides a means for establishing whether or not a lot of ceramic tile meets the strength requirements which may be required for a specific installation procedure and its ability to withstand load and impact. The ANSI standard requires an average breaking strength of 90 lbs. for wall tiles and 250 lbs. for floor tiles. Tiles installed on floors with adhesives may require higher breaking strengths.

Acid Resistance: ASTM C650 is the standard test method for determining resistance of ceramic tile to chemical substances. The glazed surface of Florida Tile products is resistant to virtually all caustic and corrosive liquids. Typical exceptions are: fluorides and concentrated hydrochloric acid.

Frost Resistance: ASTM C-1026 describes the standard test method for determining ceramic tile's ability to withstand repeated cycles of freezing and thawing. Ability of tile to resist damage or deterioration when tested in freezing and thawing situations such as those found in central and northern sections of the United States.

technical data

Shades: Florida Tile assigns all of our tiles a shade based on comparison to a target piece. We also add a 'lot letter' (commonly referred to as the 'dye lot') that differentiates tiles from different runs. Tiles with different shades should be compared prior to installation to make sure they are a good match and mixed during installation.

Calibers: Tiles shrink during firing. To accommodate this shrinkage, we measure each tile as it comes down the line and assign it a caliber based on ANSI requirements for size variation. Tiles with different calibers should be compared prior to installation to make sure they will work well together. A wider grout joint will help accommodate the size difference within and between calibers.

Durability Classification: ASTM C-1027 describes the standard test method for determining visible abrasion resistance of glazed ceramic tile. For unglazed porcelain, ASTM C1243 Deep Abrasion values are used to define the amount of material that is removed by a standard grinding wheel. The Florida Tile classification for durability is based upon both the results of these tests and practical experience.

Frost Resistance:

ASTM C-1026 describes the standard test method for determining ceramic tile's ability to withstand repeated cycles of freezing and thawing. Ability of tile to resist damage or deterioration when tested in freezing and thawing situations such as those found in central and northern sections of the United States.


Florida Tile Product Information:

Florida Tile products are glazed, high-strength, flat-backed tiles. All Florida Tile floor tile products are made by the "single-fired" process, which generally imparts superior impact resistance and superior breaking strength. All products are formulated using high quality clays, specifically designed for density and strength then pressed, glazed and fired. Note that the data represented in this literature represents typical test results of randomly selected "standard" products.

Shade Blending:

Designed to simulate a natural surfaces by using a combination of ceramic/porcelain processes. Shade and texture variations are inherent in these nature-inspired products. These types of tiles are packed by shade blends and not specific shades. Products of a common shade blend type may be used together. Specific product lots are identified by the last letter of the shade code.

SHADE VARIATION



"that little bit of color" on one piece of tile may be the primary color on the next piece.

DURABILITY CLASSIFICATION

ASTM C-1027 describes the standard test method for determining visible abrasion resistance of glazed ceramic tile. The Florida Tile classification for durability is based upon both the results of this test and practical experience.

Class 0:	Not recommended for floors
Class I:	Light Residential - for residential bathroom floors.
Class II:	Residential - residential interiors with the exception of kitchens, stairs, landings and areas near external entries.
Class III:	Heavy Residential or Light Commercial - all residential applications. Commercial applications which are similar in traffic to residential application Specifically excepted are areas of prevalent circulation or turning points.
Class IV:	Commercial - all residential and most commercial applications such as the public areas of exhibition halls, hotels, restaurants, supermarkets, shops and schools.

Class V: Heavy Commercial - all residential and commercial applications similar to Class IV where extra durability may be required.

care & maintenance

ROUTINE CARE FOR YOUR TILE

Ceramic tile is one of the most durable and maintenance friendly surfaces you can choose for your walls, floors, countertops, etc. With proper care and maintenance, it will retain its original beauty and luster for many years. Generally, all that is necessary to keep your tile looking as good as new is a quick wipe with a clean damp cloth or mop. Prompt cleanup of spills and regular cleaning will keep your ceramic tile surfaces looking their best. Glazed tile walls in your home will easily keep their lovely look with simple routine care. Just wipe regularly with a clean damp cloth or sponge. A non-abrasive, neutral cleaner can be used (abrasive cleansers will cause scratching to shiny tile and polished marble surfaces). Highly polished tile and stone surfaces should be polished dry with a soft absorbent cloth after cleaning to eliminate the buildup of hard-water residue and maintain the high polished finish. For glazed tile floors, sweep or vacuum regularly

to remove dirt and gritty particles. Follow with a mop or sponge dampened with a neutral pH cleaner. If a cleaner is used, be sure the surface is rinsed thoroughly with clean water and dried. For textured or uneven tile or stone surfaces, substituting a soft scrub brush or white nylon scrub pad for the mop or sponge will quicken the cleaning process. Unglazed tile floors and porcelain tile floors can also be maintained in this same manner.

List Of Neutral Cleaners		
Manufacturer Product		
Aqua Mix	Concentrated Stone & Tile Cleaner	
Fila	FILA Cleaner	
НМК	P324 Liquid Stone Soap	
Miracle Sealants Tile and Stone Cleaner		

HEAVY-DUTY CLEANING

For high traffic areas or when tile has been neglected for a long time, heavy-duty cleaning may be required. Glazed walls and countertops should be cleaned with an alkaline-based cleaner (high pH, non-acidic). Use a white nylon scrub pad, followed by a clean water rinse. Poultice may be used in combination with any appropriate cleaner, if needed, to restore seriously soiled areas. Poultice is a very fine powder that serves as a mild abrasive, yet cannot cause scratching to even the most delicate glazed tile and polished marble surfaces. Unglazed tile and natural stone can be treated in the same manner as glazed when heavy-duty cleaning is required. Once the tile or stone has been effectively restored and is dry, it is recommended that the appropriate sealer be applied to protect from staining and ease ongoing maintenance. To clean badly soiled countertops, an appropriate alkaline cleaner is recommended.

For showers, tub surrounds, or other wet areas, light acidic cleaners are recommended to remove hard water mineral deposits. These acidic cleaners are not recommended on acidsensitive surfaces such as metallic glazes or polished marble. For acid-sensitive surfaces, a neutral or alkaline cleaner, used in combination with Poultice should do a good job. Never use harsh acids such as hydrochloric (muriatic) or hydrofluoric, as these acids, and even the acid fumes, can cause damage to tile, stone grout. The accepted acids (use sparingly) for homeowners use are mild citric, sulfamic and phosphoric. Always test first for desired results.

A FEW DO'S AND DON'TS OF CERAMIC, PORCELAIN AND NATURAL STONE TILE

• Do regularly apply a water based penetrating sealer on all natural stone products

• Always do a small test with sealers & cleaners to insure desired results

• Do use a sealer on grout joints if continuous staining is a problem; except for 100% solid epoxy grout

- Do not use harsh cleaning agents such as steel wool pads or strong acids, which can scratch or damage the surface of your tile
- Do not use a cleaning agent that contains color on unglazed tile, natural stone, or white grout, as these porous surfaces may absorb the color
- Do use only non-abrasive cleaning compound or formula that is recommended for both glass and tile when cleaning glass tile

Do see your nearest authorized Florida Tile
 Dealer or Distributor for advice on special
 cleaning problems or if you have any questions

THINNER CARE & MAINTENANCE

Florida Tile THINNER is in all technical regards the same material is our regular thickness porcelain floor and wall tile. For this reason the same cleaning method and applications may be used on THINNER products.

For more detailed information on cleaning and care, please reference the THINNER Technical Manual #48875R or visit us on the web at www. floridatile.com/thinner.

Type of discoloration	Type of cleaner	Name of cleaner	Manufacturer
		Heavy Duty Tile & Grout Cleaner	Aqua Mix
Coffee, Soft drinks, fruit juice	Alkaline based cleaner	P587	Fila
		Liquid Poultice	Miracle Sealants
		Heavy Duty Tile & Grout Cleaner	Aqua Mix
Grease, dirt from traffic, deep-cleaning	Alkaline based cleaner	PS87	Fila
deep-clearing		R155 Intensive Cleaner	HMK
		Porcelain & Ceramic Tile Cleaner	Miracle Sealants
Wine	Oxidising cleaner	Liquid Poultice	Miracle Sealants
		Sulfamic Acid Crystals	Aqua Mix
Lime residue	Acid based cleaner	R59 Ceramic Tile Cleaner	Fila
		Heavy Duty Acid Cleaner	Miracle Sealants
	Acid based cleaner	Sulfamic Acid Crystals	Aqua Mix
Rust		R159 Ceramic Tile Cleaner	Aqua Mix
		Heavy Duty Acid Cleaner	Miracle Sealants
Tire, pencil, and metal marks	Abrasive paste	Phosphoric Acid Substitute mixed with Nanoscrub	Aqua Mix
		Porcelain & Ceramic Tile Cleaner	Miracle Sealants
		Sealer & Coating Remover	Aqua Mix
Ink, marker	Solvent based cleaner	Mira Strip	Miracle Sealants
		R154 Stripper Stain Remover	НМК
Dist form and and and	Grout cleaner	Grout Deep Clean	Aqua Mix
Dirt from cement based grout	Grout cleaner	Fuganet	Aqua Mix
		Heavy Duty Tile & Grout Cleaner	Aqua Mix
		Fila Cleaner	Aqua Mix
Any	Neutral wax free cleaner	P324 Liquid Stone Soap	НМК
		Tile and Stone Cleaner	Miracle Sealants

THINNER applications & handling

It is important that prior to installation of any THINNER product, you must consult and review the entire THINNER Technical Manual. The below set of installation guidelines are not complete and are only provided for a brief review of the steps necessary to handle the THINNER products. For any additional information on tools, cutting, drilling, handling, mortar selection, installation, etc. please reference the THINNER Technical Manual #48875R or visit us on the web at www.floridatile.com/thinner.

3plus

5plus

APPLICATIONS

HANDLING	
----------	--

For installation, most of the smaller sizes can be handled with a minimum of two quality suction cups or by hand. The 1m x 3m (39" x 118") tiles of THINNER can be lifted from the container by one person. Lift the slab with open hands. Slowly raise the longer side so as to eliminate the suction effect, due to contact with the underlying slab, and ensure a good grip. When the slab is upright, carry holding it from its top edge, keeping it straight and upright. Carrying should be performed with a second person.

The THINNER tile panels of 1m x 3m size, are best handled by two people, using a special frame with mounted suction cups. Fasten the frame to the finished side of the tile panel. Now raise the frame and slab to eliminate the suction effect.







supporting surface to prevent stress on the pallet and its contents.

	Interiors	Any residential and commercial environment, in situations where holes and/or cuts are not necessary.	•	•
	Interiors	Any residential and commercial environment, in situations where holes and/or cuts are necessary.	•	•
	Exteriors	In situations where holes and/or cuts are not necessary and with sizes up to $1 \text{m} \times 1 \text{m}$.	•	•
	Extenois	In situations where holes and/or cuts are necessary and/or for large sizes.	•	•
			1	
		FLOOR INSTALLATION For NEW BUILDINGS and REFURBISHING, for installation on pre-existing floors	3plus	5plus
		Residential (kitchens, bathrooms, living rooms, common apartment block areas and any other residential environment).	•	•
	Interiors	Light commercial (offices, offices open to the general public; waiting rooms, shops, bathrooms, restaurant dining rooms, car showrooms, bars, cinemas, surgeries/clinics)	•	•
		Intensive commercial (common areas of shopping centres, hotel halls, canteens, fast food restaurants, dance clubs, hospitals) with the exception of areas subject to heavy concentrated loads (e.g. carts with hard wheels)	-	•
	Exteriors	Upon condition that surfaces are sheltered (e.g. porches, covered balconies, etc.) and made totally impervious. The use of sizes that are not larger than 50x50 cm is recommended.	•	•
SPECIAL U	JSES		3plus	5plus
•	Ventilated Facades		•	•
	Exterior Insulation Systems	Depending on project specifications and in combination with the construction systems recommended and approved by the Installation	•	•
	Pool And Swimming Pool Tiling	construction systems recommended and approved by the Installation Supervisor.	•	•
	For Furniture Surfaces.			•

WALL INSTALLATION

FURBISHING, for installation on pre-existing wall

(*) Products with special finishes can have limitations depending on their area of application. Refer to specific collection catalogs

HANDLING PACKAGES CONTAINING 1m x 3m

Lifting and handling palletised packages with forklift trucks:



To take on pallets from their long side, position the forks at a distance of at To take on pallets from their short side (e.g. when unloading containers), least 1 meter (39") from the other, perpendicular to the long side of the pallet you must use forks with a length of at least 84" to guarantee a sufficient and at the center. Forks must be supporting the entire surface of the pallet.

THINNER installation & tools

SUBSTRATE PREPARATION

Substrate preparation should be completed following ANSI A108 AN-2 "General Requirements for Sub-surfaces". All substrates should be plumb and true, surface deviation should not exceed 1/8" in 10'.

SETTING MATERIALS

Define the characteristics of the substrate on which the thin tile panels will be installed. Choose a mortar and grout that is suitable for the substrate and intended use of the project. In most installations a premium quality ANSI 118.4 mortar will be used. Consult the THINNER Technical Manual and check with the setting materials supplier.

MOVEMENT (EXPANSION)

Joints should be provided to comply with TCNA method EJ 171. Installation must comply with the current version of ANSI A108.02, A108.1B and ANSI A 108.5. Mix the mortar to the highest mix consistency according to the mortar manufacturer's current data sheet.

INSTALLATION SAFETY

Prior to handling, cutting, or installing the THINNER products, it is important to have on your safety equipment (Typical PPE; sure grip gloves, safety glasses, dust mask).

CUTTING

It is essential to work on a flat and clean surface; you can use the cover of the pallet of the 1m x 3m.





By cutting with a glass cutter or manual tile cutter you can obtain excellent results in terms of shape and clear cuts by scoring all versions of THINNER (with Silberschnitt 2000 special glass cutters made by Bohle America). To achieve good cuts, do not stop in the middle, but maintain even consistent pressure throughout the entire cutting operation.



To ensure that scoring is as straight as possible, you may use aluminium levelling rods of the type commonly used by brick layers.



After scoring, it is sufficient to bend the slab to detach the two pieces.



As far as THINNER 3plus and THINNER 5plus are concerned, after scoring and splitting the slab, complete the operation by cutting the fiberglass mesh with a razor knife.





A practical tool for cutting is the tile cutter ruler (for example, Free-cut from Raimondi).

THINNER installation & tools

INSTALLATION

Installation must comply with the current version of ANSI A108.02, A108.1B and ANSI A 108.5. For additional detailed information on installation, please reference the THINNER Technical Manual #48875R or visit us on the web at www.floridatile.com/thinner.


- Mix the mortar to the highest mix consistency according to the mortar manufacturer's current data sheet.
- Apply mortar to the substrate with the flat side of the trowel, with enough pressure to firmly work into the surface.





• With a proper notched trowel, immediately follow with a heavier coat of material using the appropriate trowel and enough mortar to provide 100% coverage to the back of the tile and substrate.





- Notches should run parallel to each other and perpendicular to the long side of the tile. Use caution that the mortar does not skim over.
- It is advised that during the installation, remove a tile to insure the mortar has not skinned over and check the tile and substrate mortar coverage.
- Place tiles in mortar, slide back and forth perpendicular to the ridges. Coverage of mortar is essential to a successful installation of the THINNER tile.





- Special attention to ensure 100% coverage of edges and corners is necessary. After laying the tile, make sure it is firmly adhering to the underlying surface.
- For walls, you can use a rubber coated trowels or a hard grout float. For floors, tile tapping tools with plastic plates or orbital sanders should be used to increase the coverage of the mortar. Consult with the mortar manufacturer for set times of the tile and thinset mortar before grouting.
- Keep the tile and grout joints clean.





florida tile distributor locations

PREMIERE TILE DOTHAN	334.794.2585
ROBERT F HENRY TILE CO, INC.	
HUNTSVILLE	256.837.0500
BIRMINGHAM TUSCALOOSA	205.592.8615
MONTGOMERY	205.556.1900 334.269.2518
	554.207.2510
ARIZONA MONTERREY TILE GILBERT	480.507.7966
RWC BUILDING PRODUCTS	
DEWEY	928.632.8697
MESA	480.833.0703
PHOENIX	602.258.3794
SCOTTSDALE TUCSON	480.342.7023
	520.887.1181
ARKANSAS	
ICS SURFACES	918.461.0177
ROBERT F HENRY TILE CO, INC. VIKING DISTRIBUTOR INC.	901.387.4525 225.926.4993
VIKING DISTRIBUTOR INC.	223.920.4995
CALIFORNIA	
PAN AMERICAN CERAMICS	
HAYWARD	510.732.8112 626.961.0051
	020.901.0051
CONNECTICUT	
ALBERT F. FITZGERALD, INC. WOBURN	781.935.7821
GALLERIA STONE & TILE	
BROOKFIELD	203.740.2088
GUILFORD MIDDLETOWN	203.458.3888 800.235.3463
DELAWARE	
MOHAWK TILE & MARBLE	
WILMINGTON	302.655.7164
TILE MARKET OF DELAWARE	
LEWES	302.644.7100
MIDDLETOWN WILMINGTON	302.225.9656
	302.777.4663
FLORIDA	
BOWEN TILE SALES CO, INC. OCALA	352.620.8442
DESIGN WORKS	
JACKSONVILLE	904.363.2525
SARASOTA	941.355.2703
NAPLES FORT MYERS	239.643.3023 239.936.7676
	239.930.7070
EAST COAST TILE VERO BEACH	772.562.4164
FD TILE & FLOORING SUPPLY LL GAINESVILLE	C 352.332.5809
GEORGIA	
GARDEN STATE TILE	
SAVANNAH	912.234.1122

GEORGIA continued PREMIERE TILE COLUMBUS 706.327.0668 TILE CENTER INC AUGUSTA MARTINEZ STATESBORO HAWAII CERAMIC TILE PLUS KAHULUI ILLINOIS CENTURY TILE BOLINGBROOK CHICAGO CHICAGO ITASCA JOLIET LOMBARD MATTESON MUNDELEIN MT PROSPECT NAPERVILLE WOODSTOCK JAECKLE DISTRIBUTORS ELK GROVE VILLAGE MID AMERICA TILE ELK GROVE VILLAGE ROMEOVILLE INDIANA LOUISVILLE TILE DISTRIBUTORS EVANSVILLE FISHERS MILES DISTRIBUTING FT WAYNE INDIANAPOLIS SOUTH BEND IOWA SUNDERLAND BROTHERS CO. DES MOINES DAVENPORT KANSAS GENERAL DISTRIBUTORS INC. WICHITA SUNDERLAND BROTHERS CO. KANSAS CITY KENTUCKY LOUISVILLE TILE DISTRIBUTORS LEXINGTON LOUISVILLE LOUISIANA VIKING DISTRIBUTORS INC **BATON ROUGE** MAINE ALBERT F. FITZGERALD, INC. WOBURN 781.935.7821

GALLERIA STONE & TILE PEMBROKE

	CHEVY (
706.722.6804	BALTIMO
706.863.5818 912.764.8453	CONEST LINTHIC
	MASSA
808.871.8674	ALBERT F
(20.072.1700	GALLERIA MALDEN BURLING
630.972.1700 773.735.6600	MICHIG
773.622.6800	
630.250.8000	BEAVER
815.553.1800	FARMIN
630.495.2300	SAGINA
708.503.4700	SHELBY
847.566.3200	TROY
847.392.4700	WYOMI
630.637.1600	MILES DI
815.337.0400	WYOMIN TRAVERS
847.787.0910	MINNES
	MINNESC
847.439.3110	LAKEVIL
630.972.1500	MINNEA
	MINNEA
:	MINNET
812.473.0137	WOODB
317.570.8453	PLYMOU
	MISSISS
260.484.9649	VIKING D
317.579.2300	JACKSO
574.234.4051	MISSOL
	ISC SURF
	ST. LOUI
515.276.3600	SPRING
563.386.6151	NEBRAS
	SUNDER
	OMAHA
316.267.2255	NEVAD
	DESIGNE
913.894.5515	LAS VEG
	NEW H
859.268.8373	ALBERT F
502.452.2037	BEDFOR
502.452.2057	KEENE
225 026 4002	GALLERI
225.926.4993	MERRIM PEMBRC
	NEW HAI

MARYLAND

MARILAND	
ARCHITECTURAL CERAMICS	
ROCKVILLE	301.762-4140
CHEVY CHASE	301.718.8343
BALTIMORE	410.522.1072
CONESTOGA TILE CTD	
LINTHICUM	410.789.0700
	110.707.0700
MASSACHUSETTS	
ALBERT F. FITZGERALD, INC.	
WOBURN	781.935.7821
GALLERIA STONE & TILE	
MALDEN	781.322.3210
BURLINGTON	781.365.0313
MICHIGAN	
BEAVER TILE AND STONE	
FARMINGTON HILLS	248.476.2333
SAGINAW	
SHELBY TOWNSHIP	989.790.5851 586.881.0780
TROY	248.649.5552
WYOMING	800.797.0727
WIOWING	800.797.0727
MILES DISTRIBUTING	
WYOMING	616.530.7412
TRAVERSE CITY	231.929.7090
MINNESOTA	
MINNESOTA TILE & STONE	
LAKEVILLE	952.898.1468
MINNEAPOLIS	952.345.9425
MINNEAPOLIS	612.330.9899
MINNETONKA	952.345.9425
WOODBURY	651.730.0447
PLYMOUTH	763.233.7060
MICCICCIDDI	
MISSISSIPPI	
VIKING DISTRIBUTORS INC	
JACKSON	601.714.4266
MISSOURI	
ISC SURFACES	
ST. LOUIS	314.994.7100
SPRINGFIELD	417.862.7272
NEBRASKA	
SUNDERLAND BROTHERS CO.	
OMAHA	402.339.2220
NEVADA	
DESIGNER TILE'S PLUS	
LAS VEGAS	702.547.9300
	702.547.5500
NEW HAMPSHIRE	
ALBERT F. FITZGERALD, INC.	
BEDFORD	603.472.3996
ARROW TILE DISTRIBUTORS	
KEENE	603.357-6033
GALLERIA STONE & TILE	
MERRIMACK	603.424.2884
PEMBROKE	603.225.4075
NEW HAMPSHIRE TILE DISTRIB	
MANCHESTER	603.626.8453
Minine legien	505.020.0 1 55

603.225.4075

florida tile distributor locations

NFW IFRSFY

NEW JERSEY	
CLASSIC TILE INC.	
ELIZABETH	908.289.8400
JOHN P FISCHER TILES INC.	
HAWTHORNE	973.427.7870
STANDARD TILE	
TOTOWA EAST HANOVER	973.256.6412
EDISON	973.884.4933 732.248.0600
HOLMDEL	732.856.9331
SUCCASUNNA	973.584.4997
JERSEY CITY	201.653.0566
WATCHUNG	908.754.4200
ORLANDINI TILE SUPPLIES, INC	
RICHLAND	856.697.2421
NEW YORK	
ALBANY TILE SUPPLY	
ALBANY	518.434.0155
OLD COUNTRY CERAMIC TILE	
WESTBURY	516.334.6161
PT. JEFFERSON STATION	631.928.7722
RICHMOND CERAMIC TILE	
STATEN ISLAND	718.317.8500
BELKNAP WHITE	
BUFFALO	716.662.4441
TILE WHOLESALERS OF ROCHE	
ROCHESTER	585.544.3200
TOWN & COUNTRY CERAMIC T	
ROCKLAND COUNTY	914.357.5553
WESTCHESTER TILE & MARBLE	
SCARSDALE	914.725.4355
VEDOVATO BROTHERS, INC.	
MANHATTAN	212.534.2854
VESTAL TILE DISTRIBUTORS	
VESTAL	607.729.6128
NORTH CAROLINA	
MCCULLOUGH TILE & STONE	
WINSTON-SALEM	336.744.0660
NORTH DAKOTA	
JAECKLE DISTRIBUTORS	608.838.5400
ОНІО	
NORTH CANTON	
CANTON	330.456.8408
OKLAHOMA	
ISC SURFACES	
OKLAHOMA CITY	405.232.71741
TULSA	918.461.0177
PENNSYLVANIA	
CONESTOGA TILE CTD	
HARRISBURG	717.564.6860
FIERST DISTRIBUTING COMPAN	
PITTSBURGH	412.429.9300
H. WINTER & COMPANY, INC.	
ALLENTOWN	610.434.4500
MOHAWK TILE & MARBLE	
KING OF PRUSSIA	610.279.2700
TILE GALLERY	
BENSALEM	215.638.4130

PENNSYLVANIA continued

ORLANDINI TILE SUPPLIES, INC	
MARCUS HOOK	610.494.7107
TILE DISTRIBUTORS OF AMERIC	CA
WILKES BARRE	570.822.6123
RHODE ISLAND	
GALLERIA STONE & TILE	
	602 225 4075
PEMBROKE	603.225.4075
ALBERT F. FITZGERALD	781.935.7821
WOBURN	/81.935./821
SOUTH CAROLINA	
CARO-TILE	
GREENVILLE	864.297.1496
CLAYTON TILE	
GREENVILLE	864.288.6290
ANDERSON	864.225.0884
SPARTANBURG	864.587.9732
THE TILE CENTER	
COLUMBIA	803.254.9338
FLORENCE	843.661.5475
	010.001.0170
THE TILE CENTER INC. AIKEN	002 640 5411
AIKEN	803.649.5411
SOUTH DAKOTA	
SUNDERLAND BROTHERS CO.	800.829.6009
TENNESSEE	
LOUISVILLE TILE DISTRIBUTORS	S
CHATTANOOGA	423.698.1512
NASHVILLE	615.248.8453
ROBERT F HENRY TILE CO INC	
MEMPHIS	901.387.4525
WINCO INC	
JOHNSON CITY	423.929.1156
KNOXVILLE	865.588.6522
	005.500.0522
TEXAS	
STONE SOLUTIONS INC.	
AUSTIN	512.834.9211
SAN ANTONIO	866.389.2850
THORNTREE SLATE & MARBLE	
HOUSTON	713.690.8200
UTAH	
MODERN TILE	
SALT LAKE CITY	801.268.3677
VERMONT	
GALLERIA STONE & TILE	
PEMBROKE	603.225.4075
	003.223.4073
ALBERT F. FITZGERALD, INC.	
WOBURN	704 005 7004
	781.935.7821
VIRGINIA	781.935.7821
	781.935.7821
ARCHITECTURAL CERAMICS	
ARCHITECTURAL CERAMICS CHANTILLY	703.348.7107
ARCHITECTURAL CERAMICS CHANTILLY FALLS CHURCH	703.348.7107 703.714.0161
ARCHITECTURAL CERAMICS CHANTILLY FALLS CHURCH ALEXANDRIA	703.348.7107
ARCHITECTURAL CERAMICS CHANTILLY FALLS CHURCH ALEXANDRIA CONESTOGA TILE CTD	703.348.7107 703.714.0161 703.299.6200
ARCHITECTURAL CERAMICS CHANTILLY FALLS CHURCH ALEXANDRIA CONESTOGA TILE CTD DULLES	703.348.7107 703.714.0161
ARCHITECTURAL CERAMICS CHANTILLY FALLS CHURCH ALEXANDRIA CONESTOGA TILE CTD	703.348.7107 703.714.0161 703.299.6200 703.787.4000
ARCHITECTURAL CERAMICS CHANTILLY FALLS CHURCH ALEXANDRIA CONESTOGA TILE CTD DULLES	703.348.7107 703.714.0161 703.299.6200
ARCHITECTURAL CERAMICS CHANTILLY FALLS CHURCH ALEXANDRIA CONESTOGA TILE CTD DULLES MORRIS TILE DISTRIBUTORS	703.348.7107 703.714.0161 703.299.6200 703.787.4000
ARCHITECTURAL CERAMICS CHANTILLY FALLS CHURCH ALEXANDRIA CONESTOGA TILE CTD DULLES MORRIS TILE DISTRIBUTORS RICHMOND	703.348.7107 703.714.0161 703.299.6200 703.787.4000

VIRGINIA continued VALLEY TILE SALEM 540.387.0300 WEST VIRGINIA SMITH FLOOR COVERING DISTRIBUTORS CHARLESTON 304.344.2493 WISCONSIN JAECKLE DISTRIBUTORS MADISON 608.838.5400 JAECKLE DISTRIBUTORS LACROSSE 608.781.2995 LEXCO TILE & STONE MILWAUKEE 414.771.2900 BAHAMAS **PINDER TILE** NASSAU 242.364.8453 **BARBADOS KEYSTONE PRODUCTS LTD.** CHRIST CHURCH 246.426.8453 **BRITISH VIRGIN ISLANDS** DRAKES TRADERS TORTOLA 284.494.3282 CANADA CENTURA 403.259.0106 CALGARY AB BURNABY BC 604.298.8453 DARTMOUTH NS 902.468.7679 HAMILTON ON 905.383.5100 TORONTO ON 416.785.5151 OTTAWA ON 613.820.6622 LONDON ON 519.681.1961 MONTREAL QC 514.336.4311 CITY TILE 604.298.6252 **BURNABY BC** DYNAMIC FLOORING CONCEPTS CONCORD ON 905.760.0032 **MIDGLEY & WEST** 905.387.2650 HAMILTON ON STONE TILE INTERNATIONAL 416.515.9000 TORONTO ON **CAYMAN ISLANDS** PARAMOUNT CARPET GEORGETOWN 345.949.2016 **TURKS & CAICOS BUILDING MATERIALS LTD** 649.946.4131 **U.S. VIRGIN ISLANDS** MSI BUILDING SUPPLIES ST. THOMAS 340.776.8800

florida tile showroom locations

ATLANTA NEW LOCATION

1455 Oakbrook Drive Norcross, GA 30093 800-352-8453

BOISE 2965 S Featherly Way Boise, ID 83709 208-362-5160

CHARLOTTE 605 Phillips Davis Drive Suite 10 Charlotte, NC 28217 704-523-7615

CHESAPEAKE 500 Woodlake Circle

Chesapeake, VA 23320 757-855-9330

CINCINNATI 10840 Millington Court Cincinnati, OH 45242 513-891-1122

COLUMBUS 7029 Huntley Road Columbus, OH 43229 614-436-2511

DALLAS 9755 Clifford Drive Suite 190 Dallas, TX 75220 214-366-0845

DAYTON

2105 Lyons Road Miamisburg, OH 45342 937-293-5151

DENVER

12330 E. 46th Ave. #200 Denver, CO 80239 303-744-2433

ERLANGER

1325 Donaldson Road Suite A Erlanger, KY 41018 859-282-5400

EUGENE

1939 W 2nd Ave. Unit B-5 Eugene, OR 97402 541-334-3602

FT. COLLINS

1833 E. Harmony #9 Ft. Collins CO 80528 970-223-5193

GREENSBORO

120 S. Walnut Circle Greensboro, NC 27409 336-851-2622

LAKELAND

3545 Reynolds Rd Lakeland, FL 33803 863-665-4646

MYRTLE BEACH

1460 Dividend Loop Myrtle Beach, SC 29577 843-839-1406

MIAMI

3075 NW 79th Ave Miami, FL 33122 305-513-9600

PENSACOLA

4200 N. Palafox Pensacola, FL 32505 850-434-1120

PORTLAND

3259 NW Yeon, Bldg. F Portland, OR 97210 503-226-6077

RALEIGH

300 Dominion Drive Suite 250 Morrisville, NC 27560 919-481-0172

SEATTLE

665 Orcas Street Seattle, WA 98108 206-767-9819

TALLAHASSEE

738 Capital Circle NE Tallahassee, FL 32301 850-216-1300

WILMINGTON

6500 A-1 Windmill Way Wilmington, NC 28405 910-392-3072

For a complete listing of dealers and distributors in your area, visit us on the web.

www.floridatile.com

warranty

Florida Tile, Inc. warrants that our products will meet or exceed the requirements of American National Specifications Institute, Specification ANSI 137.1-2008. We also warrant our tile and stone to conform to any specific physical properties stated in our product literature and to be reasonably free from manufacturing defects. Shade variation is not a manufacturing defect.

residential lifetime warranty:

Florida Tile, Inc. warrants to the original purchaser that it will provide replacement tile or refund the purchase price at our discretion of any product that fails to meet the requirements above. Labor costs for removal of existing product and installation of replacement product are not included. Shade match of the replacement product to that being replaced cannot be guaranteed. This lifetime warranty against manufacturing defects on Florida Tile products purchased will remain in effect for as long as you own your home and is non-transferable.

commercial warranty:

Florida Tile, Inc defines a commercial installation as any structure other than a dwelling occupied by the owner of the tile. We warrant that we will provide replacement tile or refund the purchase price at our discretion of any product that fails to meet the requirements above for a period of 18 months from the date of shipment of the product. Labor cost for removal of existing product and installation of replacement product are not included. Shade match of the replacement product to that being replaced cannot be guaranteed.

warranty limitations:

Florida Tile, Inc. makes no other warranties, express or implied, including merchantability or fitness for a particular purpose. Purchaser's remedy is limited to replacement as described above, and under no circumstances shall the manufacturer be liable for any loss or damage arising from the purchase, use, or inability to use this product, or for any special, indirect, incidental, or consequential damages. No installer, dealer, agent, or employee of Manufacturer has the authority to modify the obligations or limitations of this warranty.

These warranties give specific legal rights. Since some states have laws governing consumer rights and damages, some of the above limitations may not apply to you, and you may have other rights which vary from state to state. Except for these other rights, the remedy provided under these warranties state the limit of the Manufacturer's responsibilities.



SLIM • LIGHTWEIGHT • PORCELAIN

THINNER warranty:

Florida Tile, Inc. warrants that our THINNER products will meet or exceed the Technical Characteristics and Product Specifications as listed in the current THINNER Technical Manual. We also warrant our tile to be reasonably free from manufacturing defects. Shade variation is not a manufacturing defect.

residential lifetime warranty:

Florida Tile, Inc. warrants to the original purchaser that it will provide replacement tile or refund the purchase price at our discretion of any product that fails to meet the requirements above. Labor costs for removal of existing product and installation of replacement product are not included. Shade match of the replacement product to that being replaced cannot be guaranteed. This lifetime warranty against manufacturing defects on Florida Tile products purchased will remain in effect for as long as you own your home and is non-transferable.

commercial warranty:

Florida Tile, Inc. defines a commercial installation as any structure other than a dwelling occupied by the owner of the tile. We warrant that we will provide replacement tile or refund the purchase price at our discretion of any product that fails to meet the requirements above for a period of one year after installation or 18 months from the date of shipment of the product, whichever occurs first, provided that Florida Tile is notified in writing of any manufacturing defects. The Labor costs for removal of existing product and installation of replacement product are not included. Shade match of the replacement product to that being replaced cannot be guaranteed. In addition to the above commercial warranty, Florida Tile warrants the THINNER product line for frost resistance for 20 years and wear resistance for 10 years within the same qualifying period as outlined above. We will provide replacement tile or refund the purchase price at our discretion of any product that fails to meet the requirements above, provided that Florida Tile is notified in writing of any manufacturing defects. The Labor costs for removal of existing product and installation of replacement product are not included. Shade match of the replacement product to that being replaced cannot be guaranteed.

warranty limitations:

Florida Tile, Inc. makes no other warranties, express or implied, including merchantability or fitness for a particular purpose. Purchaser's remedy is limited to replacement as described above, and under no circumstances shall the manufacturer be liable for any loss or damage arising from the purchase, use, or inability to use this product, or for any special, indirect, incidental, or consequential damages. No installer, dealer, agent, or employee of Manufacturer has the authority to modify the obligations or limitations of this warranty.

These warranties give specific legal rights. Since some states have laws governing consumer rights and damages, some of the above limitations may not apply to you, and you may have other rights which vary from state to state. Except for these other rights, the remedy provided under these warranties states the limit of the Manufacturer's responsibilities.