





THE POWER OF A TRADEMARK

Today Porcelanosa Group is a major brand in the international market. Its position has been built up on values such as innovation and quality, but especially the trust placed in its large human capital, made up of almost 5,000 skilled professionals, and its concern for its stakeholders and environment. Porcelanosa Group recently celebrated its 40th anniversary and today is present in over 120 countries worldwide. This success is the result of a unique business model based on a strong corporate strategy with a vertically integrated distribution system; manufacturing, distributing and retailing all of its products. Today, the Group's eight companies offer a vast selection of products ranging from kitchen and bathroom equipment to state-of-the-art building solutions for contemporary architecture.



ECOLOGICAL COMMITMENT

From the very beginning, Porcelanosa has kept a position of respect and commitment to the environment. Our industrial plants have been in harmonious coexistence with an agricultural sector that requires environmental responsibility. The Porcelanosa Group was one of the first conglomerates in the tile industry that obtained the ISO 14001 certification for environmentally friendly manufacturing processes. This certification evidences the long standing tradition of Porcelanosa to conserve natural resources. Our manufacturing plants are equipped with water depuration and recycling systems, gas burning technology that reduces the consumption and emissions, and other processes and equipment that seek to reduce resource depletion and contamination.



TABLE OF CONTENTS



CERAMIC MOSAICS 11



PAR-KER 273
PORCELAIN HARDWOOD



WALL TILE 27



URBATEK 305
THROUGH-BODY PORCELAIN



FLOOR TILE 177



X-LIGHT 341
EXTRA LIGHT & THIN PORCELAIN



STON-KER 205
COLORED-BODY PORCELAIN



INSTALLATION 359
INSTRUCTIONS & GUIDES

PRODUCT INDEX - ALPHABETICALLY

ALASKA NATURAL.....	274	BORNEO BLUE	51, 197	CUBICA SILVER	66	HOUSTON COPPER.....	278	MANHATTAN GRIS.....	18	NATURE LINO BLANCO	92	RAMSEY	191	TACO LONDON GREY	95
AMSTERDAM BLANCO.....	286	BORNEO SAGE	51, 197	DALIA BEIGE.....	105	HOUSTON COTTAGE	278	MANHATTAN NEGRO.....	18	NATURE LINO DORE	92	RECIFE ANTRACITA	126, 127, 200	TACO LONDON NOGAL	95
AMSTERDAM GRIS	286	BOULEVARD BEIGE	52	DALIA BLANCO.....	105	HOUSTON NATURAL	278	MANHATTAN NEGRO LAPPATO.....	236	NAZCA ANTRACITA	253	RECIFE GRIS.....	126, 127, 189, 200	TACO OXFORD ACERO	112
ANTIQUE ACERO	29, 238	BOULEVARD GREY.....	52	DALIA NATURAL	105	HOUSTON NOCE	279	MARM BLANCO	98, 99, 154, 185, 199	NEWPORT BEIGE.....	106, 107, 237	RECIFE PULPIS	126, 127, 189, 200	TACO OXFORD BLANCO	112
ANTIQUE BLACK.....	29, 238	BOULEVARD NATURAL	52	DECO IRISH BLANCO.....	80	HOUSTON TAUPE	279	MARM CHINA.....	100, 115	NEWPORT DARK GREY	106, 107	RETRO BLANCO.....	175	TACO OXFORD COGNAC.....	113
ANTIQUE BLUE.....	28	BOULEVARD WHITE	52	DECO NACARE BLANCO.....	156	HUDSON WHITE.....	79	MARM CHINA LINE	100	NEWPORT GREY.....	106, 107, 237	RHIN GRIS	242	TACO OXFORD NATURAL.....	113
ANTIQUE BROWN.....	28	BRAZIL ARENA.....	208	DECO TRIBECO CALIZA	248	IRISH BEIGE	80, 81, 190	MARM DECO BLANCO.....	98	NEWPORT NATURAL ...	106, 107, 256, 270	RHIN IVORY	142, 143, 242	TALAVERA CALDERA.....	196
ANTIQUE GREY.....	28	BRAZIL NATURAL	208	DEEP BROWN NATURE.....	314	IRISH BLANCO	80, 81, 190	MARM LINE BLANCO	98	NEWPORT WHITE.....	106, 107	RHIN NATURAL	242	TALIS ANTRACITA.....	201
ANTIQUE SILVER	29, 238	BRICK AVENUE BLACK MIX.....	308	DEEP BROWN NATURE MOSAIC.....	314	IRISH NATURAL	80, 81, 190	MARM SCALA BLANCO.....	98	NOX CORTEN	353	RHIN TAUPE	142, 143, 242	TALIS BEIGE	172, 201
AQUA BLANCO	164	BRICK AVENUE BROWN MIX	308	DEEP GREY NATURE.....	314	IRISH PROJECTION.....	80	MARMOL CARRARA BLANCO.....	59	NVY WHITE	353	ROCHER IVORY.....	219	TALIS BLANCO	172, 201
AQUA CRISTAL	30, 164	BRICK AVENUE GREY MIX	308	DEEP GREY NATURE MOSAIC.....	314	IRISH SILVER.....	80	MARMOL CREMA.....	200	OLD BEIGE.....	40	ROCHER NATURAL	219	TALIS CACAO.....	172, 201
AQUA PORCELLANA.....	31	BRICK AVENUE WHITE MIX.....	308	DEEP LIGHT GREY NATURE.....	314	IRONKER COBRE	214	MARMOL KALI CREMA.....	86, 200	OLD DARK GREY.....	40	RODANO ACERO. 128, 129, 158, 245, 257		TAVOLA FORESTA	285
ARIZONA ANTRACITA.....	207	BRITANIA TOP	275	DEEP LIGHT GREY NATURE MOSAIC...	314	ISLAND BEIGE	38	MARMOL NILO CREMA.....	194	OLD GREY.....	40	RODANO CALIZA. 128, 129, 158, 245, 257		TAVOLA GRIGIO.....	285
ARIZONA ARENA.....	160, 192, 207	BRUNEI BLANCO.....	54, 165	DEEP WHITE NATURE.....	314	ISLAND DARY GREY.....	38	MARMOL NILO MARFIL159, 185, 194, 200		OLD NATURAL	40	RODANO SILVER	128, 129, 245, 257	TAVOLA MOGANO.....	285
ARIZONA CALIZA	160, 192, 207, 258	BRUSELAS ACERO.....	288	DEEP WHITE NATURE MOSAIC.....	314	ISLAND GREY	38	MARMOL NILO MARFIL NATURAL	185	OLD WHITE	40	RODANO TAUPE	158	TECHNIC NIEVE	271
ARIZONA STONE ...	32, 160, 192, 207, 258	BRUSELAS VINTAGE	288	DIAMOND WHITE.....	68	ISLAND NATURAL	38	MATRIX ARENA.....	162	OLIMPO MARFIL	108, 186	ROMA BLANCO	129	TIBET ARENA.....	223
ASCOT ARCE.....	276	CALACATA GOLD	55, 181, 198	DOMUS BLACK.....	13	ISLAND WHITE.....	38	MATRIX NACAR.....	162	ON BEIGE.....	324	ROMO RETRO BLANCO.....	175	TIBET BLACK.....	144, 223
ASCOT GREY.....	276	CALACATA SILVER	55, 181, 198	DOMUS BROWN	13	JAMAICA NACAR	79	MAX BEIGE.....	320	ON BLACK.....	324	ROX BEIGE	326	TIBET CALIZA.....	223
ASCOT OLIVO.....	276	CANADA COPPER.....	275	DOMUS GREEN MATT	13	JAPAN BLANCO.....	82, 167, 194	MAX BEIGE NATURE MOSAIC.....	320	ON GREY	324	ROX COAL	326	TIMBER ON BEIGE	325
ASCOT ROBLE.....	276	CANADA WHITE WASH	275	DOMUS MIX	13	JAPAN BROWN.....	82	MAX BLACK.....	320	ONA BEIGE	110	ROX DARK	326	TIMBER ON BLACK	325
ASCOT TECA.....	277	CAPPUCCINO.....	56, 181	DOMUS WHITE.....	13	JAPAN DECO BROWN.....	82	MAX BLACK NATURE MOSAIC.....	320	ONA BLANCO	110	ROX GREY	327	TIMBER ON GREY.....	325
ASSUAN BROWN.....	228	CAPPUCCINO BEIGE	56, 181	DOVER ACERO.....	70, 72, 234, 263	JAPAN LINE BLANCO	82	MAX GREY	320	ONA MARRON	110	RUGGINE.....	130	TIMBER ON LIGHT GREY	325
ASTON ACERO	229	CARRARA BLANCO BRILLO... 59, 182, 199		DOVER ANTIQUE.....	70	JAPAN LINE BROWN.....	82	MAX GREY NATURE MOSAIC.....	320	ONA NATURAL.....	110, 270	RUGGINE ALUMINIO.....	130	TISSUE GOLD.....	224
ASTON ANTRACITA.....	229	CARRARA BLANCO NATURAL..... 182, 261		DOVER ARENA.....	263	JAPAN LINE MARINE	83	MERIDIAN BLANCO	169	ONA WHITE MATT.....	110	RUGGINE CALDERA.....	130	TISSUE SILVER.....	224
ASTON ARENA	229	CARRARA CRETA BLANCO	59	DOVER CALIZA.....	70, 72, 234, 263	JAPAN LINE NATURAL	82	METALKER	216	OXFORD ACERO.....	296	RUGGINE LATON	130	TOKYO BLANCO	145
ASTON CALIZA	229	CARRARA LINE BLANCO	59	DOVER LINE ACERO.....	70	JAPAN MARINE.....	83, 167, 164	MICROCEMENTO BLANCO	236, 255	OXFORD ANTRACITA	296	RUGGINE NIQUEL.....	131	TOWN ACERO	330
ASTON SILVER	229	CASCAIS NATURAL.....	210	DOVER LINE CALIZA.....	70	JERSEY ANTRACITA.....	84	MICROCEMENTO GRIS	236, 255	OXFORD BLACK.....	299	RUGGINE PLATINO.....	131	TOWN ARENA	330
ATENAS MARFIL.....	60	CASCAIS NOCE	210	DOVER MODERN LINE ACERO	70	JERSEY MIX.....	84, 168	MINIDUAL BIANCO.....	20	OXFORD CASTANO.....	296	RUGGINE TITANIO	131	TOWN BLACK.....	330
AUSTIN BLANCO	274	CEILAN MARFIL	232, 254	DOVER MODERN LINE CALIZA	72	JERSEY NIEVE.....	84, 168	MINIDUAL BROWN.....	20	OXFORD COGNAC	299	RUST BEIGE	354	TOWN COSMOS.....	333
AUSTIN GRIS	274	CENTURY BEIGE	36	DOVER TOPO.....	263	K2.....	215, 266	MINIDUAL NERO.....	20	OXFORD NATURAL	299	RUST DARK.....	354	TOWN EXTREME WHITE	333
AVENUE BEIGE	34	CENTURY DARK GREY.....	36	DUAL BLANCO.....	15	KALI CREMA.....	86	MISURI NATURAL.....	294, 301	OXFORD SILVER	299	SAIGON BLANCO	132	TOWN MOKA	333
AVENUE DARK GREY	34	CENTURY GREY.....	36	DUAL NERO.....	15	KALI TABACO.....	86	MONACO BEIGE.....	186, 237	OXFORD SILVER	299	SAMOA ANTRACITA.....	220, 252	TOWN NIQUEL	334
AVENUE DARK MATT.....	260	CENTURY NATURAL.....	36	DUBAI NACAR.....	68	KAOS BEIGE.....	319	MONTANA COTTAGE	282	OXO GARDEN ARENA	114	SAMOA LINEAL ANTRACITA.....	132	TOWN WHITE.....	334
AVENUE GREY.....	34	CENTURY WHITE.....	36	DUBLIN ACERO.....	288	KAOS BLACK.....	319	MONTANA HONEY	282	OXO GARDEN GRIS	114	SAMOA SILVER.....	220, 252	TOWN ACERO MOSAIC.....	335
AVENUE NATURAL	34, 260	CERDENA CALIZA.....	60	ECEO BLANCO.....	73, 184	LAJA BLANCO.....	87	MONTANA NOCE	282	OXO HANNOVER BLANCO	114	SEA BLANCO	134	TOWN ARENA MOSAIC.....	335
AVENUE WHITE.....	34	CERDENA MARFIL	60	EIDOS AMBAR.....	16	LAJA NATURAL	87	MONTECARLO BEIGE.....	102	OXO LINE BLANCO.....	115	SEA SILVER.....	134	TOWN BLACK MOSAIC	335
AVENUE WHITE MATT.....	260	CHESTER ACERO.....	290	EIDOS GRAFITO.....	16	LASSA WHITE	88, 184	MONTECARLO NATURAL	217	OXO MODERN LINE	115	SEATTLE BROWN	136, 246	TOWN COSMOS MOSAIC.....	335
AVENUE BLACK - URBATEK.....	306	CHESTER ANTRACITA	290	EIDOS OCEANO.....	16	LAVAGNA BLANCO	89	MONTREAL NOGAL.....	295	OXO MOSAIC BLANCO	115	SEATTLE DARK.....	136, 246	TOWN MOKA MOSAIC	335
AVENUE BROWN - URBATEK	307	CHESTER BLANCO.....	290	EMOTION BONE.....	350	LAVAGNA NEGRO	266	MONTREAL VINTAGE	295	OXO SCALA BLANCO	115	SELENE SAND	24	TOWN NIQUEL MOSAIC	335
AVENUE GREY - URBATEK.....	307	CHESTER CASTANO	290	EMOTION BONE DECO	350	LINE ANTRACITA.....	168	MORSE BEIGE	322	PARK ACERO	118, 119, 238	SEUL NACAR	124, 170	TOWN WHITE MOSAIC	335
AVENUE WHITE - URBATEK	307	CHESTER LENO	291	EMOTION DARK.....	350	LINE BLANCO.....	90, 168	MORSE COAL	322	PARK BEIGE	116	SHINE ALUMINIO.....	138	TRAVERTINO BEIGE	336, 356
BALTIMORE BEIGE.....	42	CHESTER LINE ANTRACITA	62	EMOTION SNOW.....	350	LINE CREMA	168	MORSE GREY	322	PARK BLACK.....	119, 238	SHINE DARK	138	TRENTO DAMASCO	25
BALTIMORE GREY	42, 232	CHINA ACERO.....	211	ESTOCOLMO.....	350	LINE EXTRA BLANCO.....	90	MORSE WHITE	323	PARK DARK GREY.....	116	SHINE LATON.....	138	TRENTO NACAR.....	25
BALTIMORE NATURAL	42	CHINA BLANCO	154	ESTOCOLMO GRIS.....	233, 250	LINO BLANCO.....	92	MOSAICO ARIZONA ARENA.....	160	PARK GREY	116	SHINE NIQUEL.....	138	TREVISO BLACK.....	145
BALTIMORE WHITE.....	42	CITY AREA.....	310	ESTOCOLMO NATURAL	233, 250	LINO DORE.....	92	MOSAICO ARIZONA CALIZA.....	160	PARK LINEAL ACERO.....	118	SHINE PLATINO.....	138	TRIBECA ACERO	248
BAMBU BEIGE.....	164	CITY CUBE.....	310	EXTREME BLACK.....	234, 264	LISBOA CALIZA	215	MOSAICO ARIZONA STONE	32, 160	PARK LINEAL SILVER	118	SHINE TITANIO	138	TRIBECA CALIZA	248
BAMBU BLANCO.....	164	CITY GRAPHIC.....	311	EXTREME WHITE.....	234, 264	LISBOA TAUPE.....	215	MOSAICO CARRARA BLANCO.....	59	PARK NATURAL.....	116	SIENNA.....	139	VENICE BLANCO.....	173
BARCELONA B	45, 230	CITY STUDIO.....	311	FERROKER.....	193, 212, 265	LISTON OXFORD ACERO	112	MOSAICO PORTLAND ACERO.....	122	PARK SILVER.....	118, 119, 238	SILK BLANCO	171, 201, 220	VENICE MARFIL.....	159, 173
BARCELONA C	45, 230	CITY ZONE.....	311	FERROKER ALUMINIO.....	193, 212, 265	LISTON OXFORD BLANCO	112	MOSAICO PORTLAND ANTRACITA.....	241	PARK WHITE.....	116	SILK VERDE.....	220	VETRO ANTRACITA.....	146
BARCELONA D.....	45, 230	CODE BEIGE.....	347	FERROKER CALDERA	212	LISTON OXFORD COGNAC	112	MOSAICO PORTLAND ARENA.....	241	PEARLS WHITE.....	120	SKY.....	140	VETRO BLANCO.....	146
BARCELONA E.....	44, 45, 230	CODE COAL.....	347	FERROKER LATON	212	LISTON OXFORD NATURAL	112	MOSAICO PORTLAND CALIZA	241	PEKIN CALDERA.....	218	SLATE AFRICA.....	202	VETRO BONE.....	146
BARCELONA F.....	44, 45, 230	CODE GREY	347	FERROKER NIQUEL.....	193, 212, 265	LITTLE OXFORD ACERO.....	302	MOSAICO PORTLAND SILVER.....	241	PIEDRA BORGONA ARENA	219, 253	SLATE BAHIA	202	VETRO GREY.....	147
BARI BLANCO.....	47, 178	CODE WHITE.....	347	FERROKER PLATINO.....	193, 213, 265	LITTLE OXFORD ANTRACITA.....	302	MOSAICO RECIFE BLANCO.....	126	PLANIC ARENA.....	191	SLATE DESERT	202	VETRO LINE ANTRACITA.....	146
BASIC AUTUMN.....	342	CONCRETE BEIGE	312	FERROKER TITANIO	193, 213, 265	LITTLE OXFORD BLANCO.....	302	MOSAICO RECIFE GRIS.....	126	PORTBLACK.....	121, 188	SLATE RIVER	202	VETRO LINE BLANCO.....	146
BASIC BONE.....	342	CONCRETE BEIGE NATURE.....	312, 348	FIRENZE ANTRACITA.....	17	LITTLE OXFORD CASTANO.....	302	MOSAICO RECIFE PULPIS	126	PORTBLACK LINE	121	STREET.....	140	VETRO LINE BONE.....	146
BASIC CLAY.....	342	CONCRETE BLACK.....	312	FIRENZE NACAR.....	17	LITTLE OXFORD COGNAC.....	302	MOSAICO RODANO ACERO.....	128, 158	PORTLAND ACERO.....	122, 123, 240	STRIP AVENUE BLACK.....	309	VETRO LINE GREY.....	147
BASIC DARK.....	343	CONCRETE BLACK NATURE MOSAIC ..	312	FIRENZE OCEANO.....	17	LITTLE OXFORD NATURAL	302	MOSAICO RODANO ACERO.....	128, 158	PORTLAND ANTRACITA	123, 240	STRIP AVENUE BROWN.....	309	VETRO LINE TOPO	147
BASIC LAVA.....	343	CONCRETE GREY.....	312	FLORENCIA BEIGE.....	74	LITTLE OXFORD SILVER	302	MOSAICO RODANO CALIZA.....	128, 158	PORTLAND ARENA.....	122, 123, 240	STRIP AVENUE GREY.....	309	VETRO TOPO.....	147
BASIC SAND.....	343	CONCRETE GREY NATURE.....	312, 348	FLORENCIA BLANCO.....	74	LONDON BLACK	280	MOSAICO RODANO SILVER.....	128	PORTLAND CALIZA.....	122, 123, 240	STRIP AVENUE WHITE.....	309	VILLAGE ARENA.....	149
BASIC SILVER.....	344	CONCRETRE BLACK NATURE	348	FLORENCIA NATURAL	74	LONDON CASTANO	280	MOSAICO RODANO TAUPE.....	158	PRADA BEIGE	157	STUC BEIGE	328	VILLAGE BLANCO.....	149
BASIC SKY	344	COTTON BLANCO.....	63	FLOWER ANTRACITA.....	76	LONDON GREY.....	280	MOSAICO TIBET BLACK.....	144	PROVENZA NATURAL.....	284	STUC BLACK	328	VILLAGE GRIS.....	149
BASIC SNOW	344	CRETA CALIZA.....	60	FORMAS BLANCO.....	166	LONDON NOGAL.....	280	MOY MOKA.....	295	PURE BEIGE.....	323	STUC GREY	328	WASHINGTON WHITE.....	300
BASIC SPRING.....	345	CRETA MARFIL	60	FOSSIL BEIGE	316	LUCA.....	96	MURANO ANTRACITA	20	PURE WHITE.....	323	STUC WHITE	329	WAVE GREY METALLIC.....	150
BASIC STEEL.....	345	CRYSTAL ACID.....	64	FOSSIL GREY	316	MADAGASCAR BEIGE.....	111, 216, 268	MURANO NACAR.....	20	QATAR NACAR	124, 170	STYLKER DARK.....	252, 271	WAVE WHITE	150
BASIC STONE.....	345	CRYSTAL CHERRY.....	64	GLASGOW SILVER.....	75	MADAGASCAR BLANCO	111, 216, 268	MURANO ROJO.....	20	QUARTER BEIGE.....	125	SUEDE IVORY	142	WAVE WHITE METALLIC	150
BASIC SUMMER.....	346	CRYSTAL DARK.....	64	GLASGOW SILVER LAPPATO.....	214	MADAGASCAR NATURAL	111, 216, 268	NACARE BLANCO.....	156	QUARTER GREY	125	SUEDE TAUPE	142	YAKARTA.....	151
BASIC TERRA.....	346	CRYSTAL FLOOR DARK.....	182	GLASS ANTRACITA.....	76	MADISON ANTRACITA.....	96, 169	NACARE GRIS.....	156	QUARTER NATURAL	125	SUEDE WHITE MATT.....	142	YAKARTA BLANCO	151, 174, 196
BASIC WINTER	346	CRYSTAL FLOOR WHITE	182	GLASS BLANCO.....	76, 162	MADISON NACAR.....	96, 169	NAPOLIS.....	103, 191, 217	QUATTRO AVENUE BLACK MIX	308	SWEDEN.....	144	YAZZ BLACK.....	339
BELICE ACERO	48	CRYSTAL VANILLA.....	64	GLOBE WHITE.....	78	MADISON PLATA.....	96	NARA BASIC BEIGE	104	QUATTRO AVENUE BROWN MIX.....	308	TACO CHESTER ACERO	62	YAZZ GREY.....	339
BIANCO CARARRA.....	49, 178	CRYSTAL WHITE.....	64, 165	HAMPTON BEIGE.....	293	MADISON PLATA.....	96	NARA BASIC BLANCO	104	QUATTRO AVENUE GREY MIX.....	308	TACO CHESTER ANTRACITA	62	ZAR BLANCO.....	152
BLOCK WENGE.....	301	CUBICA.....	211, 262	HAMPTON BROWN	293	MAHE BEIGE.....	105	NARA BEIGE.....	104, 269	QUATTRO AVENUE WHITE MIX	308	TACO CHESTER CASTANO	62	ZOE BLANCO.....	153
BLUEBELL SILVER	50	CUBICA BLANCO.....	66, 166, 262	HAMPTON GREY	293	MAHE BLANCO.....	105	NARA BLANCO.....	104	QUEENS	23	TACO CHESTER LENO.....	62	ZURICH ASH.....	226
BLUEBELL WHITE.....	50	CUBICA MARFIL	66	HANNOVER MARFIL	60	MANHATTAN NATURAL	104	NARA NATURAL	104	QUEENS ALUMINIO.....	23	WTACO LONDON BLACK.....	95	ZURICH SAND	226
BLUESTONE METRO	310	CUBICA NEGRO.....	66, 166	HELSENKY WHITE.....	78	MANHATTAN BLANCO.....	18	NATAL ANTRACITA.....	269			TACO LONDON CASTANO.....	95		
				HOUSTON ASH.....	278	MANHATTAN BLANCO LAPPATO.....	236								

PRODUCT INDEX - BY TEXTURE

CERAMIC MOSAIC	MICROCEMENTO GRIS..... 236, 255
DOMUS BLACK.....13	MOSAICO PORTLAND ACERO..... 122
DOMUS BROWN.....13	MOSAICO PORTLAND ANTRACITA..... 241
DOMUS GREEN MATT13	MOSAICO PORTLAND ARENA..... 241
DOMUS MIX13	MOSAICO PORTLAND CALIZA 241
DOMUS WHITE.....13	MOSAICO PORTLAND SILVER..... 241
DUAL BLANCO.....15	MOSAICO RODANO ACERO 128, 158
DUAL NERO.....15	MOSAICO RODANO CALIZA 128, 158
EIDOS AMBAR.....16	MOSAICO RODANO SILVER..... 128
EIDOS GRAFITO.....16	MOSAICO RODANO TAUPE..... 158
EIDOS OCEANO.....16	NEWPORT BEIGE..... 106, 107, 237
FIRENZE ANTRACITA.....17	NEWPORT DARK GREY 106, 107
FIRENZE NACAR.....17	NEWPORT GREY..... 106, 107, 237
FIRENZE OCEANO.....17	NEWPORT NATURAL.... 106, 107, 256, 270
MANHATTAN BLANCO.....18	NEWPORT WHITE..... 106, 107
MANHATTAN GRIS.....18	OLD BEIGE.....40
MANHATTAN NEGRO.....18	OLD DARK GREY.....40
MINIDUAL BIANCO.....20	OLD GREY.....40
MINIDUAL BROWN.....20	OLD NATURAL.....40
MINIDUAL NERO.....20	OLD WHITE.....40
MURANO ANTRACITA.....20	PARK ACERO 118, 119, 238
MURANO NACAR.....20	PARK BEIGE 116
MURANO ROJO.....20	PARK BLACK..... 119, 238
QUEENS23	PARK DARK GREY..... 116
QUEENS ALUMINIO.....23	PARK GREY..... 116
QUEENS TITANIO.....23	PARK LINEAL ACERO 118
SELENE SAND24	PARK LINEAL SILVER 118
TRENTO DAMASCO.....25	PARK NATURAL..... 116
TRENTO NACAR.....25	PARK SILVER..... 118, 119, 238
	PARK WHITE..... 116

CONCRETE	PORTLAND ACERO 122, 123, 240
ASTON ACERO 229	PORTLAND ANTRACITA 123, 240
ASTON ANTRACITA..... 229	PORTLAND ARENA..... 122, 123, 240
ASTON ARENA 229	PORTLAND CALIZA 122, 123, 240
ASTON CALIZA..... 229	QUARTER BEIGE..... 125
ASTON SILVER 229	QUARTER GREY..... 125
BALTIMORE BEIGE.....42	QUARTER NATURAL 125
BALTIMORE GREY 42, 232	RHIN GRIS..... 242
BALTIMORE NATURAL42	RHIN IVORY..... 142, 143, 242
BALTIMORE WHITE.....42	RHIN NATURAL..... 242
BOULEVARD BEIGE52	RHIN TAUPE 142, 143, 242
BOULEVARD GREY.....52	RODANO ACERO. 128, 129, 158, 245, 257
BOULEVARD NATURAL.....52	RODANO CALIZA. 128, 129, 158, 245, 257
BOULEVARD WHITE52	RODANO SILVER..... 128, 129, 245, 257
CENTURY BEIGE36	RODANO TAUPE 158
CENTURY DARK GREY.....36	TRIBECA ACERO 248
CENTURY GREY36	TRIBECA CALIZA 248
CENTURY NATURAL.....36	
CENTURY WHITE.....36	DECORATIVE
CHINA BLANCO 154	ANTIQUE ACERO..... 29, 238
DECO TRIBECO CALIZA 248	ANTIQUE BLACK..... 29, 238
DOVER ACERO..... 70, 72, 234, 263	ANTIQUE BLUE.....28
DOVER ANTIQUE.....70	ANTIQUE BROWN.....28
DOVER ARENA 263	ANTIQUE GREY.....28
DOVER CALIZA..... 70, 72, 234, 263	ANTIQUE SILVER..... 29, 238
DOVER LINE ACERO70	BARCELONA B 45, 230
DOVER LINE CALIZA70	BARCELONA C 45, 230
DOVER MODERN LINE ACERO70	BARCELONA D 45, 230
DOVER MODERN LINE CALIZA72	BARCELONA E.....44, 45, 230
DOVER TOPO 263	BARCELONA F.....44, 45, 230
ESTOCOLMO GRIS..... 233, 250	BLUEBELL SILVER50
ESTOCOLMO NATURAL..... 233, 250	BLUEBELL WHITE.....50
ISLAND BEIGE38	FLOWER ANTRACITA.....76
ISLAND DARK GREY.....38	OXO GARDEN ARENA 114
ISLAND GREY38	OXO GARDEN GRIS 114
ISLAND NATURAL38	OXO HANNOVER BLANCO 114
ISLAND WHITE.....38	OXO LINE BLANCO..... 115
MICROCEMENTO BLANCO 236, 255	OXO MODERN LINE 115

OXO MOSAIC BLANCO 115
OXO SCALA BLANCO 115
ZAR BLANCO 152

DIMENSIONAL	
AQUA BLANCO 164	
AQUA CRISTAL..... 30, 164	
AQUA PORCELLANA.....31	
CUBICA.....211, 262	
CUBICA BLANCO..... 66, 166, 262	
CUBICA MARFIL.....66	
CUBICA NEGRO..... 66, 166	
CUBICA SILVER.....66	
DIAMOND WHITE.....68	
DUBAI NACAR.....68	
FORMAS BLANCO..... 166	
GLOBE WHITE.....78	
HANNOVER MARFIL60	
HELSINKY WHITE.....78	
MADISON ANTRACITA..... 96, 169	
MADISON NACAR..... 96, 169	
MADISON PLATA.....96	
MARMI BLANCO 98, 99, 154, 185, 199	
MARMI CHINA..... 100, 115	
MARMI CHINA LINE 100	
MARMI DECO BLANCO.....98	
MARMI LINE BLANCO98	
MARMI SCALA BLANCO.....98	
MATRIX ARENA 162	
MATRIX NACAR 162	
MERIDIAN BLANCO 169	
ONA BEIGE 110	
ONA BLANCO..... 110	
ONA MARRON 110	
ONA NATURAL 110, 270	
ONA WHITE MATT..... 110	
PEARLS WHITE..... 120	
QATAR NACAR 124, 170	
SKY.....140	
STREET.....140	
SUEDE IVORY.....142	
SUEDE TAUPE.....142	
SUEDE WHITE MATT.....142	
SWEDEN144	
WAVE GREY METALLIC.....150	
WAVE WHITE150	
WAVE WHITE METALLIC150	
ZOE BLANCO153	

FABRIC LOOK	
BAMBU BEIGE..... 164	
BAMBU BLANCO..... 164	
BRUNEI BLANCO..... 54, 165	
DECO IRISH BLANCO80	
FLORENCIA BEIGE.....74	
FLORENCIA BLANCO.....74	
FLORENCIA NATURAL.....74	
GLASGOW SILVER.....75	
IRISH BEIGE80, 81, 190	
IRISH BLANCO80, 81, 190	
IRISH NATURAL.....80, 81, 190	
IRISH PROJECTION.....80	
IRISH SILVER.....80	
JAPAN BLANCO..... 82, 167, 194	
JAPAN BROWN.....82	
JAPAN DECO BROWN.....82	
JAPAN LINE BLANCO.....82	
JAPAN LINE BROWN.....82	

JAPAN LINE MARINE83
JAPAN LINE NATURAL82
JAPAN MARINE..... 83, 167, 194
LINO BLANCO.....92
LINO DORE.....92
NATURE LINO BLANCO.....92
NATURE LINO DORE.....92
ROMA BLANCO 129
SAIGON BLANCO 132
SILK BLANCO171, 201, 220
SILK VERDE.....220
TALIS ANTRACITA.....201
TALIS BEIGE.....172, 201
TALIS BLANCO172, 201
TALIS CACAO.....172, 201
YAKARTA.....151
YAKARTA BLANCO 151, 174, 196

GLASS LOOK	
CRYSTAL ACID.....64	
CRYSTAL CHERRY.....64	
CRYSTAL DARK.....64	
CRYSTAL FLOOR DARK182	
CRYSTAL FLOOR WHITE182	
CRYSTAL VANILLA.....64	
CRYSTAL WHITE..... 64, 165	
GLASS ANTRACITA.....76	
GLASS BLANCO 76, 162	
LINE ANTRACITA..... 168	
LINE BLANCO..... 90, 168	
LINE CREMA 168	
LINE EXTRA BLANCO.....90	
LUCA.....96	
VETRO ANTRACITA..... 146	
VETRO BLANCO..... 146	
VETRO BONE..... 146	
VETRO GREY.....147	
VETRO LINE ANTRACITA.....146	
VETRO LINE BLANCO146	
VETRO LINE BONE..... 146	
VETRO LINE GREY147	
VETRO LINE TOPO147	
VETRO TOPO..... 147	

MARBLE	
ASSUAN BROWN..... 228	
BARI BLANCO..... 47, 178	
BIANCO CARRARA..... 49, 178	
BORNEO BLUE 51, 197	
BORNEO SAGE 51, 197	
CALACATA GOLD 55, 181, 198	
CALACATA SILVER..... 55, 181, 198	
CAPPUCCINO..... 56, 181	
CAPPUCCINO BEIGE 56, 181	
CARRARA BLANCO BRILLO.... 59, 182, 199	
CARRARA BLANCO NATURAL.....182, 261	
CARRARA CRETA BLANCO59	
CARRARA LINE BLANCO59	
DECO NACARE BLANCO..... 156	
EGEO BLANCO 73, 184	
KALI CREMA86	
KALI TABACO.....86	
LASSA WHITE 88, 184	
MARMI BLANCO154, 185, 199	
MARMOL CARRARA BLANCO.....59	
MARMOL CREMA 200	
MARMOL KALI CREMA..... 86, 200	
MARMOL NILO BLANCO 194	

MARMOL NILO MARFIL159, 185, 194, 200
MARMOL NILO MARFIL NATURAL 185
MONACO BEIGE..... 186, 237
MONTECARLO BEIGE.....102
MONTECARLO NATURAL.....217
MOSAICO CARRARA BLANCO.....59
MOSAICO RECIFE ANTRACITA.....126
MOSAICO RECIFE GRIS.....126
MOSAICO RECIFE PULPIS126
NACARE BLANCO.....156
NACARE GRIS.....156
OLIMPO MARFIL.....108, 186
PORTBLACK.....121, 188
PORTBLACK LINE121
PRADA BEIGE157
RECIFE ANTRACITA126, 127, 200
RECIFE GRIS.....126, 127, 189, 200
RECIFE PULPIS126, 127, 189, 200
SIENNA.....139
VENICE BLANCO.....173
VENICE MARFIL.....159, 173
ZURICH ASH.....226
ZURICH SAND226

METALLIC	
METALKER216	
SEA BLANCO134	
SEA SILVER.....134	
TISSUE GOLD.....224	
TISSUE SILVER.....224	

OXIDIZE LOOK	
FERROKER.....193, 212, 265	
FERROKER ALUMINIO.....193, 212, 265	
FERROKER CALDERA.....212	
FERROKER LATON215	
FERROKER NIQUEL.....193, 212, 265	
FERROKER PLATINO193, 213, 265	
FERROKER TITANIO193, 213, 265	
GLASGOW SILVER LAPPATO214	
IRONKER COBRE.....214	
RUGGINE130	
RUGGINE ALUMINIO.....130	
RUGGINE CALDERA.....130	
RUGGINE LATON130	
RUGGINE NIQUEL.....131	
RUGGINE PLATINO.....131	
RUGGINE TITANIO131	
SEATTLE BROWN136, 246	
SEATTLE DARK.....136, 246	
SHINE ALUMINIO.....138	
SHINE DARK.....138	
SHINE LATON.....138	
SHINE NIQUEL.....138	
SHINE PLATINO.....138	
SHINE TITANIO138	

SOLID COLOR	
EXTREME BLACK..... 234, 264	
EXTREME WHITE..... 234, 264	
MANHATTAN BLANCO LAPPATO236	
MANHATTAN NEGRO LAPPATO236	
RETRO BLANCO.....175	
ROMO RETRO BLANCO.....175	
SEUL NACAR124, 170	

STONE LOOK	
ARIZONA ANTRACITA..... 207	

ARIZONA ARENA.....160, 192, 207
ARIZONA CALIZA.....160, 192, 207, 258
ARIZONA STONE32, 160, 192, 207, 258
ATENAS MARFIL.....60
AVENUE BEIGE34
AVENUE DARK GREY.....34
AVENUE DARK MATT.....260
AVENUE GREY.....34
AVENUE NATURAL..... 34, 260
AVENUE WHITE34
AVENUE WHITE MATT.....260
BRAZIL ARENA.....208
BRAZIL NATURAL.....208
CASCAIS NATURAL.....210
CASCAIS NOCE210
CEILAN MARFIL.....232, 254
CERDENA CALIZA.....60
CERDENA MARFIL60
CHINA ACERO211
COTTON BLANCO.....63
CRETA CALIZA.....60
CRETA MARFIL60
DALIA BEIGE.....105
DALIA BLANCO105
DALIA NATURAL105
HUDSON WHITE.....79
JAMAICA NACAR79
JERSEY ANTRACITA.....84
JERSEY MIX..... 84, 168
JERSEY NIEVE..... 84, 168
K2.....215, 266
LAJA BLANCO87
LAJA NATURAL87
LAVAGNA BLANCO89
LAVAGNA NEGRO266
LISBOA CALIZA215
LISBOA TAUPE215
MADAGASCAR BEIGE111, 216, 268
MADAGASCAR BLANCO111, 268
MADAGASCAR NATURAL111, 216, 268
MAHE BEIGE.....105
MAHE BLANCO.....105
MAHE NATURAL105
MOSAICO ARIZONA ARENA.....160
MOSAICO ARIZONA CALIZA160
MOSAICO ARIZONA STONE 32, 160
MOSAICO TIBET BLACK.....144
NAPOLES.....103, 191, 217
NARA BASIC BEIGE104
NARA BASIC BLANCO104
NARA BASIC NATURAL.....104
NARA BEIGE.....104, 269
NARA BLANCO.....104
NARA NATURAL104
NATAL ANTRACITA.....269
NAZCA ANTRACITA.....253
PEKIN CALDERA.....218
PIEDRA BORGONA ARENA219, 253
PLANIC ARENA.....191
RAMSEY191
ROCHER IVORY.....219
ROCHER NATURAL219
SAMOA ANTRACITA.....220, 252
SAMOA LINEAL ANTRACITA.....132
SAMOA SILVER.....220, 252
SLATE AFRICA.....202
SLATE BAHIA202
SLATE DESERT202

SLATE RIVER.....202
STYLKER DARK.....252, 271
TECHNIC NIEVE271
TIBET ARENA223
TIBET BLACK..... 144, 223
TIBET CALIZA.....223
VILLAGE ARENA.....149
VILLAGE BLANCO.....149
VILLAGE GRIS.....149

TERRACOTA	
TALAVERA CALDERA.....	196

WALLPAPER LOOK	
BELICE ACERO	48

WOOD LOOK	
ALASKA NATURAL	274
AMSTERDAM BLANCO	286
AMSTERDAM GRIS	286
ASCOT ARCE	276
ASCOT GREY	276
ASCOT OLIVO	276
ASCOT ROBLE	276
ASCOT TECA	277
AUSTIN BLANCO	274
AUSTIN GRIS	274
BLOCK WENGE	301
BRITANIA TOP	275
BRUSELAS ACERO	288
BRUSELAS VINTAGE	288
CANADA COPPER	275
CANADA WHITE WASH	275
CHESTER ACERO	290
CHESTER ANTRACITA	290
CHESTER BLANCO	290
CHESTER CASTANO	290
CHESTER LENO	291
CHESTER LINE ANTRACITA	62
DUBLIN ACERO	288
HAMPTON BEIGE	293
HAMPTON BROWN	293
HAMPTON GREY	293
HOUSTON ASH	278
HOUSTON COPPER	278
HOUSTON COTTAGE	278
HOUSTON NATURAL	278
HOUSTON NOCE	279
HOUSTON TAUPE	279
LISTON OXFORD ACERO	112
LISTON OXFORD BLANCO	112
LISTON OXFORD COGNAC	112
LISTON OXFORD NATURAL	112
LITTLE OXFORD ACERO	302
LITTLE OXFORD ANTRACITA	302
LITTLE OXFORD BLANCO	302
LITTLE OXFORD CASTANO	302
LITTLE OXFORD COGNAC	302
LITTLE OXFORD NATURAL	302
LITTLE OXFORD SILVER	302
LONDON BLACK	280
LONDON CASTANO	280
LONDON GREY	280
LONDON NOGAL	280
MISURI NATURAL	294, 301
MONTANA COTTAGE	282
MONTANA HONEY	282
MONTANA NOCE	282

MONTREAL NOGAL.....295
MONTREAL VINTAGE295
MOY MOKA.....295
OXFORD ACERO296
OXFORD ANTRACITA.....296
OXFORD BLACK.....299
OXFORD BLANCO296
OXFORD CASTANO.....296
OXFORD COGNAC299
OXFORD NATURAL299
OXFORD SILVER299
PROVENZA NATURAL.....284
TACO CHESTER ACERO62
TACO CHESTER ANTRACITA62
TACO CHESTER CASTANO62
TACO CHESTER LENO.....62
TACO LONDON BLACK.....95
TACO LONDON CASTANO95
TACO LONDON GREY95
TACO LONDON NOGAL95
TACO OXFORD ACERO112
TACO OXFORD BLANCO112
TACO OXFORD COGNAC.....113
TACO OXFORD NATURAL.....113
TAVOLA FORESTA285
TAVOLA GRIGIO.....285
TAVOLA MOGANO285
TOKYO BLANCO145
TREVISO BLACK.....145
WASHINGTON WHITE.....300



CERAMIC MOSAICS



Shown: Domus Mix 8" x 13"

DOMUS

MOSAIC | CERAMIC MOSAIC



DOMUS BLACK
8"x13" V12398431 G-V233
Recommended Grout: 
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



DOMUS BROWN
8"x13" V12398441 G-V233
Recommended Grout: 
Colorstuk Ivory
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



DOMUS GREEN MATT
8"x13" V12398451 G-V233
Recommended Grout: 
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



DOMUS MIX
8"x13" V12398461 G-V233
Recommended Grout: 
Colorstuk Ivory
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



DOMUS WHITE
8"x13" V12398411 G-V233
Recommended Grout: 
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts


All sizes are approximate



Shown: Dual Blanco 8" x 13"

DUAL

MOSAIC | CERAMIC MOSAIC



DUAL BLANCO
8"x13" V12399931 G-V233
Recommended Grout:
Colorstuk Especial White
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



DUAL NERO
8"x13" V12399941 G-V233
Recommended Grout:
Colorstuk Especial White
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	


Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

All sizes are approximate

EIDOS

MOSAIC | CERAMIC MOSAIC



EIDOS AMBAR
8"x12" P31446041 G-P222
Recommended Grout:
Colorstuk Rapid Beige/White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



EIDOS GRAFITO
8"x12" P314446011 G-P222
Recommended Grout:
Colorstuk Rapid Grey/White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



EIDOS OCÉANO
8"x12" P31446031 G-P222
Recommended Grout:
Colorstuk Rapid White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts



Shown: Eidos Ambar 8" x 12"

FIRENZE

MOSAIC | CERAMIC MOSAIC




Ceramic Mosaic: Ask your sales representative for installation and maintenance instructions



FIRENZE ANTRACITA
8"x12" P31499081 G-P233
Recommended Grout:
Epotech Aqua Grey/White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



FIRENZE NÁCAR
8"x12" P31499091 G-P233
Recommended Grout:
Epotech Aqua Grey/White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



FIRENZE OCÉANO
8"x12" P31499101 G-P233
Recommended Grout:
Epotech Aqua Grey/White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts



Shown: Firenze Nácar 8" x 12"

MANHATTAN

MOSAIC | CERAMIC MOSAIC



As an exception, we recommend these models to be fixed only without joint and vertically.



MANHATTAN BLANCO
8"x13" V12399741 G-V233

Recommended Grout:
Colorstuk Rapid White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



MANHATTAN GRIS
8"x13" V12399791 G-V233

Recommended Grout:
Colorstuk Rapid White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



MANHATTAN NEGRO
8"x13" V12399761 G-V233

Recommended Grout:
Colorstuk Rapid Anthracite
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts


Shown: Manhattan Gris 8"x13"

MINIDUAL

MOSAIC | CERAMIC MOSAIC



MINIDUAL BIANCO
8"x13" V12398981 G-V233
Recommended Grout: ☐
Colorstuk Especial White
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



MINIDUAL BROWN
8"x13" V12398991 G-V233
Recommended Grout: ☐
Colorstuk Especial White
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



MINIDUAL NERO
8"x13" V12398961 G-V233
Recommended Grout: ☐
Colorstuk Especial White
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"

MURANO

MOSAIC | CERAMIC MOSAIC




MURANO ANTRACITA
8"x12" P31499881 G-P233
Recommended Grout: ☐
Colorstuk Beige/White
Recommended Joint Width: 1/16"
Tile Thickness: 1/4"



MURANO NÁCAR
8"x12" P31499811 G-P233
Recommended Grout: ☐
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 1/4"



MURANO ROJO
8"x12" P31499871 G-P233
Recommended Grout: ☐
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 1/4"



Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

Shown: Murano Rojo 8" x 12"



Shown: Queens 8" x 13"

QUEENS

MOSAIC | CERAMIC MOSAIC



As an exception, we recommend these models to be fixed only without joint and vertically.



QUEENS
8"x13" V12398821 G-V233
Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



QUEENS ALUMINIO
8"x13" V12398871 G-V233
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



QUEENS TITANIO
8"x13" V12398911 G-V233
Recommended Grout:
Colorstuk Ivory
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

Porcelanosa recommends:
- One Flex polymer modified thinsets
- Colorstuk Grouts


All sizes are approximate

SELENE

MOSAIC | CERAMIC MOSAIC



SELENE SAND
8"x13" V12398421 G-V233
Recommended Grout:
Colorstuk Ivory
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



TRENTO

MOSAIC | CERAMIC MOSAIC



TRENTO DAMASCO
8"x12" P31499371 G-P222
Recommended Grout:
Epotech Aqua Grey/White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



TRENTO NÁCAR
8"x12" P31499321 G-P222
Recommended Grout:
Epotech Aqua Grey/White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



Shown: Selene Sand 8"x13"



Shown: Trento Damasco 8"x12"

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts



WALL TILE

ANTIQUE

WALL TILE | DECORATIVE



ANTIQUE GREY
12"x35" P34707341 G-P271
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



ANTIQUE BLUE
12"x35" P34707271 G-P271
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



ANTIQUE BROWN
12"x35" P34707351 G-P271
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

ANTIQUE

FLOOR TILE | DECORATIVE



ANTIQUE ACERO
23"x23" P18569351 G-P359
Recommended Grout:
Colorstuk Manhattan
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



ANTIQUE BLACK
23"x23" P18569311 G-P359
Recommended Grout:
Colorstuk Black
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



ANTIQUE SILVER
23"x23" P18569301 G-P359
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"

ADDITIONAL
SIZES
AVAILABLE



Shown: Antique Grey 12" x 35"

Application: Floor

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	
Walls	✓	✓	✓	✓

All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

AQUA

WALL TILE | DIMENSIONAL



AQUA CRISTAL
12"x35" P34706031 G-P271
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



AQUA PORCELLANA

WALL TILE | DIMENSIONAL



AQUA PORCELLANA
13"x40" V14401741 G-V271
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



Shown: Aqua Cristal 12" x 35"



Shown: Aqua Porcellana 12" x 35"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

All sizes are approximate

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

All sizes are approximate

ARIZONA

WALL TILE | STONE LOOK



ARIZONA STONE
12"x35" P34704601 G-P261
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



MOSAICO ARIZONA STONE
12"x35" P34705771 G-P271
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

ADDITIONAL
SIZES
AVAILABLE

matte

rectified

recycled

V4



Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

All sizes are approximate


Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

Shown: Arizona Stone 12" x 35"

AVENUE

WALL TILE | STONE LOOK



AVENUE BEIGE
13"x40" V14401291 G-V271
Recommended Grout:
Colorstuk Ivory
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



AVENUE DARK GREY
13"x40" V14401431 G-V271
Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



AVENUE GREY
13"x40" V14401321 G-V271
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



AVENUE NATURAL
13"x40" V14401441 G-V271
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"

ADDITIONAL
SIZES
AVAILABLE



AVENUE WHITE
13"x40" V14401401 G-V271
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

All sizes are approximate

Porcelanosa recommends:


- One Flex polymer modified thinsets
- Colorstuk Grouts



Shown: Avenue Natural 13" x 40"

CENTURY

WALL TILE | CONCRETE



CENTURY BEIGE
13"x40" V14401381 G-V271
Recommended Grout:
Colorstuk Ivory
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



CENTURY DARK GREY
13"x40" V14401341 G-V271
Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



CENTURY GREY
13"x40" V14401451 G-V271
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



CENTURY NATURAL
13"x40" V14401301 G-V271
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



CENTURY WHITE
13"x40" V14401351 G-V271
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

All sizes are approximate

Porcelanosa recommends:


- One Flex polymer modified thinsets
- Colorstuk Grouts

Shown: Century Grey 13" x 40"




ISLAND

WALL TILE | CONCRETE



ADDITIONAL
SIZES
AVAILABLE

ISLAND BEIGE
13"x40" V14401411 G-V271
Recommended Grout:
Colorstuk Ivory
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



ISLAND DARK GREY
13"x40" V14401361 G-V271
Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



ADDITIONAL
SIZES
AVAILABLE

ISLAND GREY
13"x40" V14401371 G-V271
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



ISLAND NATURAL
13"x40" V14401311 G-V271
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



ISLAND WHITE
13"x40" V14401421 G-V271
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

All sizes are approximate

Porcelanosa recommends:


- One Flex polymer modified thinsets
- Colorstuk Grouts

Shown: Island Beige 13" x 40"



OLD

WALL TILE | CONCRETE



OLD BEIGE
13"x40" V14401391 G-V271
Recommended Grout:
Colorstuk Ivory
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



OLD DARK GREY
13"x40" V14401461 G-V271
Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



OLD GREY
13"x40" V14401471 G-V271
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



OLD NATURAL
13"x40" V14401481 G-V271
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



OLD WHITE
13"x40" V14401491 G-V271
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

Shown: Old White 13 "x 40"



BALTIMORE

WALL TILE | CONCRETE



BALTIMORE BEIGE
13"x40" V14401711 G-V271
Recommended Grout:
Colorstuk Beige
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



BALTIMORE NATURAL
13"x40" V14401641 G-V271
Recommended Grout:
Colorstuk Manhattan
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



BALTIMORE GREY
13"x40" V14401661 G-V271
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

ADDITIONAL
SIZES
AVAILABLE



BALTIMORE WHITE
13"x40" V14401811 G-V271
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

BALTIMORE

FLOOR TILE | CONCRETE



BALTIMORE GREY*
23"x23" V55906841 G-V354
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 7/16"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	*	*	*	*
Walls	✓	✓	✓	

*Only applicable to floor tiles

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts


All sizes are approximate



Shown: Baltimore White 13" x 40"

BARCELONA

WALL TILE | DECORATIVE



BARCELONA E
12"x35" P34707841 G-P271
Recommended Grout:
Colorstuk Manhattan
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



BARCELONA F
12"x35" P34707971 G-P271
Recommended Grout:
Colorstuk Manhattan
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	*	*		
Walls	✓	✓	✓	

*Only applicable to floor tiles


Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

All sizes are approximate

BARCELONA

FLOOR TILE | DECORATIVE



BARCELONA B
23"x23" P18569611 G-P359
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"



BARCELONA C
23"x23" P18569591 G-P359
Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"



BARCELONA D
23"x23" P18569601 G-P359
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"



BARCELONA E
23"x23" P18256751 G-P359
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"



BARCELONA F
23"x23" 18569771 G-P359
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"

Application: Floor

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Only applicable to floor tiles

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

All sizes are approximate



Shown: Bari Blanco 12" x 35"

BARI

WALL TILE | MARBLE



BARI BLANCO
12"x35" P34707631 G-P261
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

BARI

FLOOR TILE | MARBLE



BARI BLANCO*
23"x23" P18569571 G-P347
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 7/16"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	*	*		
Walls	✓	✓	✓	

*Only applicable to floor tiles

Porcelanosa recommends:
- One Flex polymer modified thinsets
- Colorstuk Grouts

All sizes are approximate

BELICE

WALL TILE | WALLPAPER



BELICE ACERO
12"x35" P34706031 G-P271
Recommended Grout:
Colorstuk Manhattan
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



Shown: Belice Acero 12" x 35"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

All sizes are approximate

Porcelanosa recommends:


- One Flex polymer modified thinsets
- Colorstuk Grouts

BIANCO CARRARA

WALL TILE | MARBLE



BIANCO CARRARA
13"x40" V14401631 G-V261
Recommended Grout:
Colorstuk Especial White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"




BIANCO CARRARA

FLOOR TILE | MARBLE



BIANCO CARRARA*
23"x23" V55906801 G-V347
Recommended Grout:
Colorstuk Especial White
Recommended Joint Width: 1/16"
Tile Thickness: 7/16"



Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	*	*		
Walls	✓	✓	✓	

*Only applicable to floor tiles

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

All sizes are approximate

BLUEBELL

WALL TILE | DECORATIVE



BLUEBELL SILVER
13"x40" V13896261 G-V271
Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



BLUEBELL WHITE
13"x40" V13896351 G-V271
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



Shown: Bluebell White 13" x 40"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

BORNEO

WALL TILE | MARBLE



BORNEO BLUE
12"x35" P34706141 G-P261
Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



PERFIL BORNEO BLUE
1"x12" P62090731 G-P077



BORNEO SAGE
12"x35" P34706151 G-P261
Recommended Grout:
Colorstuk Beige
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



PERFIL BORNEO SAGE
1"x12" P62090741 G-P077

BORNEO

FLOOR TILE | MARBLE



BORNEO BLUE*
17"x17" P14590951 G-P331
Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



BORNEO SAGE*
17"x17" P14590961 G-P331
Recommended Grout:
Colorstuk Beige
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	*	*		
Walls	✓	✓	✓	

*Only applicable to floor tiles

All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

BOULEVARD

WALL TILE | CONCRETE



BOULEVARD BEIGE
13"x40" V14401671 G-V271
Recommended Grout:
Colorstuk Beige
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



BOULEVARD NATURAL
13"x40" V14401681 G-V271
Recommended Grout:
Colorstuk Manhattan
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



BOULEVARD GREY
13"x40" V14401721 G-V271
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



BOULEVARD WHITE
13"x40" V14401791 G-V271
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts



Shown: Boulevard Natural 13" x 40"

BRUNEI

WALL TILE | FABRIC LOOK



BRUNEI BLANCO

12"x35" P34704921 G-P261

Recommended Grout:

Colorstuk White

Recommended Joint Width: 1/16"

Tile Thickness: 1/2"

PERFIL BRUNEI BLANCO

1"x12" P62090261 G-P077

TRIM BRUNEI BLANCO

1"x12" P56390961 G-P077



Shown: Calacata Gold

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

CALACATA

WALL TILE | MARBLE



CALACATA GOLD

12"x35" P34705871 G-P261

Recommended Grout:

Colorstuk White

Recommended Joint Width: 1/16"

Tile Thickness: 3/8"

PERFIL CALACATA GOLD

1"x12" P62090611 G-P077

1"x35" P65602471 G-P097

TRIM CALACATA GOLD

1"x12" P56391011 G-P077

CALACATA SILVER

12"x35" P34705851 G-P261

Recommended Grout:

Colorstuk White

Recommended Joint Width: 1/16"

Tile Thickness: 3/8"

PERFIL CALACATA SILVER

1"x12" P62090601 G-P077

1"x35" P65602481 G-P097

TRIM CALACATA SILVER

1"x12" P56391001 G-P077



CALACATA

FLOOR TILE | MARBLE



CALACATA GOLD*

17"x17" P14590921 G-P331

Recommended Grout:

Colorstuk White

Recommended Joint Width: 1/16"

Tile Thickness: 3/8"

CALACATA SILVER*

17"x17" P14590931 G-P331

Recommended Grout:

Colorstuk White

Recommended Joint Width: 1/16"

Tile Thickness: 3/8"



Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	*	*		
Walls	✓	✓	✓	

*Only applicable to floor tiles

All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

CAPPUCCINO

WALL TILE | MARBLE



CAPPUCCINO
13"x40" V13896311 G-V261
Recommended Grout:
Colorstuk Caramel
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



CAPPUCCINO BEIGE
13"x40" V14400461 G-V261
Recommended Grout:
Colorstuk Ivory
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



CAPPUCCINO


FLOOR TILE | MARBLE



CAPPUCCINO*
23"x23" V55906251 G-V347
Recommended Grout:
Colorstuk Caramel
Recommended Joint Width: 1/16"
Tile Thickness: 7/16"



CAPPUCCINO BEIGE*
23"x23" V55906311 G-V347
Recommended Grout:
Colorstuk Ivory
Recommended Joint Width: 1/16"
Tile Thickness: 7/16"



Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	*	*		
Walls	✓	✓	✓	

*Only applicable to floor tiles

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

All sizes are approximate

Shown: Cappuccino Beige 13" x 40"



Shown: Mármol Carrara Blanco 12" x 35"

CARRARA

WALL TILE | MARBLE



CARRARA CRETA BLANCO
12"x35" P34707141 G-P271
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 7/16"



CARRARA LINE BLANCO
12"x35" P34707131 G-P271
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



MÁRMOL CARRARA BLANCO
12"x35" P34705131 G-P261
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



MOSAICO CARRARA BLANCO
12"x35" P34705551 G-P271
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"

CARRARA

FLOOR TILE | MARBLE



CARRARA BLANCO BRILLO*
17"x17" P14590361 G-P331
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

Application: Floor

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	*	*		
Walls	✓	✓	✓	


*Only applicable to floor tiles

Porcelanosa recommends:
- One Flex polymer modified thinsets
- Colorstuk Grouts

All sizes are approximate

CERDENNA

WALL TILE | STONE LOOK



CERDEÑA CALIZA
12"x35" P34705801 G-P261
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



CERDEÑA MARFIL
12"x35" P34705151 G-P261
Recommended Grout:
Colorstuk Beige
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



CRETA

WALL TILE | STONE LOOK



CRETA CALIZA
12"x35" P34704761 G-P271
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



CRETA MARFIL
12"x35" P34704901 G-P271
Recommended Grout:
Colorstuk Beige
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"

Application: Wall



Shown: Creta Marfil 12" x 35"

ATENAS


WALL TILE | STONE LOOK



ATENAS MARFIL
12"x35" P34704361 G-P271
Recommended Grout:
Colorstuk Beige
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"

HANNOVER

WALL TILE | DIMENSIONAL



HANNOVER MARFIL
12"x35" P34706891 G-P271
Recommended Grout:
Colorstuk Beige
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"

Application: Wall



Shown: Hannover Marfil 12" x 35"

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	


All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

CHESTER

WALL TILE | WOOD LOOK




CHESTER LINE ANTRACITA

12"x35" P34707531 G-P271
Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"

TACO CHESTER

WALL TILE | WOOD LOOK



TACO CHESTER ACERO

12"x35" P34707491 G-P271
Recommended Grout:
Colorstuk Manhattan
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



TACO CHESTER ANTRACITA

12"x35" P34704761 G-P271
Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



TACO CHESTER CASTAÑO

12"x35" P34707541 G-P271
Recommended Grout:
Colorstuk Tobacco
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



TACO CHESTER LEÑO

12"x35" P34707551 G-P271
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

COTTON

WALL TILE | STONE LOOK



COTTON BLANCO

13"x40" V14401141 G-V261
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



PERFIL COTTON BLANCO
1"x40" V39602331 G-V097



Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

CRYSTAL

WALL TILE | GLASS LOOK



Crystalline finish, adopt the same precautions as for glass for its conservation. Ask your sales representative for installation and maintenance instructions



CRYSTAL ACID
13"x40" V14401241 G-V261
Recommended Grout:
Colorstuk Especial Acid
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



PERFIL CRYSTAL ACID
1"x40" V39602621 G-V097



CRYSTAL CHERRY
13"x40" V14400271 G-V261
Recommended Grout:
Colorstuk Especial Cherry
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



PERFIL CRYSTAL CHERRY
1"x40" V39602551 G-V097




CRYSTAL DARK
13"x40" V14400151 G-V261
Recommended Grout:
Colorstuk Especial Dark
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



PERFIL CRYSTAL DARK
1"x40" V39602531 G-V097




TRIM CRYSTAL DARK
1"x13" V37701301 G-V077



CRYSTAL VANILLA
13"x40" V14401041 G-V261
Recommended Grout:
Colorstuk Especial Vanilla
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



PERFIL CRYSTAL VANILLA
1"x40" V39602591 G-V097



CRYSTAL WHITE
13"x40" V14400051 G-V261
Recommended Grout:
Colorstuk Especial White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



TRIM CRYSTAL WHITE
1"x13" V37701311 G-V077

ADDITIONAL
SIZES
AVAILABLE

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

Shown: Crystal Cherry 13" x 40"



CUBICA

WALL TILE | DIMENSIONAL



CUBICA BLANCO
13"x40" V14400031 G-V271
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



CUBICA MARFIL
13"x40" V14400321 G-V271
Recommended Grout:
Colorstuk Ivory
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



CUBICA NEGRO
13"x40" V14401071 G-V271
Recommended Grout:
Colorstuk Black
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



CUBICA SILVER
13"x40" V14400261 G-V271
Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

Shown: Cubica Negro 13" x 40"



DIAMOND

WALL TILE | DIMENSIONAL



DIAMOND WHITE
13"x40" V14400811 G-V271
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"

DUBAI

WALL TILE | DIMENSIONAL



DUBAI NÁCAR
12"x35" P34705411 G-P271
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

Shown: Diamond White 13" x 40"



DOVER

WALL TILE | CONCRETE



DOVER ACERO
12"x35" P34707591 G-P261
Recommended Grout: 
Colorstuk Manhattan
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



DOVER ANTIQUE
12"x35" P34707571 G-P271
Recommended Grout: 
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



DOVER CALIZA
12"x35" P34707581 G-P261
Recommended Grout: 
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



DOVER LINE ACERO
12"x35" P34707671 G-P271
Recommended Grout: 
Colorstuk Manhattan
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



DOVER LINE CALIZA
12"x35" P34707661 G-P271
Recommended Grout: 
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



DOVER MODERN LINE ACERO
12"x35" P34707611 G-P271
Recommended Grout: 
Colorstuk Manhattan
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

Shown: Dover Antique 12" x 35" and Dover Caliza 12" x 35"



DOVER


WALL TILE | CONCRETE



DOVER MODERN LINE CALIZA
12"x35" P34707601 G-P271
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

DOVER

FLOOR TILE | CONCRETE



DOVER ACERO *
23"x23" P18569521 G-P354
Recommended Grout:
Colorstuk Manhattan
Recommended Joint Width: 1/16"
Tile Thickness: 7/16"



DOVER CALIZA *
23"x23" P18569551 G-P354
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 7/16"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	*	*		
Walls	✓	✓	✓	

*Only applicable to floor tiles


Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

All sizes are approximate

EGEO


WALL TILE | MARBLE



EGEO BLANCO
12"x35" P34707641 G-P261
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

EGEO

FLOOR TILE | MARBLE



EGEO BLANCO*
23"x23" P18569581 G-P347
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 7/16"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	*			
Walls	✓	✓	✓	

*Only applicable to floor tiles


Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

All sizes are approximate

FLORENCIA

WALL TILE | FABRIC LOOK



FLORENCIA BEIGE
13"x40" V14400091 G-V271
Recommended Grout:
Colorstuk Ivory
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



FLORENCIA BLANCO
13"x40" V14400921 G-V271
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



FLORENCIA NATURAL
13"x40" V14400911 G-V271
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

Application: Wall



Shown: Florencia Natural 13" x 40"

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

GLASGOW

WALL TILE | FABRIC LOOK



GLASGOW SILVER
12"x35" P34705881 G-P261
Recommended Grout:
Colorstuk Manhattan
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



PERFIL GLASGOW SILVER
1"x12" P62090621 G-P077
1"x35" P65602411 G-P097

Application: Wall



Shown: Glasgow Silver 12"x35"

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

All sizes are approximate

Porcelanosa recommends:


- One Flex polymer modified thinsets
- Colorstuk Grouts

GLASS

WALL TILE | GLASS LOOK



GLASS ANTRACITA
12"x35" P34704641 G-P261
Recommended Grout:
Colorstuk Black
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



GLASS BLANCO
12"x35" P34704611 G-P261
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



ADDITIONAL
SIZES
AVAILABLE

FLOWER

WALL TILE | DECORATIVE



FLOWER ANTRACITA
12"x35" P34703801 G-P287
Recommended Grout:
Colorstuk Black
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

All sizes are approximate

Porcelanosa recommends:


- One Flex polymer modified thinsets
- Colorstuk Grouts



Shown: Flower Antracita 12" x 35"

GLOBE


WALL TILE | DIMENSIONAL



GLOBE WHITE
13"x40" V14400821 G-V271
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

HELSINKY

WALL TILE | DIMENSIONAL



HELSINKY WHITE
13"x40" V14400411 G-V271
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	


All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

HUDSON


WALL TILE | FABRIC LOOK



HUDSON WHITE
13"x40" V14400541 G-V271
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

JAMAICA

WALL TILE | STONE LOOK



JAMAICA NÁCAR
12"x35" P34706201 G-P271
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

Application: Floor

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

All sizes are approximate



Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts




IRISH

WALL TILE | FABRIC LOOK




ADDITIONAL SIZES AVAILABLE

IRISH BEIGE
13"x40" V14400731 G-V271
Recommended Grout:
Colorstuk Ivory
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



DECO IRISH BLANCO
13"x40" V14401591 G-V271
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



ADDITIONAL SIZES AVAILABLE

IRISH BLANCO
13"x40" V14400111 G-V271
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



ADDITIONAL SIZES AVAILABLE

IRISH NATURAL
13"x40" V14400741 G-V271
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



metallized

IRISH SILVER
13"x40" V13896241 G-V271
Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



install horizontally

IRISH PROJECTION
13"x40" V14400511 G-V271
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	✓


All sizes are approximate

Porcelanosa recommends:


- One Flex polymer modified thinsets
- Colorstuk Grouts

IRISH

FLOOR TILE | FABRIC LOOK



IRISH BEIGE*
13"x26" V23000001 G-V331
Recommended Grout:
Colorstuk Ivory
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



IRISH BLANCO*
13"x26" V23000011 G-V331
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



IRISH NATURAL*
13"x26" V23000021 G-V331
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"

Application: Floor

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	*	*	*	*
Walls	✓	✓	✓	✓

*Only applicable to floor tiles

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts


All sizes are approximate



Shown: Irish Silver 13" x 40"

JAPAN

WALL TILE | FABRIC LOOK



ADDITIONAL
SIZES
AVAILABLE



JAPAN BLANCO
12"x35" P34706691 G-P261
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



JAPAN LINE BLANCO
12"x35" P34706651 G-P271
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



JAPAN BROWN
12"x35" P34706821 G-P261
Recommended Grout:
Colorstuk Tobacco/Moka
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



JAPAN DECO BROWN
12"x35" P34706911 G-P271
Recommended Grout:
Colorstuk Tobacco/Moka
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



JAPAN LINE BROWN
12"x35" P34706671 G-P271
Recommended Grout:
Colorstuk Tobacco/Moka
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



JAPAN LINE NATURAL
12"x35" P34706741 G-P271
Recommended Grout:
Colorstuk Beige
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

JAPAN

WALL TILE | FABRIC LOOK



ADDITIONAL
SIZES
AVAILABLE



JAPAN MARINE
12"x35" P34706581 G-P261
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



JAPAN LINE MARINE
12"x35" P34706721 G-P271
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



Shown: Japan Line Blanco 12" x 35"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

JERSEY

WALL TILE | STONE LOOK



JERSEY ANTRACITA
12"x35" P34705681 G-P271
Recommended Grout: 
Colorstuk Black
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



ADDITIONAL
SIZES
AVAILABLE

JERSEY MIX
12"x35" P34705721 G-P271
Recommended Grout: 
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



ADDITIONAL
SIZES
AVAILABLE

JERSEY NIEVE
12"x35" P34705691 G-P271
Recommended Grout: 
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts



Shown: Jersey Nieve & Jersey Mix 12" x 35"

KALI

WALL TILE | MARBLE



KALI CREMA
12"x35" P34704661 G-P261
Recommended Grout:
Colorstuk Beige
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



PERFIL KALI CREMA
1"x12" P62003071 G-P077
1"x35" P65601621 G-P097




TRIM KALI CREMA
1"x12" P56370921 G-P077



KALI TABACO
12"x35" P34704701 G-P261
Recommended Grout:
Colorstuk Tobacco
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



PERFIL KALI TABACO
1"x12" P62003061 G-P077
1"x35" P65601611 G-P097



TRIM KALI TABACO
1"x12" P56370911 G-P077

KALI

FLOOR TILE | MARBLE



MÁRMOL KALI CREMA*
17"x17" P14590231 G-P331
Recommended Grout:
Colorstuk Beige
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	*	*		
Walls	✓	✓	✓	

*Only applicable to floor tiles

All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts



LAJA


WALL TILE | STONE LOOK



LAJA BLANCO
13"x40" V14400751 G-V271
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



LAJA NATURAL
13"x40" V14400421 G-V271
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



Shown: Laja Blanco 13" x 40"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

LASSA

WALL TILE | MARBLE



LASSA WHITE
13"x40" V14400431 G-V261
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



LASSA

FLOOR TILE | MARBLE



LASSA WHITE*
23"x23" V55906161 G-V347
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 7/16"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	*	*		
Walls	✓	✓	✓	

*Only applicable to floor tiles


Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

All sizes are approximate

LAVAGNA

WALL TILE | STONE LOOK



LAVAGNA BLANCO
13"x40" V14400381 G-V261
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

All sizes are approximate



Shown: Lavagna Blanco 13" x 40"

LINE

WALL TILE | GLASS LOOK




ADDITIONAL
SIZES
AVAILABLE

LINE BLANCO
13"x40" V14401131 G-V261
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



PERFIL LINE BLANCO
1"x40" V39602001 G-V097



LINE EXTRA BLANCO
13"x40" V14400231 G-V261
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"




PERFIL LINE EXTRA BLANCO
1"x40" V39602501 G-V097

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

All sizes are approximate



Shown: Line Blanco 13" x 40"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

LINO

WALL TILE | FABRIC LOOK



LINO BLANCO
12"x35" P34704811 G-P261
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

PERFIL LINO BLANCO
1"x12" P62090041 G-P077
1"x35" P65601961 G-P097

TRIM LINO BLANCO
1"x12" P56390941 G-P077



NATURE LINO BLANCO
12"x35" P34704201 G-P296
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



LINO DORE
12"x35" P34704841 G-P261
Recommended Grout:
Colorstuk Ivory
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

PERFIL LINO DORE
1"x12" P62090091 G-P097
1"x35" P65602001 G-P077



NATURE LINO DORE
12"x35" P34704001 G-P296
Recommended Grout:
Colorstuk Ivory
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

Shown: Nature Lino Blanco 12" x 35"



Shown: Taco London Nogal 12" x 35"

TACO LONDON

WALL TILE | WOOD LOOK



Corresponding Floor Tiles on page 280



TACO LONDON BLACK
12"x35" P34707891 G-P271
Recommended Grout: 
Colorstuk Anthracite
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



TACO LONDON CASTAÑO
12"x35" P34708121 G-P271
Recommended Grout: 
Colorstuk Tobacco
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



TACO LONDON GREY
12"x35" P34707901 G-P271
Recommended Grout: 
Colorstuk Manhattan
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



TACO LONDON NOGAL
12"x35" P34707921 G-P271
Recommended Grout: 
Colorstuk Tobacco
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

Porcelanosa recommends:
- One Flex polymer modified thinsets
- Colorstuk Grouts


All sizes are approximate

LUCA

WALL TILE | GLASS



LUCA
13"x40" V14400551 G-V271
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



MADISON

WALL TILE | DIMENSIONAL



ADDITIONAL
SIZES
AVAILABLE

MADISON ANTRACITA
12"x35" P34705741 G-P271
Recommended Grout:
Colorstuk Black
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



MADISON PLATA
12"x35" P34706011 G-P287
Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



ADDITIONAL
SIZES
AVAILABLE

MADISON NÁCAR
12"x35" P34705631 G-P271
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



Shown: Luca Sky 13" x 40"

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	


All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

MARMI

WALL TILE | DIMENSIONAL



ADDITIONAL
SIZES
AVAILABLE

MARMI BLANCO
12"x35" P34705051 G-P261
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



PERFIL MARMI BLANCO
1"x35" P65601301 G-P097
1"x12" P62003111 G-P077



TRIM MARMI BLANCO
1"x12" P56370401 G-P020




MARMI LINE BLANCO
12"x35" P34707111 G-P271
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



MARMI DECO BLANCO
12"x35" P34705951 G-P271
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"




TRIM MARMI BLANCO
1"x12" P56370401 G-P077



MARMI SCALA BLANCO
12"x35" P34707071 G-P271
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"

MARMI

FLOOR TILE | DIMENSIONAL



MARMI BLANCO
17"x17" P14590291 G-P331
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



Shown: Marmi Blanco 12" x 35"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

Application: Floor

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓		
Walls	✓	✓	✓	

*Only applicable to floor tiles


All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

MARMÍ CHINA

WALL TILE | DIMENSIONAL



MARMÍ CHINA
12"x35" P34705011 G-P261
Recommended Grout: ☐
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



PERFIL MARMÍ CHINA
1"x35" P65601311 G-P097
1"x12" P62003121 G-P077



TRIM MARMÍ BLANCO
1"x12" P56370401 G-P077



MARMÍ CHINA LINE
12"x35" P34707011 G-P271
Recommended Grout: ☐
Colorstuk Especial White
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

All sizes are approximate

Porcelanosa recommends:


- One Flex polymer modified thinsets
- Colorstuk Grouts



Shown: Marmi China Line 12" x 35"

MONTECARLO

WALL TILE | MARBLE



MONTECARLO BEIGE

13"x40" V14400671 G-V261

Recommended Grout:

Colorstuk Ivory

Recommended Joint Width: 1/16"

Tile Thickness: 3/8"



PERFIL MONTECARLO BEIGE
1"x40" V39603131 G-P097



Shown: Montecarlo Beige 13" x 40"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	


All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

NAPOLES

WALL TILE | STONE LOOK



NAPOLES

13"x40" V14401121 G-V261

Recommended Grout:

Colorstuk White

Recommended Joint Width: 1/16"

Tile Thickness: 3/8"



PERFIL NAPOLES
1"x40" V39603091 G-V097



Shown: Napoles 13" x 40"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	


All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

NARA

WALL TILE | STONE LOOK



NARA BEIGE
13"x40" V13896321 G-V271
Recommended Grout:
Colorstuk Beige
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"




NARA BASIC BEIGE
13"x40" V14400521 G-V271
Recommended Grout:
Colorstuk Beige
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



NARA BLANCO
13"x40" V13896341 G-V271
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



NARA BASIC BLANCO
13"x40" V14400531 G-V271
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



NARA NATURAL
13"x40" V13896291 G-V271
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



NARA BASIC NATURAL
13"x40" V14400561 G-V271
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

DALIA

WALL TILE | STONE LOOK



DALIA BEIGE
13"x40" V14400491 G-V271
Recommended Grout:
Colorstuk Beige
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



DALIA BLANCO
13"x40" V14400501 G-V271
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"




DALIA NATURAL
13"x40" V14400481 G-V271
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

Application: Wall


AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

MAHE


WALL TILE | STONE LOOK



MAHE BEIGE
13"x40" V14400001 G-V271
Recommended Grout:
Colorstuk Beige
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



MAHE BLANCO
13"x40" V14400011 G-V271
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



MAHE NATURAL
13"x40" V14400021 G-V271
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

NEWPORT

WALL TILE | CONCRETE



NEWPORT BEIGE
13"x40" V14401251 G-V271
Recommended Grout:
Colorstuk Ivory
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



NEWPORT GREY
13"x40" V14401271 G-V271
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



NEWPORT WHITE
13"x40" V14401281 G-V271
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



NEWPORT DARK GREY
13"x40" V14401331 G-V271
Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



NEWPORT NATURAL
13"x40" V14401261 G-V271
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

NEWPORT

FLOOR TILE | CONCRETE



NEWPORT BEIGE
23"x23" V55906661 G-V354
Recommended Grout:
Colorstuk Ivory
Recommended Joint Width: 1/16"



NEWPORT DARK GREY
23"x23" V55906681 G-V354
Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"



NEWPORT GREY
23" x23" V55906691 G-V354
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"



NEWPORT NATURAL
23"x23" V55906651 G-V354
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"



NEWPORT WHITE
23" x23" V55906701 G-V354
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"

Application: Floor

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	
Walls	✓	✓	✓	

All sizes are approximate

Porcelanosa recommends:


- One Flex polymer modified thinsets
- Colorstuk Grouts



Shown: Newport Grey 13 "x 40"

OLIMPO


WALL TILE | MARBLE



OLIMPO MARFIL
12"x35" P34707861 G-P261
Recommended Grout:
Colorstuk Ivory
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

OLIMPO

FLOOR TILE | MARBLE



OLIMPO MARFIL*
23"x23" P18569741 G-P347
Recommended Grout:
Colorstuk Ivory
Recommended Joint Width: 1/16"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	*	*		
Walls	✓	✓	✓	

*Only applicable to floor tiles

All sizes are approximate

Porcelanosa recommends:


- One Flex polymer modified thinsets
- Colorstuk Grouts



Shown: Olimpo Marfil 12 "x 35"

ONA


WALL TILE | DIMENSIONAL



ONA BEIGE
13"x40" V14400171 G-V271
Recommended Grout:
Colorstuk Ivory
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



ONA MARRON
13"x40" V14400701 G-V271
Recommended Grout:
Colorstuk Brown
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



ONA WHITE MATT
13"x40" V14400331 G-V271
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



ONA BLANCO
13"x40" V14401011 G-V271
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



ONA NATURAL
13"x40" V14400281 G-V271
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	


All sizes are approximate

Porcelanosa recommends:



- One Flex polymer modified thinsets
- Colorstuk Grouts

MADAGASCAR

WALL TILE | STONE LOOK



MADAGASCAR BEIGE
13"x40" V14400301 G-V261
Recommended Grout:
Colorstuk Ivory
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



MADAGASCAR BLANCO
13"x40" V14400251 G-V261
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



MADAGASCAR NATURAL
13"x40" V14400361 G-V261
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



MADAGASCAR

FLOOR TILE | STONE LOOK



MADAGASCAR BEIGE*
17"x26" V56298921 G-V344
Recommended Grout:
Colorstuk Ivory
Recommended Joint Width: 1/16"



MADAGASCAR NATURAL*
17"x26" V56298901 G-V344
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"



Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	*	*		
Walls	✓	✓	✓	

*Only applicable to floor tiles

All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

OXFORD

WALL TILE | WOOD LOOK



Corresponding Floor Tiles on pages 296 and 299



LISTON OXFORD ACERO
12"x35" P34706751 G-P271
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 7/16"



LISTON OXFORD BLANCO
12"x35" P34706711 G-P271
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 7/16"



LISTON OXFORD COGNAC
12"x35" P34706621 G-P271
Recommended Grout:
Colorstuk Moka
Recommended Joint Width: 1/16"
Tile Thickness: 7/16"



LISTON OXFORD NATURAL
12"x35" P34706571 G-P271
Recommended Grout:
Colorstuk Tobacco
Recommended Joint Width: 1/16"
Tile Thickness: 7/16"



TACO OXFORD ACERO
12"x35" P34706611 G-P271
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



TACO OXFORD BLANCO
12"x35" P34706641 G-P271
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

OXFORD

WALL TILE | WOOD LOOK



Corresponding Floor Tiles on pages 296 and 299



TACO OXFORD COGNAC
12"x35" P34706771 G-P271
Recommended Grout:
Colorstuk Moka
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



TACO OXFORD NATURAL
12"x35" P34706781 G-P271
Recommended Grout:
Colorstuk Tobacco
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



Shown: Taco Oxford Cognac 12" x 35"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

OXO

WALL TILE | DECORATIVE



OXO GARDEN ARENA
12"x35" P34706111 G-P271
Recommended Grout:
Colorstuk Beige
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



OXO HANNOVER BLANCO
12"x35" P34706981 G-P271
Recommended Grout:
Colorstuk Especial White
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



OXO GARDEN GRIS
12"x35" P34706121 G-P271
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



Shown: Oxo Modern Line 12" x 35"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	


All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

OXO

WALL TILE | DECORATIVE



MARMÍ CHINA
12"x35" P34705011 G-P261
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



TRIM MARMÍ BLANCO
1"x12" P56370401 G-P077



OXO MOSAIC BLANCO
12"x35" P34705911 G-P271
Recommended Grout:
Colorstuk Especial White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



OXO MODERN LINE
12"x35" P34707511 G-P271
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts




OXO SCALA BLANCO
12"x35" P34707081 G-P271
Recommended Grout:
Colorstuk Especial White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



OXO LINE BLANCO
12"x35" P34705891 G-P271
Recommended Grout:
Colorstuk Especial White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

PARK

WALL TILE | DIMENSIONAL



PARK BEIGE
13"x40" V14401571 G-V271
Recommended Grout:
Colorstuk Ivory
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



PARK DARK GREY
13"x40" V14401561 G-V271
Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



PARK GREY
13"x40" V14401541 G-V271
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



PARK NATURAL
13"x40" V14401501 G-V271
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



PARK WHITE
13"x40" V14401511 G-V271
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

Shown: Park Dark Grey 13" x 40"

PARK

WALL TILE | CONCRETE



ADDITIONAL
SIZES
AVAILABLE

PARK ACERO
12"x35" P34707291 G-P261
Recommended Grout: 
Colorstuk Manhattan
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"


PERFIL PARK ACERO
1"x12" P62091061 G-P077



PARK LINEAL ACERO
12"x35" P34707261 G-P271
Recommended Grout: 
Colorstuk Manhattan
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



ADDITIONAL
SIZES
AVAILABLE

PARK SILVER
12"x35" P34707281 G-P261
Recommended Grout: 
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"


PERFIL PARK SILVER
1"x12" P62091041 G-P077



PARK LINEAL SILVER
12"x35" P34707231 G-P271
Recommended Grout: 
Colorstuk Manhattan
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

All sizes are approximate

PARK

FLOOR TILE | CONCRETE



PARK SILVER*
23"x23" P18569211 G-P354
Recommended Grout: 
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



PARK ACERO*
23"x23" P18569271 G-P354
Recommended Grout: 
Colorstuk Manhattan
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



PARK BLACK*
23"x23" P18569281 G-P354
Recommended Grout: 
Colorstuk Black
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



Shown: Park Acero & Park Lineal Acero 12" x 35"

Application: Floor

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	
Walls	✓	✓	✓	

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts


All sizes are approximate

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

PEARLS

WALL TILE | DIMENSIONAL



PEARLS WHITE
13"x40" V14400201 G-V271
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



Shown: Pearls White 13" x 40"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	


All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts


PORTBLACK

WALL TILE | MARBLE



PORTBLACK
12"x35" P34707001 G-P261
Recommended Grout:
Colorstuk Black
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

PERFIL PORTBLACK
1"x12" P62091011 G-P077



PORTBLACK LINE
12"x35" P34706991 G-P271
Recommended Grout:
Colorstuk Black
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



PORTBLACK

FLOOR TILE | MARBLE



PORTBLACK*
23"x23" P18568621 G-P347
Recommended Grout:
Colorstuk Black
Recommended Joint Width: 1/16"
Tile Thickness: 7/16"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	*	*		
Walls	✓	✓	✓	

*Only applicable to floor tiles

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

All sizes are approximate

PORTLAND

WALL TILE | CONCRETE



PORTLAND ACERO

12"x35" P34706551 G-P261

Recommended Grout:
Colorstuk Manhattan
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



PERFIL PORTLAND ACERO
1"x12" P62090891 G-P077



MOSAICO PORTLAND ACERO

12"x35" P34706631 G-P271

Recommended Grout:
Colorstuk Manhattan
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



PORTLAND ARENA

12"x35" P34706661 G-P261

Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



PERFIL PORTLAND ARENA
1"x12" P62090961 G-P077



PORTLAND CALIZA

12"x35" P34706841 G-P261

Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



PERFIL PORTLAND CALIZA
1"x12" P62091001 G-P077



Shown: Portland Arena

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	*	*	*	
Walls	✓	✓	✓	✓

*Only applicable to floor tiles

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

All sizes are approximate

PORTLAND

FLOOR TILE | CONCRETE



PORTLAND ACERO

23"x23" P18568521 G-P354

Recommended Grout:
Colorstuk Manhattan
Recommended Joint Width: 1/16"



BASEBOARD PORTLAND ACERO
4" x 23" P92101451 G-P030

PORTLAND ACERO ANTISLIP*

23"x23" P19569061 G-P359



PORTLAND ANTRACITA

23"x23" P18568511 G-P354

Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"



BASEBOARD PORTLAND ANTRACITA
4" x 23" P92101471 G-P030

PORTLAND ANTRACITA ANTISLIP*

23"x23" P18569091 G-P359



PORTLAND ARENA

23"x23" P18568541 G-P354

Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"



BASEBOARD PORTLAND ARENA
4" x 23" P92101481 G-P030

PORTLAND ARENA ANTISLIP*

23"x23" P18569081 G-P359



PORTLAND CALIZA

23"x23" P18568551 G-P354

Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"



BASEBOARD PORTLAND CALIZA
4" x 23" P92101461 G-P030

PORTLAND CALIZA ANTISLIP*

23"x23" P18568551 G-P359

Application: Floor

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

All sizes are approximate

QATAR

WALL TILE | DIMENSIONAL



ADDITIONAL
SIZES
AVAILABLE

QATAR NÁCÁR
12"x35" P34704861 G-P271
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

SEÚL

WALL TILE | SOLID COLOR



ADDITIONAL
SIZES
AVAILABLE

SEÚL NÁCÁR
12"x35" P34704751 G-P261
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



PERFIL SEÚL NÁCÁR
1"x35" P65602181 G-P097
1"x12" P62090411 G-P077

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	


All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

QUARTER

WALL TILE | CONCRETE



QUARTER BEIGE
13"x40" V14401701 G-V271
Recommended Grout:
Colorstuk Beige
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



QUARTER GREY
13"x40" V14401751 G-V271
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



QUARTER NATURAL
13"x40" P14401731 G-V271
Recommended Grout:
Colorstuk Manhattan
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts



Shown: Quarter Natural 13" x 40"

RECIFE

WALL TILE | MARBLE



ADDITIONAL
SIZES
AVAILABLE

RECIFE ANTRACITA

12"x35" P34704381 G-P261

Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



PERFIL RECIFE ANTRACITA
1"x35" P65602341 G-P097
1"x12" P62090551 G-P077



ADDITIONAL
SIZES
AVAILABLE

RECIFE GRIS

12"x35" P34704391 G-P261

Recommended Grout:
Colorstuk Manhattan
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



PERFIL RECIFE GRIS
1"x35" P65602361 G-P097
1"x12" P62090541 G-P077



ADDITIONAL
SIZES
AVAILABLE

RECIFE PULPIS

12"x35" P34704371 G-P261

Recommended Grout:
Colorstuk Tobacco
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



PERFIL RECIFE PULPIS
1"x35" P65602351 G-P097
1"x12" P62090561 G-P077



MOS. RECIFE ANTRACITA

12"x35" P34705181 G-P271

Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



MOS. RECIFE GRIS

12"x35" P34705171 G-P271

Recommended Grout:
Colorstuk Manhattan
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



MOS. RECIFE PULPIS

12"x35" P34705161 G-P271

Recommended Grout:
Colorstuk Tobacco
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

RECIFE

FLOOR TILE | MARBLE



RECIFE ANTRACITA

17"x17" P14590821 G-P331

Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



RECIFE GRIS

17"x17" P14590841 G-P331

Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



RECIFE PULPIS

17"x17" P14590831 G-P331

Recommended Grout:
Colorstuk Tobacco
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



Shown: Recife Pulpis & Mos, Recife Pulpis 12"x35"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

Application: Floor

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓		
Walls	✓	✓	✓	

All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

RODANO

WALL TILE | CONCRETE



ADDITIONAL
SIZES
AVAILABLE

RODANO ACERO
12"x35" P34706311 G-P261
Recommended Grout:
Colorstuk Manhattan
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



PERFIL RODANO ACERO
1"x12" P62090771 G-P077



ADDITIONAL
SIZES
AVAILABLE

MOSAICO RODANO ACERO
12"x35" P34706241 G-P271
Recommended Grout:
Colorstuk Manhattan
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



ADDITIONAL
SIZES
AVAILABLE

RODANO CALIZA
12"x35" P34706321 G-P261
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



PERFIL RODANO CALIZA
1"x12" P62090791 G-P077



ADDITIONAL
SIZES
AVAILABLE

MOSAICO RODANO CALIZA
12"x35" P34706261 G-P271
Recommended Grout:
Colorstuk Grey/Beige
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



ADDITIONAL
SIZES
AVAILABLE

RODANO SILVER
12"x35" P34706331 G-P261
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



PERFIL RODANO SILVER
1"x12" P62090761 G-P077



MOSAICO RODANO SILVER
12"x35" P34706251 G-P271
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

RODANO

FLOOR TILE | CONCRETE



RODANO ACERO
23"x23" P18569011 G-P354
Recommended Grout:
Colorstuk Manhattan
Recommended Joint Width: 1/16"

RODANO ACERO ANTISLIP*
23"x23" P18569021 G-P359



BASEBOARD RODANO ACERO
4" x 23" P92101631 G-P030



RODANO CALIZA
23"x23" P18569001 G-P354
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"



BASEBOARD RODANO CALIZA
4" x 23" P92101511 G-P030



RODANO SILVER
23"x23" P18569041 G-P354
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"

RODANO SILVER ANTISLIP*
23"x23" P18569031 G-P359



BASEBOARD RODANO SILVER
4" x 23" P92101501 G-P030

ROMA

WALL TILE | FABRIC LOOK



ROMA BLANCO
12"x35" P34704971 G-P261
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

Application: Floor

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	


All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

RUGGINE

WALL TILE | OXIDIZE LOOK



RUGGINE
13"x40" V14400351 G-V261
Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

PERFIL RUGGINE
1"x40" V39601701 G-V097

TRIM RUGGINE
1"x13" V37701151 G-V077



RUGGINE ALUMINIO
13"x40" V14400081 G-V261
Recommended Grout:
Colorstuk Manhattan
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

PERFIL RUGGINE ALUMINIO
1"x40" V39601711 G-V097

TRIM RUGGINE ALUMINIO
1"x13" V37701161 G-V077



RUGGINE CALDERA
13"x40" V14400941 G-V261
Recommended Grout:
Colorstuk Brown
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

PERFIL RUGGINE CALDERA
1"x40" V39601731 G-V097

TRIM RUGGINE CALDERA
1"x13" V37701181 G-V077

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	


All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

RUGGINE

WALL TILE | OXIDIZE LOOK



RUGGINE NIQUEL
13"x40" V14400291 G-V261
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

PERFIL RUGGINE NIQUEL
1"x40" V39602901 G-V097



RUGGINE PLATINO
13"x40" V14400311 G-V261
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

PERFIL RUGGINE PLATINO
1"x40" V39602861 G-V097



RUGGINE TITANIO
13"x40" V14400121 G-V261
Recommended Grout:
Colorstuk Ivory
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

PERFIL RUGGINE TITANIO
1"x40" V39602891 G-V097

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts



Shown: Ruggine Aluminio 13" x 40"

SAIGON

WALL TILE | FABRIC LOOK



SAIGON BLANCO
12"x35" P34705061 G-P261
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

PERFIL SAIGON BLANCO
1"x12" P62090221 G-P077

SAMOA

WALL TILE | STONE LOOK



SAMOA LINEAL ANTRACITA
12"x35" P34707221 G-P271
Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

Shown: Saigon Blanco 12" x 35"



SEA

WALL TILE | METALLIC



Special finish. Ask your sales representative for installation and maintenance instructions. Handle with maximum care



SEA BLANCO
13"x40" V14400061 G-V271
Recommended Grout:
Colorstuk Especial White
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



SEA SILVER
13"x40" V13897401 G-V291
Recommended Grout:
Colorstuk Graphite
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

All sizes are approximate

Porcelanosa recommends:


- One Flex polymer modified thinsets
- Colorstuk Grouts

Shown: Sea Silver 13" x 40"



SEATTLE

WALL TILE | OXIDIZE LOOK




SEATTLE BROWN
13"x40" V14401531 G-V261
Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



SEATTLE DARK
13"x40" V14401521 G-V261
Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

SEATTLE

FLOOR TILE | OXIDIZE LOOK



SEATTLE BROWN*
23"x23" V55906721 G-V354
Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



SEATTLE DARK*
23"x23" V55906711 G-V354
Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	*	*		*
Walls	✓	✓	✓	

All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

Shown: Seattle Brown 13" x 40"



SHINE

WALL TILE | OXIDIZE LOOK



SHINE ALUMINIO
13"x40" V14400191 G-V261
Recommended Grout:
Colorstuk Manhattan
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

PERFIL SHINE ALUMINIO
1"x40" V39602271 G-V097

TRIM SHINE ALUMINIO
1"x13" V30501051 G-V077



SHINE DARK
13"x40" V14400211 G-V261
Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

PERFIL SHINE DARK
1"x40" V39602281 G-V097

TRIM SHINE DARK
1"x13" V30501031 G-V077



SHINE LATON
13"x40" V14401161 G-V261
Recommended Grout:
Colorstuk Ivory
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

PERFIL SHINE LATON
1"x40" V39602291 G-V097

TRIM SHINE LATON
1"x13" V30501041 G-V077



SHINE NIQUEL
13"x40" V14400371 G-V261
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

PERFIL SHINE NIQUEL
1"x40" V39602811 G-V097

TRIM SHINE NIQUEL
1"x13" V30501031 G-V077



SHINE PLATINO
13"x40" V14400621 G-V261
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

PERFIL SHINE PLATINO
1"x40" V39602831 G-V097

TRIM SHINE PLATINO
1"x13" V30501041 G-V077



SHINE TITANIO
13"x40" V14400631 G-V261
Recommended Grout:
Colorstuk Ivory
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

PERFIL SHINE TITANIO
1"x40" V39602801 G-V097

TRIM SHINE TITANIO
1"x13" V30501051 G-V077

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

SIENNA

WALL TILE | MARBLE



SIENNA
13"x40" V14400441 G-V261
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



Shown: Sienna 13" x 40"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	


All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

SKY


WALL TILE | DIMENSIONAL




SKY
13"x40" V14400591 G-V271
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

STREET

WALL TILE | DIMENSIONAL



STREET
13"x40" V14400771 G-V271
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



TRIM STREET
1"x13" V37701281 G-V077

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

All sizes are approximate

Porcelanosa recommends:


- One Flex polymer modified thinsets
- Colorstuk Grouts



Shown: Street 13"x40"

SUEDE


WALL TILE | DIMENSIONAL



SUEDE IVORY
13"x40" V13896371 G-V271
Recommended Grout:
Colorstuk Ivory
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"




SUEDE TAUPE
13"x40" V13896381 G-V271
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



SUEDE WHITE MATT
13"x40" V13896361 G-V271
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"

RHIN

WALL TILE | CONCRETE



RHIN IVORY
13"x40" V13896431 G-V261
Recommended Grout:
Colorstuk Ivory
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



PERFIL RHIN NATURAL
1"x40" V39603181 G-V097



RHIN TAUPE
13"x40" V13896421 G-V261
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



PERFIL RHIN TAUPE
1"x40" V39603241 G-V097

Porcelanosa recommends:
- One Flex polymer modified thinsets
- Colorstuk Grouts

All sizes are approximate

RHIN

FLOOR TILE | CONCRETE



RHIN TAUPE*
23"x23" V55906501 G-V354
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



RHIN IVORY*
23"x23" V55906591 G-V354
Recommended Grout:
Colorstuk Ivory
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



Shown: Suede Taupe 13" x 40" & Rhin Taupe 23" x 23"

Application: Floor

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	*	*	*	*
Walls	✓	✓	✓	

*Only applicable to floor tiles

Porcelanosa recommends:
- One Flex polymer modified thinsets
- Colorstuk Grouts

All sizes are approximate

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

SWEDEN

WALL TILE | DIMENSIONAL



SWEDEN
13"x40" V14400341 G-V271
Recommended Grout: 
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"

TIBET

WALL TILE | STONE LOOK



ADDITIONAL
SIZES
AVAILABLE

TIBET BLACK
12"x35" P34705521 G-P261
Recommended Grout: 
Colorstuk Black
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



PERFIL TIBET BLACK
1"x35" P65602501 G-P097
1"x12" P62090651 G-P077



MOSAICO TIBET BLACK
12"x35" P34705601 G-P271
Recommended Grout: 
Colorstuk Black
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

TOKYO


WALL TILE | WOOD LOOK



TOKYO BLANCO
12"x35" P34705201 G-P271
Recommended Grout: 
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

TREVISO

WALL TILE | WOOD LOOK



TREVISO BLACK
12"x35" P34705671 G-P271
Recommended Grout: 
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts



Shown: Treviso Black 12" x 35"

VETRO

WALL TILE | GLASS LOOK




VETRO ANTRACITA
12"x35" P34706951 G-P261
Recommended Grout:
Colorstuk Black
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"


PERFIL VETRO ANTRACITA
1"x12" P62090981 G-P077



VETRO LINE ANTRACITA
12"x35" P34706971 G-P271
Recommended Grout:
Colorstuk Black
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"




VETRO BLANCO
12"x35" P34706811 G-P261
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"


PERFIL VETRO BLANCO
1"x12" P62091021 G-P077



VETRO LINE BLANCO
12"x35" P34706601 G-P271
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



VETRO BONE
12"x35" P34706761 G-P261
Recommended Grout:
Colorstuk Ivory
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"


PERFIL VETRO BLANCO
1"x12" P62090921 G-P077



VETRO LINE BONE
12"x35" P34706801 G-P271
Recommended Grout:
Colorstuk Ivory
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	


All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

VETRO

WALL TILE | GLASS LOOK



VETRO GREY
12"x35" P34706541 G-P261
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"


PERFIL VETRO GREY
1"x12" P6209095 G-P077



VETRO LINE GREY
12"x35" P34706831 G-P271
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



VETRO TOPO
12"x35" P34706531 G-P261
Recommended Grout:
Colorstuk Moka
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"


PERFIL VETRO TOPO
1"x12" P62090971 G-P077



VETRO LINE TOPO
12"x35" P34706861 G-P271
Recommended Grout:
Colorstuk Moka
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts




Shown: Vetro Line Grey 12" x 35"




Shown: Village Gris 12" x 35"

VILLAGE

WALL TILE | STONE LOOK



VILLAGE ARENA
12"x35" P34707951 G-P261
Recommended Grout: 
Colorstuk Beige
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



VILLAGE BLANCO
12"x35" P34707931 G-P261
Recommended Grout: 
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



VILLAGE GRIS
12"x35" P34707941 G-P261
Recommended Grout: 
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	


Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

All sizes are approximate

WAVE

WALL TILE | DIMENSIONAL



WAVE GREY METALIC

13"x40" V13896401 G-V271

Recommended Grout: 
Colorstuk Anthracite
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



WAVE WHITE

13"x40" V14400391 G-V271

Recommended Grout: 
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



WAVE WHITE METALIC

13"x40" V13896411 G-V271

Recommended Grout: 
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



Shown: Wave Grey Metallic 13" x 40"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

All sizes are approximate

YAKARTA

WALL TILE | FABRIC LOOK



YAKARTA

12"x35" P34705071 G-P261

Recommended Grout: 
Colorstuk Beige
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



PERFIL YAKARTA
1"x12" P62003821 G-P077



TRIM YAKARTA
1"x12" P56370931 G-P077



YAKARTA BLANCO

12"x35" P34705021 G-P261

Recommended Grout: 
Colorstuk Ivory
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



PERFIL YAKARTA BLANCO
1"x12" P62003711 G-P077



TRIM YAKARTA BLANCO
1"x12" P56390991 G-P077



Shown: Yakarta 12" x 35"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

All sizes are approximate

ZAR

WALL TILE | DECORATIVE



ZAR BLANCO
12"x35" P34704191 G-P296
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



Shown: Zar Blanco 12" x 35"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	


Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

All sizes are approximate

ZOE

WALL TILE | DIMENSIONAL



ZOE BLANCO
13"x40" V14400581 G-V271
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



Shown: Zoe Blanco 13" x 40"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	


Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

All sizes are approximate

CHINA

WALL TILE | CONCRETE




CHINA BLANCO
12"x23" P32192841 G-P266
Recommended Grout:
Colorstuk Manhattan
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



matte

MARMÍ

WALL TILE | MARBLE



MARMÍ BLANCO
12"x23" P32192531 G-P240
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

ADDITIONAL
SIZES
AVAILABLE




PERFIL MARMÍ BLANCO
1"x23" P57301101 G-P092
1"x12" P62003111 G-P077



TRIM MARMÍ BLANCO
1"x12" P56370401 G-P077

MARMÍ

FLOOR TILE | MARBLE



MARMÍ BLANCO
17"x17" P14590291 G-P331
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"

ADDITIONAL
SIZES
AVAILABLE



BASEBOARD MARMÍ BLANCO
4"x17" P80353201 G-P011

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

All sizes are approximate

Porcelanosa recommends:


- One Flex polymer modified thinsets
- Colorstuk Grouts



Shown: Marmi Blanco 12" x 23"

NACARE

WALL TILE | MARBLE



DECO NACARE BLANCO
13"x26" V14100471 G-V248
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



NACARE BLANCO
13"x26" V14100381 G-V248
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

TRIM NACARE BLANCO
1"x13" V37701291 G-V077



NACARE GRIS
13"x26" V14100391 G-V248
Recommended Grout:
Colorstuk Especial Nacare Grey
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

PRADA

WALL TILE | MARBLE



PRADA BEIGE
13"x26" V14100411 G-V244
Recommended Grout:
Colorstuk Ivory
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

TRIM PRADA BEIGE EXPO
1"x13" V37701051 G-V027



Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	


All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

RODANO

WALL TILE | CONCRETE



RODANO ACERO
12"x23" P23107611 G-P226
Recommended Grout: 
Colorstuk Manhattan
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

ADDITIONAL
SIZES
AVAILABLE



MOSAICO RODANO ACERO
12"x23" P23107081 G-P271
Recommended Grout: 
Colorstuk Manhattan
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

ADDITIONAL
SIZES
AVAILABLE



RODANO CALIZA
12"x23" P23107051 G-P226
Recommended Grout: 
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

ADDITIONAL
SIZES
AVAILABLE



MOSAICO RODANO CALIZA
12"x23" P23107071 G-P226
Recommended Grout: 
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

ADDITIONAL
SIZES
AVAILABLE



RODANO TAUPE
12"x23" P23107041 G-P226
Recommended Grout: 
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



PERFIL RODANO SILVER
1"x12" P62090761 G-P077



MOSAICO RODANO TAUPE
12"x23" P23107091 G-P226
Recommended Grout: 
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

VENICE

WALL TILE | MARBLE



VENICE MARFIL
12"x23" P32192511 G-P240
Recommended Grout: 
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



PERFIL VENICE MARFIL
1"x23" P57301811 G-P092
1"x12" P62003201 G-P077



TRIM VENICE MARFIL
1"x12" P56370501 G-P077

MÁRMOL NILO

WALL TILE | MARBLE



MÁRMOL NILO MARFIL*
17"x17" P14509121 G-P331
Recommended Grout: 
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



BASEBOARD MARM NILO MARFIL
4"x17" P82600571 G-P030

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	*	*		
Walls	✓	✓	✓	

*Only applicable to floor tiles

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

All sizes are approximate

ARIZONA

WALL TILE | STONE LOOK



ARIZONA ARENA
12"x18" P30990431 G-P218
Recommended Grout:
Colorstuk Beige
Recommended Joint Width: 1/8"
Tile Thickness: 3/8"



ARIZONA CALIZA
12"x18" P30990391 G-P218
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/8"
Tile Thickness: 3/8"



ARIZONA STONE
12"x18" P30990341 G-P218
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/8"
Tile Thickness: 3/8"



MOS. ARIZONA ARENA
12"x18" P30990401 G-P226
Recommended Grout:
Colorstuk Beige
Recommended Joint Width: 1/8"
Tile Thickness: 3/8"



MOS. ARIZONA CALIZA
12"x18" P30990411 G-P226
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/8"
Tile Thickness: 3/8"



MOS. ARIZONA STONE
12"x18" P30990451 G-P226
Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/8"
Tile Thickness: 3/8"

ADDITIONAL SIZES AVAILABLE

ARIZONA

FLOOR TILE | STONE LOOK




ARIZONA ARENA*
18"x18" P24600021 G-P311
Recommended Grout:
Colorstuk Beige/Cement
Recommended Joint Width: 1/8"
Tile Thickness: 3/8"



ARIZONA CALIZA*
18"x18" P24600061 G-P311
Recommended Grout:
Colorstuk Cement/Grey
Recommended Joint Width: 1/8"
Tile Thickness: 3/8"



ARIZONA STONE*
18"x18" P24600091 G-P311
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/8"
Tile Thickness: 3/8"



Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	*	*	*	
Walls	✓	✓	✓	

*Only applicable to floor tiles

Porcelanosa recommends:
- One Flex polymer modified thinsets
- Colorstuk Grouts


All sizes are approximate



Shown: Mosaico Arizona Arena 12" x 18"

GLASS

WALL TILE | GLASS LOOK



GLASS BLANCO
12"x18" P30990421 G-P218
Recommended Grout: 
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"


ROMO GLASS BLANCO
3"x8" P53490101 G-P034

MATRIX


WALL TILE | DIMENSIONAL



MATRIX ARENA
12"x18" P30990461 G-P226
Recommended Grout: 
Colorstuk Beige
Recommended Joint Width: 1/8"
Tile Thickness: 3/8"



MATRIX NÁCAR
12"x18" P30990371 G-P226
Recommended Grout: 
Colorstuk White
Recommended Joint Width: 1/8"
Tile Thickness: 3/8"



Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

*Only applicable to floor tiles

All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

Shown: Matrix Nácar 12" x 18"

AQUA

WALL TILE | DIMENSIONAL



AQUA BLANCO
8"x12" P31498971 G-P222
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/8"
Tile Thickness: 3/8"



AQUA CRISTAL
8"x12" P31498961 G-P222
Recommended Grout:
Colorstuk Rapid Grey
Recommended Joint Width: 1/8"
Tile Thickness: 3/8"



BRUNEI

WALL TILE | FABRIC LOOK



BRUNEI BLANCO
8"x12" P31499991 G-P205
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/8"
Tile Thickness: 3/8"



ROMO BRUNEI BLANCO
3"x8" P53490231 G-P034



BAMBU

WALL TILE | FABRIC LOOK



BAMBU BEIGE
8"x13" V12398731 G-V205
Recommended Grout:
Colorstuk Beige
Recommended Joint Width: 1/8"
Tile Thickness: 3/8"



ROMO BAMBU BEIGE (SBN)
3"x8" V36097301 G-V034



BAMBU BLANCO
8"x13" V12398761 G-V205
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/8"
Tile Thickness: 3/8"




ROMO BAMBU BLANCO (SBN)
3"x8" V36097261 G-V034



CRYSTAL

WALL TILE | GLASS LOOK



CRYSTAL WHITE
8"x13" V12399711 G-V205
Recommended Grout:
Colorstuk Especial White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



ROMO CRYSTAL WHITE
3"x8" V36097391 G-V034



Crystalline finish, adopt the same precautions as for glass for its conservation. Ask your sales representative for installation and maintenance instructions

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

All sizes are approximate

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

All sizes are approximate




Shown: Crystal White 8" x 13"

CUBICA


WALL TILE | DIMENSIONAL



CUBICA NEGRO
8"x13" V12398561 G-V222
Recommended Grout:
Colorstuk Black
Recommended Joint Width: 1/8"
Tile Thickness: 3/8"




CUBICA BLANCO
8"x13" V12398701 G-V222
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/8"
Tile Thickness: 3/8"



FORMAS

WALL TILE | DIMENSIONAL



FORMAS BLANCO
8"x13" V12398621 G-V205
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/8"
Tile Thickness: 3/8"



Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	


All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

JAPAN

WALL TILE | FABRIC LOOK



JAPAN BLANCO
8" x 12" P31498891 G-P205
Recommended Grout:
Colorstuk Grey/White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



JAPAN MARINE
8" x 12" P31498881 G-P205
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



JAPAN

FLOOR TILE | FABRIC LOOK



JAPAN BLANCO*
18"x18" P24600481 G-P311
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"



JAPAN MARINE*
18"x18" P24600491 G-P311
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"



Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	*	*		
Walls	✓	✓	✓	

*Only applicable to floor tiles

All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

JERSEY

WALL TILE | STONE LOOK



JERSEY MIX
8"x12" P31499831 G-P222
Recommended Grout: 
Colorstuk Grey
Recommended Joint Width: 1/8"
Tile Thickness: 3/8"



JERSEY NIEVE
8"x12" P31499841 G-P222
Recommended Grout: 
Colorstuk White
Recommended Joint Width: 1/8"
Tile Thickness: 3/8"



MADISON

WALL TILE | DIMENSIONAL



MADISON ANTRACITA
8"x12" P31499901 G-P222
Recommended Grout: 
Colorstuk Black
Recommended Joint Width: 1/8"
Tile Thickness: 3/8"



MADISON NÁCAR
8"x12" P31499891 G-P222
Recommended Grout: 
Colorstuk White
Recommended Joint Width: 1/8"
Tile Thickness: 3/8"



LINE

WALL TILE | GLASS LOOK



LINE ANTRACITA
8"x13" V12398781 G-V205
Recommended Grout: 
Colorstuk Anthracite
Recommended Joint Width: 1/8"
Tile Thickness: 3/8"




ROMO LINE ANTRACITA (SBN)
3"x8" V36097281 G-V034



LINE BLANCO
8"x13" V12398661 G-V205
Recommended Grout: 
Colorstuk White
Recommended Joint Width: 1/8"
Tile Thickness: 3/8"



ROMO LINE BLANCO (SBN)
3"x8" V36097181 G-V034



LINE CREMA
8"x13" V12398601 G-V205
Recommended Grout: 
Colorstuk Rapid Ivory
Recommended Joint Width: 1/8"
Tile Thickness: 3/8"



ROMO LINE CREMA (SBN)
3"x8" V36097191 G-V034



MERIDIAN

WALL TILE | DIMENSIONAL



MERIDIAN BLANCO
8"x13" V12345001 G-V210
Recommended Grout: 
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

All sizes are approximate

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

All sizes are approximate



Shown: Madison Nacar 8" x 12"

QATAR

WALL TILE | DIMENSIONAL



QATAR NÁCAR
8"x12" P31499581 G-P222
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/8"
Tile Thickness: 3/8"



Shown: Qatar Nacar 8" x 12"

SEÚL

WALL TILE | SOLID COLOR



SEÚL NÁCAR
8"x12" P31499431 G-P205
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/8"
Tile Thickness: 3/8"



Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

SILK

WALL TILE | FABRIC LOOK



SILK BLANCO
8"x13" V12398771 G-V210
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/8"
Tile Thickness: 3/8"



ROMO SILK BLANCO (SBN)
3"x8" V36097331 G-V034



SILK

FLOOR TILE | FABRIC LOOK



SILK BLANCO*
17"x17" V54600131 G-V311
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/8"
Tile Thickness: 3/8"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	★	★		
Walls	✓	✓	✓	

*Only applicable to floor tiles

All sizes are approximate

Porcelanosa recommends:


- One Flex polymer modified thinsets
- Colorstuk Grouts



Shown: Silk Blanco 8" x 13"

TALIS


WALL TILE | FABRIC LOOK



TALIS BEIGE
8"x13" C212303771 G-C355
Recommended Grout:
Colorstuk Beige
Recommended Joint Width: 1/8"
Tile Thickness: 3/8"



ROMO TALIS BEIGE (SBN)
3"x8" C263221061 G-C032



TALIS BLANCO
8"x13" C212303751 G-C355
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/8"
Tile Thickness: 3/8"



ROMO TALIS BLANCO (SBN)
3"x8" C263221101 G-C032



TALIS CACAO
8"x13" C212303681 G-C355
Recommended Grout:
Colorstuk Rapid Tobacco
Recommended Joint Width: 1/8"
Tile Thickness: 3/8"



ROMO TALIS CACAO (SBN)
3"x8" C263221111 G-C032



TALIS

FLOOR TILE | FABRIC LOOK



TALIS BEIGE*
13"x13" C223311121 G-C360
Recommended Grout:
Colorstuk Beige
Recommended Joint Width: 1/8"
Tile Thickness: 3/8"



TALIS BLANCO*
13"x13" C223311081 G-C360
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/8"
Tile Thickness: 3/8"



TALIS CACAO*
13"x13" C223311071 G-C360
Recommended Grout:
Colorstuk Rapid Tobacco
Recommended Joint Width: 1/8"
Tile Thickness: 3/8"



Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	*	*		
Walls	✓	✓	✓	

*Only applicable to floor tiles


Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

All sizes are approximate

VENICE

WALL TILE | MARBLE



VENICE BLANCO
8"x12" C212128021 G-C101
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/8"
Tile Thickness: 3/8"



ROMO VENICE BLANCO (SBN)
3"x8" C263221051 G-C032



ADDITIONAL
SIZES
AVAILABLE

VENICE MARFIL
8"x12" C212128031 G-C101
Recommended Grout:
Colorstuk Beige
Recommended Joint Width: 1/8"
Tile Thickness: 3/8"



ROMO VENICE MARFIL (SBN)
3"x8" C263221071 G-C032

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

All sizes are approximate



Shown: Venice Marfil 8" x 12"

YAKARTA

WALL TILE | *FABRIC LOOK*



YAKARTA BLANCO
8"x12" P31499931 G-P205
Recommended Grout:
Colorstuk White/Grey
Recommended Joint Width: 1/8"
Tile Thickness: 3/8"



ROMO YAKARTA BLANCO (SBN)
3"x8" P53490171 G-P0034

YAKARTA

FLOOR TILE | *FABRIC LOOK*



YAKARTA BLANCO*
18"x18" P24600451 G-P311
Recommended Grout:
Colorstuk Rapid White/Grey
Recommended Joint Width: 1/8"
Tile Thickness: 3/8"



Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	*	*		
Walls	✓	✓	✓	

*Only applicable to floor tiles

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

All sizes are approximate

RETRO

WALL TILE | *SOLID COLOR*



RETRO BLANCO
4"x8" L131501001 G-L325
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/8"



ROMO RETRO BLANCO (SBN)
4"x8" L131550001 G-L407
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/8"



BORDURA RETRO BLANCO
1"x8" L133401001 G-L304
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/8"



Shown: Retro Blanco 8" x 12"

Application: Wall

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

All sizes are approximate



FLOOR TILE

BARI

FLOOR TILE | MARBLE




BARI BLANCO
23"x23" P18569571 G-P347
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"



BASEBOARD BARI BLANCO
4" x 23" P82601191 G-P030

BIANCO CARRARA

FLOOR TILE | MARBLE



BIANCO CARRARA
23"x23" V55906801 G-V347
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓		
Walls	✓	✓	✓	



All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts



Shown: Bianco Carrara 23" x 23"



Shown: Calacata Gold 23 x 23"

CALACATA

FLOOR TILE | MARBLE

ADDITIONAL
SIZES
AVAILABLE

ADA

gloss

rectified

recycled

V4



CALACATA GOLD
23"x23" P1856898 G-P347
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"



BASEBOARD CALACATA GOLD
4" x 23" P82600971 G-P030



CALACATA SILVER
23"x23" P1856895 G-P347
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"



BASEBOARD CALACATA SILVER
4" x 23" P82600981 G-P030

CAPPUCCINO

FLOOR TILE | MARBLE

ADDITIONAL
SIZES
AVAILABLE

gloss

rectified

recycled

V3



CAPPUCCINO
23"x23" V55906251 G-V347
Recommended Grout:
Colorstuk Caramel
Recommended Joint Width: 1/16"



BASEBOARD CAPPUCCINO
4" x 23" V48300691 G-V030



CAPPUCCINO BEIGE
23"x23" V55906311 G-V347
Recommended Grout:
Colorstuk Ivory
Recommended Joint Width: 1/16"



BASEBOARD CAPPUCCINO BEIGE
4" x 23" V48300711 G-V030

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓		
Walls	✓	✓	✓	



All sizes are approximate

Porcelanosa recommends:
- One Flex polymer modified thinsets
- Colorstuk Grouts

CARRARA

FLOOR TILE | MARBLE



CARRARA BLANCO BRILLO
23"x23" P18568961 G-P347
Recommended Grout: ☐
Colorstuk White
Recommended Joint Width: 1/16"



BASEBOARD CARRARA BLANCO BRILLO
4" x 23" P82600451 G-P030



CARRARA BLANCO NATURAL
23"x23" P1856885 G-P347
Recommended Grout: ☐
Colorstuk White
Recommended Joint Width: 1/16"



BASEBOARD MÁRMOL CARRARA BLANCO
4" x 23" P82600281 G-P030

CRYSTAL

FLOOR TILE | GLASS LOOK



Crystalline finish, adopt the same precautions as for glass for its conservation. Ask your sales representative for installation and maintenance instructions



CRYSTAL FLOOR DARK
23"x23" V55906741 G-V347
Recommended Grout: ☒
Colorstuk Especial Dark
Recommended Joint Width: 1/16"



CRYSTAL FLOOR WHITE
23"x23" V55906751 G-V347
Recommended Grout: ☐
Colorstuk Especial White
Recommended Joint Width: 1/16"

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓		
Walls	✓	✓	✓	



All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts




Shown: Crystal Floor Dark & Crystal Floor White 23 x 23"

EGEO

FLOOR TILE | MARBLE



EGEO BLANCO
23"x23" P18569581 G-P347
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"



MARMÍ


FLOOR TILE | MARBLE



MARMÍ BLANCO
23"x23" P18568931 G-P347
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"



BASEBOARD MARMÍ BLANCO
4" x 23" P82600891 G-P030



LASSA

FLOOR TILE | MARBLE



LASSA WHITE
23"x23" V55906561 G-V347
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"



BASEBOARD LASSA WHITE
4" x 23" V48300581 G-V030



MÁRMOL NILO

FLOOR TILE | MARBLE



MÁRMOL NILO MARFIL
23"x23" P18568911 G-P347
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"



BASEBOARD MÁRMOL NILO MARFIL
4" x 23" P82600571 G-P030



MÁRMOL NILO MARFIL NATURAL
23"x23" P18568901 G-P347
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"



BASEBOARD MÁRMOL NILO MARFIL NATURAL
4" x 23" P82600161 G-P030



Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓		
Walls	✓	✓	✓	



All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓		
Walls	✓	✓	✓	



All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

MONACO

FLOOR TILE | MARBLE



MONACO BEIGE
23"x23" V55906341 G-V354
Recommended Grout:
Colorstuk Beige
Recommended Joint Width: 1/16"



BASEBOARD MONACO BEIGE
4" x 26" V45400241 G-V034

STON-KER[®]
Ecologic

exterior

matte

rectified

recycled

V3

OLIMPO

FLOOR TILE | MARBLE



OLIMPO MARFIL
23"x23" V18569741 G-V347
Recommended Grout:
Colorstuk Ivory
Recommended Joint Width: 1/16"

gloss

tone variation

rectified

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓		
Walls	✓	✓	✓	



All sizes are approximate

- Porcelanosa recommends:
- One Flex polymer modified thinsets
 - Colorstuk Grouts

Shown: Olimpo Marfil 23 x 23"



PORTBLACK

FLOOR TILE | MARBLE



PORTBLACK
23"x23" P18568621 G-P347
Recommended Grout:
Colorstuk Black
Recommended Joint Width: 1/16"



BASEBOARD PORTBLACK
4" x 23" P82601511 G-P030



RECIFE

FLOOR TILE | MARBLE



RECIFE GRIS
23"x23" P18568971 G-P347
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"



BASEBOARD RECIFE GRIS
4"x17" P80352801 G-P019



RECIFE PULPIS
23"x23" P18569111 G-P347
Recommended Grout:
Colorstuk Tobacco
Recommended Joint Width: 1/16"



BASEBOARD RECIFE PULPIS
4"x17" P80352811 G-P019



Shown: Recife Pulpis 23" x 23"

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓		
Walls	✓	✓	✓	



All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓		
Walls	✓	✓	✓	




All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

IRISH

FLOOR TILE | FABRIC LOOK



IRISH BEIGE
13"x26" V23000001 G-V331
Recommended Grout:
Colorstuk Ivory
Recommended Joint Width: 1/16"



IRISH NATURAL
13"x26" V23000021 G-V331
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"

NAPOLES

FLOOR TILE | STONE LOOK



NAPOLES
13"x26" V23000031 G-V331
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"

BASEBOARD NAPOLES
4"x17" V70716621 G-V011

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	✓
Walls	✓	✓	✓	✓



All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts



IRISH BLANCO
13"x26" V23000011 G-V331
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"

PLANIC

FLOOR TILE | STONE LOOK



PLANIC ARENA
13"x26" V23000041 G-V331
Recommended Grout:
Colorstuk Brown
Recommended Joint Width: 1/16"

RAMSEY

FLOOR TILE | STONE LOOK



RAMSEY
13"x26" V56090171 G-V331
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance



All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts



ARIZONA

FLOOR TILE | STONE LOOK

STON-KER[®]
Ecologic

ADDITIONAL
SIZES
AVAILABLE

ADA

exterior

matte

recycled

V4



ARIZONA ARENA
18"x18" P24600021 G-P311
Recommended Grout:
Colorstuk Beige/Cement
Recommended Joint Width: 1/16"



ARIZONA CALIZA
18"x18" P24600031 G-P311
Recommended Grout:
Colorstuk Cement/Grey
Recommended Joint Width: 1/16"



BASEBOARD ARIZONA CALIZA
4"x18" P82700111 G-P007



ARIZONA STONE
18"x18" P24600091 G-P311
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"



BASEBOARD ARIZONA STONE
4"x18" P82700061 G-P007

FERROKER

FLOOR TILE | OXIDIZE LOOK

ADDITIONAL
SIZES
AVAILABLE

ADA

exterior

gloss

matte

recycled



FERROKER
18"x18" V24499231 G-V311
Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"



BASEBOARD FERROKER
4"x18" V48599421 G-V007



FERROKER ALUMINIO
18"x18" V24499281 G-V311
Recommended Grout:
Colorstuk Manhattan
Recommended Joint Width: 1/16"



BASEBOARD FERROKER ALUMINIO
4"x18" V48599251 G-V007



FERROKER NIQUEL
18" x18" V54600041 G-V311
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"



BASEBOARD FERROKER NIQUEL
4"x18" V48599231 G-V007



FERROKER PLATINO
18"x18" V54600251 G-V311
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"



BASEBOARD FERROKER PLATINO
4"x18" V48599291 G-V007



FERROKER TITANIO
18" x18" V54600021 G-V311
Recommended Grout:
Colorstuk Ivory
Recommended Joint Width: 1/16"



BASEBOARD FERROKER TITANIO
4"x18" V48599281 G-V007

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓		
Walls	✓	✓	✓	



All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓		
Walls	✓	✓	✓	




All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

JAPAN

FLOOR TILE | FABRIC LOOK



JAPAN BLANCO
18"x18" P24600481 G-P311
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"



JAPAN MARINE
18"x18" P24600491 G-P311
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"

MÁRMOL NILO

FLOOR TILE | MARBLE



MÁRMOL NILO BLANCO
18"x18" P14115001 G-P319
Recommended Grout:
Colorstuk White/Grey
Recommended Joint Width: 1/16"



BASEBOARD MÁRMOL NILO BLANCO
4"x18" P80351871 G-P011



ADDITIONAL
SIZES
AVAILABLE

MÁRMOL NILO MARFIL
18"x18" P14115021 G-P319
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"



BASEBOARD MÁRMOL NILO MARFIL
4"x18" P80301731 G-P011

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓		
Walls	✓	✓	✓	



All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts



Shown: Mármol Nilo Blanco 18" x 18"

TALavera

FLOOR TILE | TERRACOTA



TALavera CALDERA*
18"x18" V24603001 G-V314
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"




BASEBOARD TALavera CALDERA
4"x17" V48599521 G-V007

YAKarta

FLOOR TILE | FABRIC LOOK



YAKarta BLANCO
18"x18" P24600451 G-P311
Recommended Grout:
Colorstuk White/Grey
Recommended Joint Width: 1/16"



TACOS ESTRELLA ROMANCOS
3"x3" V48004051 G-V004



BORNEO

FLOOR TILE | MARBLE



BORNEO BLUE
17"x17" P14590951 G-P331
Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"



BORNEO SAGE
17"x17" P14590961 G-P331
Recommended Grout:
Colorstuk Beige
Recommended Joint Width: 1/16"



Shown: Borneo Sage 17" x 17"

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	*	*
Walls	✓	✓	✓	

*Only applicable to Talavera Caldera



All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓		
Walls	✓	✓	✓	



All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

CALACATA

FLOOR TILE | MARBLE



CALACATA GOLD
17"x17" P14590921 G-P331
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"



CALACATA SILVER
17"x17" P14590931 G-P331
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"



Shown: Calacata Gold 17" x 17"

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓		
Walls	✓	✓	✓	




All sizes are approximate

Porcelanosa recommends:
- One Flex polymer modified thinsets
- Colorstuk Grouts

CARRARA

FLOOR TILE | MARBLE




CARRARA BLANCO BRILLO
17"x17" P14590361 G-P331
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"



BASEBOARD CARRARA BLANCO BRILLO
4"x17" P80352181 G-P011

MARMI

FLOOR TILE | MARBLE



MARMI BLANCO
17"x17" P14590291 G-P331
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"



BASEBOARD MARMI BLANCO
4"x17" P80353201 G-P011

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓		
Walls	✓	✓	✓	




All sizes are approximate

Porcelanosa recommends:
- One Flex polymer modified thinsets
- Colorstuk Grouts

MÁRMOL

FLOOR TILE | MARBLE



MÁRMOL CREMA
17"x17" P14509601 G-P331
Recommended Grout:
Colorstuk Beige
Recommended Joint Width: 1/16"



BASEBOARD MÁRMOL CREMA MARFIL
4"x17" P80353471 G-P011



MÁRMOL KALI CREMA
17"x17" P14590231 G-P331
Recommended Grout:
Colorstuk Beige
Recommended Joint Width: 1/16"



BASEBOARD MÁRMOL KALI CREMA
4"x17" P80352141 G-P011



MÁRMOL NILO MARFIL
17"x17" P14509121 G-P331
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"



BASEBOARD MÁRMOL NILO MARFIL
4"x17" P8030173 G-P011



RECIFE

FLOOR TILE | MARBLE



RECIFE ANTRACITA
17"x17" P14590821 G-P331
Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"



BASEBOARD RECIFE ANTRACITA
4"x17" P80352791 G-P011



RECIFE GRIS
17"x17" P14590841 G-P331
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"



BASEBOARD RECIFE GRIS
4"x17" P80352801 G-P011



RECIFE PULPIS
17"x17" P14590831 G-P331
Recommended Grout:
Colorstuk Tobacco
Recommended Joint Width: 1/16"



BASEBOARD RECIFE PULPIS
4"x17" P80352811 G-P011



All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

SILK

FLOOR TILE | FABRIC LOOK



SILK BLANCO
17"x17" V54600131 G-V311
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/8"



BASEBOARD SILK BLANCO
3"x26" V45400151 G-V034

TALIS

FLOOR TILE | FABRIC LOOK



TALIS ANTRACITA
13"x13" C223311101 G-C360
Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/8"



TALIS BEIGE
13"x13" C223311121 G-C360
Recommended Grout:
Colorstuk Beige
Recommended Joint Width: 1/8"



BASEBOARD TALIS BEIGE
4"x13" C550502031 G-C019



TALIS BLANCO
13"x13" C223311081 G-C360
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/8"



BASEBOARD TALIS BLANCO
4"x13" C550502051 G-C019



TALIS CACAO
13"x13" C223311071 G-C360
Recommended Grout:
Colorstuk Rapid Tobacco
Recommended Joint Width: 1/8"



BASEBOARD RECIFE PULPIS
4"x13" C550502411 G-C019

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓		
Walls	✓	✓	✓	



All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

SLATE

FLOOR TILE | STONE LOOK



SLATE AFRICA
4"x4" L141015051 G-L435
Recommended Grout: 
Colorstuk Anthracite
Recommended Joint Width: 1/16"



ROMO SLATE AFRICA (SBN)
4"x4" L146041051 G-L404



SLATE BAHIA
4"x4" L141015041 G-L435
Recommended Grout: 
Colorstuk Cement
Recommended Joint Width: 1/16"



ROMO SLATE BAHIA (SBN)
4"x4" L146041041 G-L404



SLATE DESERT
4"x4" L141015021 G-L435
Recommended Grout: 
Colorstuk Beige
Recommended Joint Width: 1/16"



ROMO SLATE DESERT (SBN)
4"x4" L146041021 G-L404



SLATE RIVER
4"x4" L141015001 G-L435
Recommended Grout: 
Colorstuk Manhattan
Recommended Joint Width: 1/16"



ROMO SLATE RIVER (SBN)
4"x4" L146041001 G-L404

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	
Walls	✓	✓	✓	✓



All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts



Shown: Slate (various colors) 4" x 4"



STON-KER[®]


COLORED BODY PORCELAIN



Shown: Arizona Antracita 17" x 26"

ARIZONA

STON-KER TILE | STONE LOOK



ARIZONA ANTRACITA
17"x26" P19566281 G-P344
Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"



BASEBOARD ARIZONA ANTRACITA
3"x 26" P40600021 G-P034

ARIZONA ANTRACITA ANTISLIP*
17"x26" P19566541 G-P354



ARIZONA ARENA
17"x26" P19566291 G-P344
Recommended Grout:
Colorstuk Beige/Cement
Recommended Joint Width: 1/16"



BASEBOARD ARIZONA ARENA
3"x 26" P40600031 G-P034

ARIZONA ARENA ANTISLIP*
17"x26" P19566531 G-P354



ARIZONA CALIZA
17"x26" P19566311 G-P344
Recommended Grout:
Colorstuk Cement/Grey
Recommended Joint Width: 1/16"



BASEBOARD ARIZONA CALIZA
3"x 26" P40600001 G-P034

ARIZONA CALIZA ANTISLIP*
17"x26" P19566751 G-P354



ARIZONA STONE
17"x26" P19566301 G-P344
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"



BASEBOARD ARIZONA STONE
3"x 26" P40600011 G-P034

ARIZONA STONE ANTISLIP*
17"x26" P19566521 G-P354

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance



All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

*Special Order

BRAZIL

STON-KER TILE | STONE LOOK



BRAZIL ARENA
17"x26" V56299921 G-V344
Recommended Grout:
Colorstuk Ivory
Recommended Joint Width: 1/16"



BASEBOARD BRAZIL ARENA
3"x 26" V45400271 G-V034



BRAZIL NATURAL
17"x26" V56299801 G-V344
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"



BASEBOARD BRAZIL NATURAL
3"x 26" V45400401 G-V034

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance



All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

Shown: Brazil Natural 17" x 26"



CASCAIS

STON-KER TILE | STONE LOOK



CASCAIS NATURAL

17"x26" V56298611 G-V344

Recommended Grout:

Colorstuk Cement

Recommended Joint Width: 1/16"



BASEBOARD CASCAIS NATURAL
3"x 26" V45400091 G-V034

CASCAIS NATURAL C-2*

17"x26" V56298421 G-V344

CASCAIS NATURAL C-3*

17"x26" V56298471 G-V354



CASCAIS NOCE

17"x26" V56298601 G-V344

Recommended Grout:

Colorstuk Tobacco

Recommended Joint Width: 1/16"



BASEBOARD CASCAIS NOCE
3"x 26" V45400261 G-V034

CASCAIS NOCE C-2*

17"x26" V56298451 G-V344

CASCAIS NOCE C-3*

17"x26" V56298461 G-V354



Shown: Cascais Noce 17" x 26"

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance



All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

CHINA

STON-KER TILE | STONE LOOK



CHINA ACERO

17"x26" P19566571 G-P347

Recommended Grout:

Colorstuk Manhattan

Recommended Joint Width: 1/16"



BASEBOARD CHINA ACERO
3" x 26" P40600061 G-P034

CHINA ACERO ANTISLIP*

17"x26" P19566641 G-P347

CUBICA

STON-KER TILE | DIMENSIONAL



CUBICA*

17"x26" V56299061 G-V344

Recommended Grout:

Colorstuk Cement

Recommended Joint Width: 1/16"

+ suitable for walls only

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

Cubica is not suitable for floor

*Check slip resistance



All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

*Special Order

FERROKER

STON-KER TILE | OXIDIZE LOOK



FERROKER
17"x26" V56217001 G-V344
Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"



BASEBOARD FERROKER
3" x 26" V45400021 G-V034



FERROKER ALUMINIO
17"x26" V56217011 G-V344
Recommended Grout:
Colorstuk Manhattan
Recommended Joint Width: 1/16"



BASEBOARD FERROKER ALUMINIO
3" x 26" V45400041 G-V034



FERROKER CALDERA
17"x26" V56217031 G-V344
Recommended Grout:
Colorstuk Brown
Recommended Joint Width: 1/16"



BASEBOARD FERROKER CALDERA
3" x 26" V45400061 G-V034



FERROKER LATON
17"x26" V56217021 G-V344
Recommended Grout:
Colorstuk Beige
Recommended Joint Width: 1/16"



BASEBOARD FERROKER LATON
3" x 26" V45400281 G-V034



FERROKER NIQUEL
17"x26" V56299901 G-V344
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"



BASEBOARD FERROKER NIQUEL
3" x 26" V45400331 G-V034

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance



All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

*Special Order

FERROKER

STON-KER TILE | OXIDIZE LOOK



FERROKER PLATINO
17"x26" V56299891 G-V344
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"



BASEBOARD FERROKER PLATINO
3" x 26" V45400051 G-V034



FERROKER TITANIO
17"x26" V56299881 G-V344
Recommended Grout:
Colorstuk Ivory
Recommended Joint Width: 1/16"



BASEBOARD FERROKER TITANIO
3" x 26" V45400301 G-V034



Shown: Ferroker Caldera 17" x 26"

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance



All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

GLASGOW

STON-KER TILE | OXIDIZE LOOK



GLASGOW SILVER LAPPATO
17"x26" P19812551 G-P366

Recommended Grout:
Colorstuk Manhattan
Recommended Joint Width: 1/16"



BASEBOARD GLASGOW SILVER LAPPATO
3" x 26" P40600121 G-P045



K2

STON-KER TILE | STONE LOOK



K2
17"x26" V56299501 G-V334

Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"



BASEBOARD K2
3" x 26" V45400431 G-V034



IRONKER

STON-KER TILE | OXIDIZE LOOK



IRONKER COBRE
17"x26" V56225011 G-V344

Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"



BASEBOARD IRONKER COBRE
3" x 26" V45400341 G-V034



LISBOA

STON-KER TILE | STONE LOOK



LISBOA CALIZA
17"x26" V56298231 G-V344

Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"



BASEBOARD LISBOA CALIZA
3" x 26" V45400231 G-V034



LISBOA TAUPE
17"x26" V56298221 G-V344

Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"



BASEBOARD LISBOA TAUPE
3" x 26" V45400221 G-V034



Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance



All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance



All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

MADAGASCAR

STON-KER TILE | STONE LOOK



MADAGASCAR BEIGE
17"x26" V56298921 G-V344
Recommended Grout:
Colorstuk Ivory
Recommended Joint Width: 1/16"



BASEBOARD MADAGASCAR BEIGE
3"x 26" V45400411 G-V034




MADAGASCAR NATURAL
17"x26" V56298901 G-V344
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"



BASEBOARD MADAGASCAR NATURAL
3"x 26" V45400181 G-V034

METALKER

STON-KER TILE | METALLIC



METALKER
17"x26" V56224001 G-V344
Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"



BASEBOARD METALKER
4"x 17" V70701801 G-V011



Shown: Metalker 17" x 26"

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance



All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

MONTECARLO

STON-KER TILE | MARBLE



MONTECARLO NATURAL
17"x26" V56298631 G-V344
Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"



BASEBOARD MONTECARLO NATURAL
3"x 26" V45400011 G-V034

NAPLES

STON-KER TILE | STONE LOOK



NAPLES
17"x26" V56298641 G-V344
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"



BASEBOARD NAPLES
3"x 26" V45400421 G-V034

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance



All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

PEKIN

STON-KER TILE | STONE LOOK



PEKIN CALDERA
17"x26" P19566801 G-P344
Recommended Grout: 
Colorstuk Anthracite
Recommended Joint Width: 1/16"



BASEBOARD PEKÍN CALDERA
3" x 26" P40600321 G-P034



Shown: Pekin Caldera 17" x 26"

Application:

*Special Order

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance



All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

PIEDRA BORGONA

STON-KER TILE | STONE LOOK



PIEDRA BORGONA ARENA
17"x26" P19812561 G-P344
Recommended Grout: 
Colorstuk Beige
Recommended Joint Width: 1/16"




BASEBOARD PIEDRA BORGONA ARENA
3"x 26" P40600191 G-P034



PIEDRA BORGONA ARENA ANTISLIP*
17"x26" P19812591 G-P354

ROCHER

STON-KER TILE | STONE LOOK



ROCHER IVORY
17"x26" V56298241 G-V344
Recommended Grout: 
Colorstuk Grey
Recommended Joint Width: 1/16"




BASEBOARD ROCHER IVORY
3"x 26" V45400211 G-V034



ROCHER NATURAL
17"x26" V56298341 G-V344
Recommended Grout: 
Colorstuk Cement
Recommended Joint Width: 1/16"



BASEBOARD ROCHER NATURAL
3"x 26" V45400001 G-V034



Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance



All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

SAMOA

STON-KER TILE | STONE LOOK



SAMOA ANTRACITA

17"x26" P19812901 G-P344

Recommended Grout: 

Colorstuk Black

Recommended Joint Width: 1/16"



BASEBOARD SAMOA ANTRACITA
3"x 26" P40600301 G-P034



SAMOA SILVER

17"x26" P19812931 G-P344

Recommended Grout: 

Colorstuk Cement

Recommended Joint Width: 1/16"



BASEBOARD SAMOA SILVER
3"x 26" P40600291 G-P034

SAMOA ANTRACITA ANTISLIP*


17"x26" P19812911 G-P354

SAMOA SILVER ANTISLIP*

17"x26" P19812921 G-P354

SILK

STON-KER TILE | FABRIC LOOK



SILK BLANCO

17"x26" V56229001 G-V344

Recommended Grout: 

Colorstuk White

Recommended Joint Width: 1/16"



BASEBOARD SILK BLANCO
3"x 26" V45400151 G-V034



SILK VERDE

17"x26" V56229021 G-V344

Recommended Grout: 

Colorstuk Manhattan

Recommended Joint Width: 1/16"



BASEBOARD SILK VERDE
3"x 26" V45400201 G-V034

Application:

*Special Order

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance



All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

Shown: Silk Blanco 17" x 26"






Shown: Tibet Caliza 17" x 26"

TIBET

STON-KER TILE | STONE LOOK



TIBET ARENA
17"x26" P19812241 G-P344
Recommended Grout: 
Colorstuk Beige
Recommended Joint Width: 1/16"



BASEBOARD TIBET ARENA
3"x 26" P40600171 G-P034



TIBET BLACK
17"x26" P19812211 G-P344
Recommended Grout: 
Colorstuk Black
Recommended Joint Width: 1/16"



BASEBOARD TIBET BLACK
3"x 26" P40600201 G-P034

ADDITIONAL
SIZES
AVAILABLE



TIBET CALIZA
17"x26" P19812221 G-P344
Recommended Grout: 
Colorstuk Beige/Grey
Recommended Joint Width: 1/16"



BASEBOARD TIBET CALIZA
3"x 26" P40600231 G-P034

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance



All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

TISSUE

STON-KER TILE | METALLIC



TISSUE GOLD
17"x26" V56234011 G-V344
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"



BASEBOARD TISSUE GOLD
3"x 26" V45400111 G-V034



TISSUE SILVER
17"x26" V56234001 G-V344
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"



BASEBOARD TISSUE SILVER
3"x 26" V45400161 G-V034

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance



All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

Shown: Tissue Gold 17" x 26"

ZURICH

STON-KER TILE | MARBLE



ZURICH ASH
17"x26" V75901671 G-V344
Recommended Grout:
Colorstuk Manhattan
Recommended Joint Width: 1/16"



BASEBOARD ZURICH ASH
3"x 26" V45400311 G-V034



ZURICH SAND
17"x26" V75901661 G-V344
Recommended Grout:
Colorstuk Ivory
Recommended Joint Width: 1/16"



BASEBOARD ZURICH SAND
3"x 26" V45400251 G-V034

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance



All sizes are approximate

Porcelanosa recommends:


- One Flex polymer modified thinsets
- Colorstuk Grouts



Shown: Zurich Sand 17" x 26"

ASSUAN

STON-KER TILE | MARBLE



ASSUAN BROWN
23"x23" V55906811 G-V354
Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"


BASEBOARD ASSUAN BROWN
4"x 23" 48300801 G-V030



Shown: Assuan Brown 23" x 23"

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance



All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

ASTON

STON-KER TILE | CONCRETE



ASTON ACERO
23"x23" P18568681 G-P354
Recommended Grout:
Colorstuk Manhattan
Recommended Joint Width: 1/16"


BASEBOARD ASTON ACERO
4" x 23" P92101531 G-P030



ASTON ANTRACITA
23"x23" P18568671 G-P354
Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"


BASEBOARD ASTON ANTRACITA
4" x 23" P92101591 G-P030



ASTON ARENA
23"x23" P18568651 G-P354
Recommended Grout:
Colorstuk Beige
Recommended Joint Width: 1/16"


BASEBOARD ASTON ARENA
4" x 23" P92101541 G-P030



ASTON CALIZA
23"x23" P18568661 G-P354
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"


BASEBOARD ASTON CALIZA
4" x 23" P92101711 G-P030



ASTON SILVER
23"x23" P18568711 G-P354
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"


BASEBOARD ASTON SILVER
4" x 23" P92101611 G-P030

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance




All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

BARCELONA

STON-KER TILE | DECORATIVE



BARCELONA B
23"x23" P18569611 G-P359
Recommended Grout: 
Colorstuk Cement
Recommended Joint Width: 1/16"



BARCELONA C
23"x23" P18569591 G-P359
Recommended Grout: 
Colorstuk Anthracite
Recommended Joint Width: 1/16"



BARCELONA D
23"x23" P18569601 G-P359
Recommended Grout: 
Colorstuk Grey
Recommended Joint Width: 1/16"



BARCELONA E
23"x23" P18256751 G-P359
Recommended Grout: 
Colorstuk Cement
Recommended Joint Width: 1/16"



BARCELONA F
23"x23" 18569771 G-P359
Recommended Grout: 
Colorstuk Cement
Recommended Joint Width: 1/16"



Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	✱
Walls	✓	✓	✓	✓

*Check slip resistance



All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

Shown: Barcelona C 23" x 23"



BALTIMORE

STON-KER TILE | CONCRETE



ADDITIONAL
SIZES
AVAILABLE

BALTIMORE GREY
23"x23" V55906841 G-V354
Recommended Grout: 
Colorstuk Cement
Recommended Joint Width: 1/16"



BASEBOARD BALTIMORE GREY
3" x 23" V44600341 G-V030



ESTOCOLMO

STON-KER TILE | CONCRETE



ESTOCOLMO GRIS
23"x23" V55906371 G-V354
Recommended Grout: 
Colorstuk Grey
Recommended Joint Width: 1/16"



BASEBOARD ESTOCOLMO GRIS
4" x 23" V48300751 G-V030



ESTOCOLMO NATURAL
23"x23" V55906401 G-V354
Recommended Grout: 
Colorstuk Cement
Recommended Joint Width: 1/16"



BASEBOARD ESTOCOLMO NATURAL
4" x 23" V48300781 G-V030

CELIAN

STON-KER TILE | STONE LOOK



CEILAN MARFIL
23"x23" P18568891 G-P354
Recommended Grout: 
Colorstuk Beige
Recommended Joint Width: 1/16"



BASEBOARD CEILAN MARFIL
4" x 23" P92101621 G-P030

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance



All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance



All sizes are approximate

Porcelanosa recommends:


- One Flex polymer modified thinsets
- Colorstuk Grouts



Shown: Estocolmo Natural 23" x 23"

DOVER

STON-KER TILE | CONCRETE



DOVER ACERO
23"x23" P18569521 G-P354
Recommended Grout:
Colorstuk Manhattan
Recommended Joint Width: 1/16"
Tile Thickness: 7/16"



BASEBOARD DOVER ACERO
4" x 23" P921025111 G-P354




DOVER CALIZA
23"x23" P18569551 G-P354
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 7/16"



BASEBOARD DOVER ACERO
4" x 23" P921025071 G-P354

EXTREME

STON-KER TILE | SOLID COLOR



EXTREME BLACK
23"x23" P18568781 G-P354
Recommended Grout:
Colorstuk Black
Recommended Joint Width: 1/16"



BASEBOARD EXTREME BLACK
4" x 23" P92101771 G-P030



EXTREME WHITE
23"x23" P18568741 G-P354
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"



BASEBOARD EXTREME WHITE
4" x 23" P82600961 G-P030

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance



All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts



Shown: Dover Caliza 23" x 23"

MANHATTAN

STON-KER TILE | SOLID COLOR



MANHATTAN BLANCO LAPPATO
23"x23" P18568821 G-P369
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"



BASEBOARD MANHATTAN BLANCO LAPPATO
4" x 23" P92101761 G-P042



MANHATTAN NEGRO LAPPATO
23"x23" P18568801 G-P369
Recommended Grout:
Colorstuk Black
Recommended Joint Width: 1/16"



BASEBOARD MANHATTAN NEGRO LAPPATO
4" x 23" P92101651 G-P042



MICROCEMENTO

STON-KER TILE | CONCRETE



MICROCEMENTO BLANCO
23"x23" P18568831 G-P354
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"



BASEBOARD MICROCEMENTO BLANCO
4" x 23" P9210157 G-P030



MICROCEMENTO GRIS
23"x23" P18568721 G-P354
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"



BASEBOARD MICROCEMENTO GRIS
4" x 23" P921011721 G-P030



Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance



All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

MONACO


STON-KER TILE | MARBLE



MONACO BEIGE
23"x23" V55906341 G-V354
Recommended Grout:
Colorstuk Beige
Recommended Joint Width: 1/16"



BASEBOARD MONACO BEIGE
4" x 26" V45400241 G-V034



NEWPORT

STON-KER TILE | CONCRETE



NEWPORT BEIGE
23"x23" V55906661 G-V354
Recommended Grout:
Colorstuk Ivory
Recommended Joint Width: 1/16"



BASEBOARD NEWPORT BEIGE
4" x 23" V44600251 G-V030



NEWPORT GREY
23"x23" V55906691 G-V354
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"



BASEBOARD NEWPORT GREY
4" x 23" V44600231 G-V030



Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance



All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

PARK

STON-KER TILE | CONCRETE



ADDITIONAL
SIZES
AVAILABLE

PARK SILVER
23"x23" P18569211 G-P354
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"



BASEBOARD PARK SILVER
4" x 23" P92102111 G-P007



PARK ACERO
23"x23" P18569271 G-P354
Recommended Grout:
Colorstuk Manhattan
Recommended Joint Width: 1/16"



BASEBOARD PARK ACERO
4" x 23" P92102071 G-P007



PARK BLACK
23"x23" P18569281 G-P354
Recommended Grout:
Colorstuk Black
Recommended Joint Width: 1/16"



BASEBOARD PARK BLACK
4" x 23" P92102121 G-P007

ANTIQUE

STON-KER TILE | DECORATIVE



ANTIQUE SILVER
23"x23" P18569301 G-P359
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"



ANTIQUE ACERO
23"x23" P18569351 G-P359
Recommended Grout:
Colorstuk Manhattan
Recommended Joint Width: 1/16"



ANTIQUE BLACK
23"x23" P18569311 G-P359
Recommended Grout:
Colorstuk Black
Recommended Joint Width: 1/16"

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance



All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts



Shown: Antique Silver 23" x 23"

PORTLAND

STON-KER TILE | CONCRETE



PORTLAND ACERO

23"x23" P18568521 G-P354

Recommended Grout:
Colorstuk Manhattan
Recommended Joint Width: 1/16"



BASEBOARD PORTLAND ACERO
4" x 23" P92101451 G-P030



PORTLAND ARENA

23"x23" P18568541 G-P354

Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"



BASEBOARD PORTLAND ARENA
4" x 23" P92101481 G-P030



PORTLAND ANTRACITA

23"x23" P18568511 G-P354

Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"



BASEBOARD PORTLAND ANTRACITA
4" x 23" P92101471 G-P030



PORTLAND CALIZA

23"x23" P18568551 G-P354

Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"



BASEBOARD PORTLAND CALIZA
4" x 23" P92101461 G-P030

PORTLAND ANTRACITA ANTISLIP*

23"x23" P18569091 G-P359

PORTLAND CALIZA ANTISLIP*

23"x23" P18568551 G-P359

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance



All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

*Special Order

PORTLAND

STON-KER TILE | CONCRETE



MOSAICO PORTLAND ANTRACITA

12"x12" P11194931 G-P396


Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"



MOSAICO PORTLAND ARENA

12"x12" P11194941 G-P396

Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"



MOSAICO PORTLAND CALIZA

12"x12" P11194951 G-P396

Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"



MOSAICO PORTLAND SILVER

12"x12" P11194921 G-P396

Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"



Shown: Portland Acero 23" x 23"

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance



All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

RHIN

STON-KER TILE | CONCRETE



RHIN GRIS
23"x23" V55906601 G-V354
Recommended Grout: 
Colorstuk Cement
Recommended Joint Width: 1/16"



BASEBOARD RHIN GRIS
4" x 23" V44600181 G-V030



RHIN NATURAL
23"x23" V55906541 G-V354
Recommended Grout: 
Colorstuk Manhattan
Recommended Joint Width: 1/16"



BASEBOARD RHIN NATURAL
4" x 23" V44600101 G-V030



RHIN TAUPE
23"x23" V55906501 G-V354
Recommended Grout: 
Colorstuk Cement
Recommended Joint Width: 1/16"



BASEBOARD RHIN TAUPE
4" x 23" V44600111 G-V030



RHIN IVORY
23"x23" V55906591 G-V354
Recommended Grout: 
Colorstuk Ivory
Recommended Joint Width: 1/16"



BASEBOARD RHIN IVORY
4" x 23" V44600091 G-V030

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	✱
Walls	✓	✓	✓	✓

*Check slip resistance



All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts



Shown: Rhin Gris 23" x 23"



Shown: Rodano Caliza 23" x 23"

RODANO

STON-KER TILE | CONCRETE

ADDITIONAL
SIZES
AVAILABLE

ADA

matte

rectified

recycled

V4



RODANO ACERO
23"x23" P18568361 G-P354
Recommended Grout:
Colorstuk Manhattan
Recommended Joint Width: 1/16"



BASEBOARD RODANO ACERO
4" x 23" P92101631 G-P030

RODANO ACERO ANTISLIP*
23"x23" P18569021 G-P359



RODANO CALIZA
23"x23" P18568371 G-P354
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"



BASEBOARD RODANO CALIZA
4" x 23" P92101511 G-P030

RODANO CALIZA ANTISLIP*
23"x23" P17600521 G-P359



RODANO SILVER
23"x23" P18568381 G-P354
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"



BASEBOARD RODANO SILVER
4" x 23" P92101501 G-P030

RODANO SILVER ANTISLIP*
23"x23" P18569031 G-P359

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance



All sizes are approximate

Porcelanosa recommends:
- One Flex polymer modified thinsets
- Colorstuk Grouts

*Special Order

SEATTLE

STON-KER TILE | OXIDIZE LOOK



SEATTLE BROWN
23"x23" V55906721 G-V354
Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"



BASEBOARD SEATTLE BROWN
4" x 23" V44600221 G-V030



SEATTLE DARK
23"x23" V55906711 G-V354
Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"



BASEBOARD SEATTLE DARK
4" x 23" V44600201 G-V030

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance



All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts



Shown: Seattle Dark 23" x 23"

TRIBECA

STON-KER TILE | CONCRETE



TRIBECA ACERO
23"x23" P34707851 G-P354
Recommended Grout:
Colorstuk Manhattan
Recommended Joint Width: 1/16"



BASEBOARD TRIBECA ACERO
4" x 23" P92102101 G-P030



TRIBECA CALIZA
23"x23" P34707831 G-P354
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"



BASEBOARD TRIBECA CALIZA
4" x 23" P92102091 G-P030



DECO TRIBECA CALIZA
23"x23" P18269251 G-P359
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	
Walls	✓	✓	✓	✓

*Check slip resistance



All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

Shown: Tribeca Caliza & Deco Tribeca Caliza 23" x 23"



ESTOCOLMO

STON-KER TILE | CONCRETE



ESTOCOLMO GRIS
9"x35" V50500221 G-V372
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"



BASEBOARD ESTOCOLMO GRIS
4" x 23" V48300751 G-V030




ESTOCOLMO NATURAL
9"x35" V50500201 G-V372
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"



BASEBOARD ESTOCOLMO NATURAL
4" x 23" V48300781 G-V030



ESTOCOLMO GRIS
6"x35" V29500371 G-V372
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"



ESTOCOLMO NATURAL
6"x35" V29500381 G-V372
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	
Walls	✓	✓	✓	✓

*Check slip resistance



All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

Shown: Estocolmo Natural

SAMOA

STON-KER TILE | STONE LOOK



SAMOA ANTRACITA
9"x35" P11400321 G-P372
Recommended Grout:
Colorstuk Black
Recommended Joint Width: 1/16"



SAMOA SILVER
9"x35" P11400331 G-P372
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"



SAMOA ANTRACITA
6"x35" P11400311 G-P372
Recommended Grout:
Colorstuk Black
Recommended Joint Width: 1/16"



SAMOA SILVER
6"x35" P17800471 G-P372
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"



STYLKER


STON-KER TILE | STONE LOOK



STYLKER DARK
8"x47" V59201081 G-V384
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"



BASEBOARD STYLKER DARK
3"x26" V45400121 G-V034



NAZCA

STON-KER TILE | STONE LOOK



NAZCA ANTRACITA
18"x35" V55500091 G-V363
Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"



BASEBOARD NAZCA ANTRACITA
4" x 18" V70716321 G-V011



PIEDRA


STON-KER TILE | STONE LOOK



PIEDRA BORGOÑA ARENA
18"x35" P17400351 G-P363
Recommended Grout:
Colorstuk Beige
Recommended Joint Width: 1/16"



BASEBOARD NAZCA ANTRACITA
4" x 18" P80351111 G-P023



Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	
Walls	✓	✓	✓	✓

*Check slip resistance



All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance



All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

CELIAN

STON-KER TILE | STONE LOOK



CEILAN MARFIL
32"x32" P17600121 G-P381
Recommended Grout:
Colorstuk Beige
Recommended Joint Width: 1/16"



BASEBOARD CEILAN MARFIL
4" x 32" P41600001 G-P030

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance



All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

MICROCEMENTO

STON-KER TILE | CONCRETE



MICROCEMENTO BLANCO
32"x32" P17600061 G-P381
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"



BASEBOARD MICROCEMENTO BLANCO
4" x 32" P41600021 G-P030



MICROCEMENTO GRIS
32"x32" P17600001 G-P381
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"



BASEBOARD MICROCEMENTO GRIS
4" x 32" P41600031 G-P030

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance



All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts



Shown: Microcemento Gris 32" x 32"

NEWPORT

STON-KER TILE | CONCRETE



NEWPORT NATURAL

32"x32" V57000191 G-V381


Recommended Grout:

Colorstuk Grey

Recommended Joint Width: 1/16"



BASEBOARD NEWPORT NATURAL
4" x 18" V48599731 G-V007



Shown: Rodano Acero 32" x 32"

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance



All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

RODANO

STON-KER TILE | CONCRETE



RODANO ACERO

32"x32" P17600531 G-P381

Recommended Grout:

Colorstuk Manhattan

Recommended Joint Width: 1/16"



BASEBOARD RODANO ACERO
4" x 32" P41600061 G-P030



RODANO CALIZA

32"x32" P17600521 G-P381

Recommended Grout:

Colorstuk Grey

Recommended Joint Width: 1/16"



BASEBOARD RODANO CALIZA
4" x 32" P41600091 G-P030



RODANO SILVER

32"x32" P17600541 G-P381

Recommended Grout:

Colorstuk Cement

Recommended Joint Width: 1/16"



BASEBOARD RODANO SILVER
4" x 32" P41600101 G-P030

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance



All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

ARIZONA

STON-KER FACADES | STONE LOOK



ARIZONA CALIZA
23"x47" P19767271 G-P381
Recommended Grout: 
Colorstuk Cement/Grey
Recommended Joint Width: 1/16"



ARIZONA STONE
23"x47" P19767241 G-P381
Recommended Grout: 
Colorstuk Cement
Recommended Joint Width: 1/16"

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	✓

*Check slip resistance



All sizes are approximate

Porcelanosa recommends:


- One Flex polymer modified thinsets
- Colorstuk Grouts



Shown: Arizona Stone 23" x 47"

AVENUE

STON-KER FACADE TILE | STONE LOOK



AVENUE DARK MATT
23"x47" V59083671 G-V381
Recommended Grout:
Colorstuk Especial Dark
Recommended Joint Width: 1/16"



AVENUE NATURAL
23"x47" V5903051 G-V381
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"



AVENUE WHITE MATT
23"x47" V59083681 G-V381
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance



All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

CARRARA

STON-KER FACADES | MARBLE



CARRARA BLANCO NATURAL
23"x47" P19766421 G-P098
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"



Shown: Avenue Dark Matt 23" x 47"

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance



All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

CUBICA

STON-KER FACADES | DIMENSIONAL



CUBICA
23"x47" V59082261 G-V381
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"



CUBICA BLANCO
23"x47" V59082461 G-V381
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"



Shown: Dover Acero 23" x 47"

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance



All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

DOVER

STON-KER FACADES | CONCRETE



DOVER ACERO
23"x47" P19768261 G-P381
Recommended Grout:
Colorstuk Manhattan
Recommended Joint Width: 1/16"



DOVER ARENA
23"x47" P19768281 G-P381
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"



DOVER CALIZA
23"x47" P19768271 G-P381
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"



DOVER TOPO
23"x47" P19768251 G-P381
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance



All sizes are approximate

Porcelanosa recommends:


- One Flex polymer modified thinsets
- Colorstuk Grouts

EXTREME

STON-KER FACADES | SOLID COLOR



EXTREME BLACK
23"x47" P19768191 G-P381
Recommended Grout:
Colorstuk Black
Recommended Joint Width: 1/16"



EXTREME WHITE
23"x47" P19768291 G-P381
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"



Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance



All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

FERROKER

STON-KER FACADES | OXIDIZE LOOK



FERROKER
23"x47" V59003001 G-V381
Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"



FERROKER ALUMINIO
23"x47" V59082211 G-V381
Recommended Grout:
Colorstuk Manhattan
Recommended Joint Width: 1/16"



FERROKER NIQUEL
23"x47" V59083231 G-V381
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"



FERROKER PLATINO
23"x47" V59083241 G-V381
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"



FERROKER TITANIO
23"x47" V59083251 G-V381
Recommended Grout:
Colorstuk Ivory
Recommended Joint Width: 1/16"

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance



All sizes are approximate

Porcelanosa recommends:


- One Flex polymer modified thinsets
- Colorstuk Grouts

K2

STON-KER FACADES | STONE LOOK



K2
23"x47" V59082801 G-V381
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"




LAVAGNA

STON-KER FACADES | STONE LOOK



LAVAGNA NEGRO+
23"x47" V59002021 G-V381
Recommended Grout:
Colorstuk Black
Recommended Joint Width: 1/16" +not suitable for floor



Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

Lavagna Negro is not suitable for floor

*Check slip resistance



All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts



Shown: Lavagna Negro 23" x 47"

MADAGASCAR

STON-KER FACADES | STONE LOOK



MADAGASCAR BEIGE
23"x47" V59083361 G-V381
Recommended Grout:
Colorstuk Ivory
Recommended Joint Width: 1/16"



MADAGASCAR BLANCO
23"x47" V59083371 G-V381
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"



MADAGASCAR NATURAL
23"x47" V59083391 G-V381
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance




All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

NARA

STON-KER FACADES | STONE LOOK




NARA BEIGE+
23"x47" V59083771 G-V381
Recommended Grout:
Colorstuk Ivory
Recommended Joint Width: 1/16"

+not suitable for floor

NATAL

STON-KER FACADES | STONE LOOK



NATAL ANTRACITA
23"x47" P19768311 G-P381
Recommended Grout:
Colorstuk Black
Recommended Joint Width: 1/16"

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance



All sizes are approximate

Porcelanosa recommends:


- One Flex polymer modified thinsets
- Colorstuk Grouts

NEWPORT

STON-KER FACADES | CONCRETE



NEWPORT NATURAL
23"x47" V59083761 G-V381
Recommended Grout: 
Colorstuk Grey
Recommended Joint Width: 1/16"




ONA

STON-KER FACADES | DIMENSIONAL



ONA NATURAL+
23"x47" V59083781 G-V381
Recommended Grout: 
Colorstuk Grey
Recommended Joint Width: 1/16"

+not suitable for floor



Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance



All sizes are approximate


- Porcelanosa recommends:
- One Flex polymer modified thinsets
 - Colorstuk Grouts

STYLKER

STON-KER FACADES | STONE LOOK




STYLKER DARK
23"x47" V59083511 G-V381
Recommended Grout: 
Colorstuk Anthracite
Recommended Joint Width: 1/16"



TECHNIC

STON-KER FACADES | STONE LOOK



TECHNIC NIEVE+
23"x47" P19701301 G-P381
Recommended Grout: 
Colorstuk Blanco
Recommended Joint Width: 1/16"

+not suitable for floor



Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance



All sizes are approximate

- Porcelanosa recommends:
- One Flex polymer modified thinsets
 - Colorstuk Grouts



PAR-KER®

WOOD PORCELAIN

ALASKA

PAR-KER TILE | WOOD LOOK



ALASKA NATURAL
8"x47" V59200501 G-V384
Recommended Grout:
Colorstuk Brown
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



BASEBOARD ALASKA NATURAL
4" x 17" V70600001 G-V011



AUSTIN

PAR-KER TILE | WOOD LOOK



AUSTIN BLANCO
8"x47" P188030111 G-P384
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



BASEBOARD AUSTIN BLANCO
4" x 17" P8700771 G-P011



AUSTIN GRIS
8"x47" P187604811 G-P384
Recommended Grout:
Colorstuk Manhattan
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



BASEBOARD AUSTIN GRIS
4" x 17" P82700761 G-P011

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance

Porcelanosa recommends:
- One Flex polymer modified thinsets
- Colorstuk Grouts

All sizes are approximate

BRITANIA

PAR-KER TILE | WOOD LOOK



BRITANIA TOP
8"x47" P18802721 G-P384
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



BASEBOARD BRITANIA TOP
4" x 17" P80353221 G-P011



CANADA

PAR-KER TILE | WOOD LOOK



CANADA COPPER
8"x47" V59200721 G-V384
Recommended Grout:
Colorstuk Caramel
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



BASEBOARD CANADA COPPER
4" x 17" V48599471 G-V011



ADDITIONAL
SIZES
AVAILABLE



CANADA WHITE WASH
8"x47" V59200731 G-V384
Recommended Grout:
Colorstuk Manhattan
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



BASEBOARD CANADA WHITE WASH
4" x 17" V48599481 G-V011

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓


*Check slip resistance

Porcelanosa recommends:
- One Flex polymer modified thinsets
- Colorstuk Grouts

All sizes are approximate

ASCOT

PAR-KER TILE | WOOD LOOK




ASCOT ARCE
8"x47" P18802861 G-P372
Recommended Grout:
Colorstuk Tobacco
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

ASCOT ARCE ANTISLIP*
8"x47" P18802871 G-P359




ASCOT ARCE
12"x47" P18760381 G-P372
Recommended Grout:
Colorstuk Tobacco
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

BASEBOARD ASCOT ARCE
4" x 17" P82700601 G-P011



ASCOT GREY
8"x47" P18802881 G-P372
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

ASCOT GREY ANTISLIP*
8"x47" P18802891 G-P359



ASCOT GREY
12"x47" P18760421 G-P372
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

BASEBOARD ASCOT GREY
4" x 17" P82700591 G-P011



ASCOT OLIVO
8"x47" P18802901 G-P372
Recommended Grout:
Colorstuk Tobacco
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

ASCOT OLIVO ANTISLIP*
8"x47" P18802911 G-P359



ASCOT OLIVO
12"x47" P18760411 G-P372
Recommended Grout:
Colorstuk Tobacco
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

BASEBOARD ASCOT OLIVO
4" x 17" P82700551 G-P011



ASCOT ROBLE
8"x47" P18802921 G-P372
Recommended Grout:
Colorstuk Tobacco
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

ASCOT ROBLE ANTISLIP*
8"x47" P18802931 G-P359



ASCOT ROBLE
12"x47" P18760391 G-P372
Recommended Grout:
Colorstuk Tobacco
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

BASEBOARD ASCOT OLIVO
4" x 17" P82700561 G-P011

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance


Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

All sizes are approximate

ASCOT

PAR-KER TILE | WOOD LOOK



ASCOT TECA
8"x47" P18802951 G-P372
Recommended Grout:
Colorstuk Tobacco
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

ASCOT TECA ANTISLIP*
8"x47" P18802941 G-P359



ASCOT TECA
12"x47" P18960401 G-P372
Recommended Grout:
Colorstuk Tobacco
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

BASEBOARD ASCOT ARCE
4" x 17" P82700581 G-P011



Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance


Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

All sizes are approximate

HOUSTON

PAR-KER TILE | WOOD LOOK



HOUSTON ASH
12"x47" V50300121 G-V384
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



BASEBOARD HOUSTON ASH
4" x 17" V48599741 G-V011



HOUSTON COPPER
12"x47" V50300131 G-V384
Recommended Grout:
Colorstuk Caramel
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



BASEBOARD HOUSTON COPPER
4" x 17" V48599771 G-V011



HOUSTON COTTAGE
12"x47" V50300101 G-V384
Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



BASEBOARD HOUSTON COTTAGE
4" x 17" V48599791 G-V011



HOUSTON NATURAL
12"x47" V50300081 G-V384
Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



BASEBOARD HOUSTON NATURAL
4" x 17" V48599781 G-V011

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance


Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

All sizes are approximate

HOUSTON

PAR-KER TILE | WOOD LOOK



HOUSTON NOCE
12"x47" V50300091 G-V384
Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



BASEBOARD HOUSTON NOCE
4" x 17" V48599751 G-V011



HOUSTON TAUPE
12"x47" V50300111 G-V384
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

HOUSTON TAUPE ANTISLIP
8"x47" V59201371 G-V384



BASEBOARD HOUSTON TAUPE
4" x 17" V48599761 G-V011



Shown: Houston Noce 12"x47"

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance


Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

All sizes are approximate

LONDON

PAR-KER TILE | WOOD LOOK



Corresponding Decorative Wall Tile on page 95



LONDON BLACK
8"x47" P18802971 G-P384
Recommended Grout:
Colorstuk Black
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



LONDON CASTAÑO
8"x47" P18802961 G-P384
Recommended Grout:
Colorstuk Tobacco
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



LONDON GREY
8"x47" P18802991 G-P384
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



LONDON NOGAL
8"x47" P18802981 G-P384
Recommended Grout:
Colorstuk Tobacco/Moka
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



LONDON BLACK
12"x47" P18760451 G-P384
Recommended Grout:
Colorstuk Black
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



LONDON CASTAÑO
12"x47" P18760441 G-P384
Recommended Grout:
Colorstuk Tobacco
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



LONDON GREY
12"x47" P18760461 G-P384
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



LONDON NOGAL
12"x47" P18760431 G-P384
Recommended Grout:
Colorstuk Tobacco/Moka
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	✱
Walls	✓	✓	✓	✓

*Check slip resistance

All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts



Shown: London Nogal 12" x 47"

MONTANA

PAR-KER TILE | WOOD LOOK



MONTANA COTTAGE

8"x47" V59200561 G-V384

Recommended Grout: 

Colorstuk Anthracite

Recommended Joint Width: 1/16"

Tile Thickness: 3/8"



BASEBOARD MONTANA COTTAGE
4" x 17" V48599631 G-V011



MONTANA HONEY

8"x47" V59200581 G-V384

Recommended Grout: 

Colorstuk Brown

Recommended Joint Width: 1/16"

Tile Thickness: 3/8"



BASEBOARD MONTANA HONEY
4" x 17" V48599511 G-V011



MONTANA NOCE

8"x47" V59200601 G-V384

Recommended Grout: 

Colorstuk Anthracite

Recommended Joint Width: 1/16"

Tile Thickness: 3/8"



BASEBOARD MONTANA NOCE
4" x 17" V48599501 G-V011

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	✱
Walls	✓	✓	✓	✓

*Check slip resistance

All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts



Shown: Montana Honey 8" x 47"

PROVENZA

PAR-KER TILE | WOOD LOOK



PROVENZA NATURAL
8"x47" P18802411 G-P384
Recommended Grout:
Colorstuk Manhattan
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



BASEBOARD PROVENZA NATURAL
4" x 17" P80353301 G-P011



Shown: Provenza Natural 8" x 47"

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

All sizes are approximate

TAVOLA

PAR-KER TILE | WOOD LOOK




TAVOLA FORESTA
8"x47" V59200171 G-V384
Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

TAVOLA FORESTA ANTISLIP*
8"x47" V59200431 G-V384



BASEBOARD TAVOLA FORESTA
4" x 23" V44600281 G-V030



TAVOLA GRIGIO
8"x47" V59200341 G-V384
Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



BASEBOARD TAVOLA GRIGIO
3" x 23" V44600031 G-V030



TAVOLA MOGANO
8"x47" V59200331 G-V384
Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



BASEBOARD TAVOLA MOGANO
4" x 23" V48300481 G-V030

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance


Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

All sizes are approximate

AMSTERDAM

PAR-KER TILE | WOOD LOOK



AMSTERDAM BLANCO
9"x35" P11400101 G-P372
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



BASEBOARD AMSTERDAM BLANCO
4" x 17" P80353611 G-P011



AMSTERDAM BLANCO
6"x35" P17800171 G-P372
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



AMSTERDAM GRIS
9"x35" P11400111 G-P372
Recommended Grout:
Colorstuk Manhattan
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



BASEBOARD AMSTERDAM GRIS
4" x 17" P82700501 G-P011



AMSTERDAM GRIS
6"x35" P17800181 G-P372
Recommended Grout:
Colorstuk Manhattan
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	✱
Walls	✓	✓	✓	✓

*Check slip resistance

All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts



Shown: Amsterdam Gris

BRUSELAS

PAR-KER TILE | WOOD LOOK



BRUSELAS ACERO
9"x35" V50500181 G-V372
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 7/16"



BASEBOARD BRUSELAS ACERO
4"x17" V48599601 G-V011



BRUSELAS VINTAGE
9"x35" V50500191 G-V372
Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"
Tile Thickness: 7/16"



BASEBOARD BRUSELAS VINTAGE
4"x17" V48599581 G-V011

DUBLIN

PAR-KER TILE | WOOD LOOK



DUBLIN ACERO
9"x35" V50500241 G-V372
Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



BASEBOARD DUBLIN ACERO
4"x35" V45500011 G-V063




BRUSELAS ACERO
6"x35" V29500391 G-V372
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 7/16"



BRUSELAS VINTAGE
6"x35" V29500401 G-V372
Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"
Tile Thickness: 7/16"



DUBLIN ACERO
6"x35" V29500431 G-V372
Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance

All sizes are approximate

Porcelanosa recommends:


- One Flex polymer modified thinsets
- Colorstuk Grouts



Shown: Bruselas Vintage

CHESTER

PAR-KER TILE | WOOD LOOK



CHESTER ACERO
9"x35" P11400431 G-P372
Recommended Grout:
Colorstuk Manhattan
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



CHESTER ANTRACITA
9"x35" P11400391 G-P372
Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



CHESTER BLANCO
9"x35" P11400391 G-P372
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



CHESTER CASTAÑO
9"x35" P11400421 G-P372
Recommended Grout:
Colorstuk Tobacco
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



CHESTER ACERO
6"x35" P17800561 G-P372
Recommended Grout:
Colorstuk Manhattan
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



CHESTER ANTRACITA
6"x35" P17800541 G-P372
Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



CHESTER BLANCO
6"x35" P17800541 G-P372
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



CHESTER CASTAÑO
6"x35" P17800571 G-P372
Recommended Grout:
Colorstuk Tobacco
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓



*Check slip resistance

Porcelanosa recommends:
- One Flex polymer modified thinsets
- Colorstuk Grouts

All sizes are approximate

CHESTER

PAR-KER TILE | WOOD LOOK



CHESTER LEÑO
9"x35" P11400401 G-P372
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



CHESTER LEÑO
6"x35" P17800551 G-P372
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



Shown: Chester Leño 6" x 35"

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance

Porcelanosa recommends:
- One Flex polymer modified thinsets
- Colorstuk Grouts

All sizes are approximate



Shown: Hampton Brown



Shown: Hampton Grey

HAMPTON

PAR-KER TILE | WOOD LOOK



HAMPTON BEIGE
9"x35" V50500101 G-V372
Recommended Grout:
Colorstuk Brown
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



BASEBOARD HAMPTON BEIGE
4" x 17" V48599441 G-V011



HAMPTON BROWN
9"x35" V50500121 G-V372
Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



BASEBOARD HAMPTON BROWN
4" x 17" V48599451 G-V011



HAMPTON GREY
9"x35" V50500131 G-V372
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



BASEBOARD HAMPTON GREY
4" x 17" V48599461 G-V011



HAMPTON BEIGE
6"x35" V29500291 G-V372
Recommended Grout:
Colorstuk Brown
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



HAMPTON BROWN
6"x35" V29500321 G-V372
Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



HAMPTON GREY
6"x35" V29500301 G-V372
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance

Porcelanosa recommends:
- One Flex polymer modified thinsets
- Colorstuk Grouts

All sizes are approximate

MISURI

PAR-KER TILE | WOOD LOOK



MISURI NATURAL
9"x35" V50500281 G-V372
Recommended Grout:
Colorstuk Brown
Recommended Joint Width: 1/16"
Tile Thickness: 7/16"



BASEBOARD MISURI NATURAL
4" x 17" V48599711 G-V011



Shown: Misuri Natural 9" x 35"

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	✱
Walls	✓	✓	✓	✓

*Check slip resistance

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

All sizes are approximate

MONTREAL

PAR-KER TILE | WOOD LOOK



MONTREAL NOGAL
9"x35" V50500051 G-V372
Recommended Grout:
Colorstuk Brown
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



BASEBOARD MONTREAL NOGAL
4" x 17" V48599641 G-V011



MONTREAL VINTAGE
9"x35" V50500061 G-V372
Recommended Grout:
Colorstuk Caramel
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



BASEBOARD MONTREAL VINTAGE
4" x 17" V48599531 G-V011



MONTREAL NOGAL
6"x35" V29500181 G-V372
Recommended Grout:
Colorstuk Brown
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



MONTREAL VINTAGE
6"x35" V29500161 G-V372
Recommended Grout:
Colorstuk Caramel
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

MOY


PAR-KER TILE | WOOD LOOK



MOY MOKA
6"x35" P17800201 G-P372
Recommended Grout:
Colorstuk Black
Recommended Joint Width: 1/16"
Tile Thickness: 7/16"



BASEBOARD MOY MOKA
4" x 17" P80353621 G-P011



Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	✱
Walls	✓	✓	✓	✓

*Check slip resistance

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

All sizes are approximate

OXFORD

PAR-KER TILE | WOOD LOOK



Corresponding Decorative Wall Tile on page 112



OXFORD ACERO
9"x35" P11400011 G-P372

Recommended Grout:
Colorstuk Manhattan
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



BASEBOARD OXFORD ACERO
4" x 17" P82700311 G-P011



OXFORD ANTRACITA
9"x35" P11400001 G-P372

Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



BASEBOARD OXFORD ANTRACITA
4" x 17" P82700341 G-P011



OXFORD BLANCO
9"x35" P11400061 G-P372

Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



BASEBOARD OXFORD BLANCO
4" x 17" P82700361 G-P011



OXFORD CASTAÑO
9"x35" P11400021 G-P372

Recommended Grout:
Colorstuk Tobacco
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



BASEBOARD OXFORD CASTAÑO
4" x 17" P82700421 G-P011



OXFORD ACERO ANTISLIP*
6"x35" P17800011 G-P372

Recommended Grout:
Colorstuk Manhattan
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



OXFORD ANTRACITA ANTISLIP*
6"x35" P17800001 G-P372

Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



OXFORD BLANCO
6"x35" P17800121 G-P372

Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



OXFORD CASTAÑO ANTISLIP*
6"x35" P17800021 G-P372

Recommended Grout:
Colorstuk Tobacco
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



Application: *Special Order

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

All sizes are approximate

Shown: Oxford Antracita 9" x 35"






Shown: Oxford Antracita 9" x 35"

OXFORD

PAR-KER TILE | WOOD LOOK



Corresponding Decorative Wall Tile on page 112



OXFORD COGNAC
9"x35" P11400131 G-P372
Recommended Grout:
Colorstuk Tobacco
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



OXFORD COGNAC ANTISLIP*
6"x35" P17800221 G-P372
Recommended Grout:
Colorstuk Tobacco
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"




OXFORD NATURAL
9"x35" P11400161 G-P372
Recommended Grout:
Colorstuk Tobacco
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



OXFORD NATURAL ANTISLIP*
6"x35" P17800261 G-P372
Recommended Grout:
Colorstuk Tobacco
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



OXFORD BLACK
9"x35" P11400301 G-P372
Recommended Grout:
Colorstuk Black
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



OXFORD BLACK ANTISLIP*
6"x35" P17800451 G-P372
Recommended Grout:
Colorstuk Black
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



OXFORD SILVER
9"x35" P11400091 G-P372
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



OXFORD SILVER ANTISLIP*
6"x35" P17800151 G-P372
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

Application:

*Special Order

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance

Porcelanosa recommends:
- One Flex polymer modified thinsets
- Colorstuk Grouts

All sizes are approximate

WASHINGTON

PAR-KER TILE | WOOD LOOK



WASHINGTON WHITE

9"x35" V50500211 G-V372

Recommended Grout: 
Colorstuk Manhattan
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



WASHINGTON WHITE

6"x35" V29500411 G-V372

Recommended Grout: 
Colorstuk Manhattan
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



BASEBOARD WASHINGTON WHITE
4"x17" V48599591 G-V011



Shown: Washington White

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance

Porcelanosa recommends:
- One Flex polymer modified thinsets
- Colorstuk Grouts

All sizes are approximate

BLOCK

PAR-KER TILE | WOOD LOOK



BLOCK WENGE

9"x26" V52199571 G-V359

Recommended Grout: 
Colorstuk Anthracite
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



BASEBOARD BLOCK WENGE
3" x 26" V45400361 G-V034

MISURI

PAR-KER TILE | WOOD LOOK



MISURI NATURAL

9"x26" V75903021 G-V359

Recommended Grout: 
Colorstuk Brown
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



BASEBOARD MISURI NATURAL
4" x 17" V48599711 G-V011

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance

Porcelanosa recommends:
- One Flex polymer modified thinsets
- Colorstuk Grouts

All sizes are approximate

LITTLE OXFORD

PAR-KER TILE | WOOD LOOK



LITTLE OXFORD ACERO

7"x26" P19102241 G-P359

Recommended Grout:

Colorstuk Manhattan

Recommended Joint Width: 1/16"

Tile Thickness: 3/8"



LITTLE OXFORD BLANCO

7"x26" P19102261 G-P359

Recommended Grout:

Colorstuk Grey

Recommended Joint Width: 1/16"

Tile Thickness: 3/8"



LITTLE OXFORD COGNAC

7"x26" P19102281 G-P359

Recommended Grout:

Colorstuk Tobacco

Recommended Joint Width: 1/16"

Tile Thickness: 3/8"



LITTLE OXFORD SILVER

7"x26" P19102271 G-P359

Recommended Grout:

Colorstuk Cement

Recommended Joint Width: 1/16"

Tile Thickness: 3/8"



LITTLE OXFORD ANTRACITA

7"x26" P19102291 G-P359

Recommended Grout:

Colorstuk Anthracite

Recommended Joint Width: 1/16"

Tile Thickness: 3/8"



LITTLE OXFORD CASTANO

7"x26" P19102251 G-P359

Recommended Grout:

Colorstuk Tobacco

Recommended Joint Width: 1/16"

Tile Thickness: 3/8"



LITTLE OXFORD NATURAL

7"x26" P19102301 G-P359

Recommended Grout:

Colorstuk Tobacco

Recommended Joint Width: 1/16"

Tile Thickness: 3/8"



Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	✱
Walls	✓	✓	✓	✓

*Check slip resistance


All sizes are approximate

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts



Shown: Little Oxford Natural 7" x 26"



URBATEK

THROUGH-BODY PORCELAIN

AVENUE

URBATEK | TILE



AVENUE BLACK



BLACK TEXTURE
12"x24" C220400281 G-C453



BLACK LAPPATO
12"x24" C229999011 G-C454



BLACK NATURE
12"x24" C220400221 G-C453

Recommended Grout: 
Colorstuk Black
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



BLACK TEXTURE
24"x24" C226000321 G-C454



BLACK LAPPATO
24"x24" C226000341 G-C457



BLACK NATURE
24"x24" C226000331 G-C454



*Polished and Lappato finished tiles do not meet ADA guidelines



Shown: Avenue White

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

*Only Nature & Textured finishes are suitable for exterior floor applications

AVENUE

URBATEK | TILE



AVENUE BROWN



BROWN TEXTURE
12"x24" C220400271 G-C453



BROWN LAPPATO
12"x24" C220400341 G-C454



BROWN NATURE
12"x24" C220400041 G-C453

Recommended Grout: 
Colorstuk Tobacco
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



BROWN TEXTURE
24"x24" C226000281 G-C454



BROWN LAPPATO
24"x24" C226000721 G-C457



BROWN NATURE
24"x24" C226000271 G-C454



*Polished and Lappato finished tiles do not meet ADA guidelines



AVENUE GREY



GREY TEXTURE
12"x24" C220400171 G-C453



GREY LAPPATO
12"x24" C220400321 G-C454



GREY NATURE
12"x24" C220400161 G-C453

Recommended Grout: 
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



GREY TEXTURE
24"x24" C226000481 G-C454



GREY LAPPATO
24"x24" C226000791 G-C457



GREY NATURE
24"x24" C226000531 G-C454



AVENUE WHITE



WHITE TEXTURE
12"x24" C220400311 G-C453



WHITE LAPPATO
12"x24" C220400391 G-C454



WHITE NATURE
12"x24" C220400011 G-C453

Recommended Grout: 
Colorstuk Ivory
Recommended Joint Width: 1/16"
Tile Thickness: 1/2"



WHITE TEXTURE
24"x24" C226000471 G-C454



WHITE LAPPATO
24"x24" C226000101 G-C457



WHITE NATURE
24"x24" C226000091 G-C454

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

*Only Nature & Textured finishes are suitable for exterior floor applications

AVENUE MOSAICS


URBATEK | TILE



BRICK AVENUE WHITE MIX
12"x12" * C223023251 G-C468
Recommended Grout:
Colorstuk Ivory
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



QUATTRO AVENUE WHITE MIX
12"x12" * C223023401 G-C488
Recommended Grout:
Colorstuk Ivory
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"




BRICK AVENUE BLACK MIX
12"x12" * C223023411 G-C468
Recommended Grout:
Colorstuk Black
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



QUATTRO AVENUE BLACK MIX
12"x12" * C223023421 G-C488
Recommended Grout:
Colorstuk Black
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



BRICK AVENUE GREY MIX
12"x12" * C223023391 G-C468
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



QUATTRO AVENUE GREY MIX
12"x12" * C223023271 G-C488
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



* Mesh size 12"x12",
Individual pieces 7/8"x2"

BRICK AVENUE BROWN MIX
12"x12" * C223023261 G-C468
Recommended Grout:
Colorstuk Tobacco
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



* Mesh size 12"x12",
Individual pieces 1"x1"

QUATTRO AVENUE BROWN MIX
12"x12" * C223023241 G-C488
Recommended Grout:
Colorstuk Tobacco
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance

Porcelanosa recommends:
- One Flex polymer modified thinsets
- Colorstuk Grouts

*Only Nature & Textured finishes are suitable for exterior floor applications

AVENUE MOSAICS


URBATEK | TILE



STRIP AVENUE WHITE
12"x12" * C502700051 G-C469
Recommended Grout:
Colorstuk Ivory
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



STRIP AVENUE GREY
12"x12" * C502700041 G-C469
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



STRIP AVENUE BLACK
12"x12" * C502700061 G-C469
Recommended Grout:
Colorstuk Black
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



STRIP AVENUE BROWN
12"x12" * C502700071 G-C469
Recommended Grout:
Colorstuk Tobacco
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



* Mesh size 12"x12",
Individual pieces 5/8"x4" | 7/8"x2" | 7/8"x4"



Shown: Strip Avenue Grey

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance

Porcelanosa recommends:
- One Flex polymer modified thinsets
- Colorstuk Grouts

*Only Nature & Textured finishes are suitable for exterior floor applications


BLUESTONE

URBATEK | TILE



BLUESTONE METRO NATURE
24"x24" C225953771 G-C456

Recommended Grout: 
Colorstuk Black
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



CITY

URBATEK | TILE



AREA POLISHED
12"x24" C220400241 G-C455



AREA POLISHED
24"x24" C226000111 G-C457



AREA NATURE
12"x24" C220400061 G-C451



AREA NATURE
24"x24" C226000301 G-C452



Recommended Grout: 
Colorstuk Beige
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



CUBE POLISHED
12"x24" C220400181 G-C455



CUBE POLISHED
24"x24" C226000071 G-C457



CUBE NATURE
12"x24" C220400231 G-C451



CUBE NATURE
24"x24" C226000511 G-C452



Recommended Grout: 
Colorstuk Ivory
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance

Porcelanosa recommends:
- One Flex polymer modified thinsets
- Colorstuk Grouts

*Only Nature & Textured finishes are suitable for exterior floor applications

CITY

URBATEK | TILE



GRAPHIC POLISHED
12"x24" C220400921 G-C455



GRAPHIC POLISHED
24"x24" C226000521 G-C457




GRAPHIC NATURE
12"x24" C220400071 G-C453



GRAPHIC NATURE
24"x24" C226000361 G-C454



Recommended Grout: 
Colorstuk Black
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



STUDIO POLISHED
12"x24" C220400251 G-C455



STUDIO POLISHED
24"x24" C226000491 G-C457



STUDIO NATURE
12"x24" C220400051 G-C451



STUDIO NATURE
24"x24" C226000201 G-C452



Recommended Grout: 
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



ZONE POLISHED
12"x24" C220400201 G-C455



ZONE POLISHED
24"x24" C226000131 G-C457



ZONE NATURE
12"x24" C220400291 G-C451



ZONE NATURE
24"x24" C226000121 G-C452



Recommended Grout: 
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance

Porcelanosa recommends:
- One Flex polymer modified thinsets
- Colorstuk Grouts

*Only Nature & Textured finishes are suitable for exterior floor applications

CONCRETE

URBATEK | TILE



CONCRETE BEIGE

CONCRETE BEIGE NATURE

12"x24" C220407981 G-C494

Recommended Grout:
Colorstuk Beige
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



CONCRETE BLACK

CONCRETE BLACK NATURE

12"x24" C222995551 G-C494

Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



CONCRETE GREY

CONCRETE GREY NATURE

12"x24" C222995571 G-C453

Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

CONCRETE MOSAIC

URBATEK | TILE



CONCRETE BEIGE NATURE MOSAIC

12"x12"* C223024821 G-C497

Recommended Grout:
Colorstuk Beige
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



CONCRETE BLACK NATURE MOSAIC

12"x12"* C223024851 G-C497

Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



CONCRETE GREY NATURE MOSAIC

12"x12"* C223024861 G-C497

Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

* Mesh size 12"x12"
Individual pieces 2"x2"

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

*Only Nature & Textured finishes are suitable for exterior floor applications



Shown: Concrete Black

DEEP

URBATEK | TILE



WHITE NATURE
12"x24" C222996521 G-C453

Recommended Grout:
Colorstuk Beige
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



DEEP WHITE NATURE MOSAIC
12"x12"* C223024711 G-C497

Recommended Grout:
Colorstuk Beige
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



GREY NATURE
24"x24" C225952901 G-C454

Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



DEEP GREY NATURE MOSAIC
12"x12"* C223024731 G-C497

Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



LIGHT GREY NATURE
12"x24" C222996531 G-C453

Recommended Grout:
Colorstuk Manhattan
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



DEEP LIGHT GREY NATURE MOSAIC
12"x12"* C223024741 G-C497

Recommended Grout:
Colorstuk Manhattan
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



BROWN NATURE
24"x24" C225952921 G-C454

Recommended Grout:
Colorstuk Tobacco
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



DEEP BROWN NATURE MOSAIC
12"x12"* C223024721 G-C497

Recommended Grout:
Colorstuk Tobacco
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance

Porcelanosa recommends:
- One Flex polymer modified thinsets
- Colorstuk Grouts

*Only Nature & Textured finishes are suitable for exterior floor applications



Shown: Deep Light Grey Nature

FOSSIL

URBATEK | TILE



FOSSIL BEIGE



FOSSIL BEIGE NATURE
12"x24" C220400091 G-C452



FOSSIL BEIGE NATURE
24"x24" C226000371 G-C453

Recommended Grout: 
Colorstuk Beige
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



FOSSIL GREY



FOSSIL GREY NATURE
12"x24" C220401261 G-C452



FOSSIL GREY TEXTURE
12"x24" C220400081 G-C452



FOSSIL GREY NATURE
24"x24" C226000231 G-C453



FOSSIL GREY TEXTURE
24"x24" C226000381 G-C453

Recommended Grout: 
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

*Only Nature & Textured finishes are suitable for exterior floor applications



Shown: Fossil Beige Texture



Shown: Kaos Black

KAOS

URBATEK | TILE



KAOS BEIGE

12"x24" C220408821 G-C453

24"x24" C226001751G-C454

Recommended Grout:
Colorstuk Beige
Recommended Joint Width: 1/16"
Tile Thickness: 7/16"



KAOS BLACK

12"x24" C220408871 G-C453

24"x24" C226001691 G-C454

Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"
Tile Thickness: 7/16"

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance

Porcelanosa recommends:
- One Flex polymer modified thinsets
- Colorstuk Grouts

*Only Nature & Textured finishes are suitable for exterior floor applications

MAX


URBATEK | TILE



MAX BEIGE




MAX BEIGE LAPPATO
12"x24" C220401181 G-C457



MAX BEIGE LAPPATO
17"x35" C221800111 G-C472



MAX BEIGE NATURE
12"x24" C220400111 G-C453



MAX BEIGE NATURE
17"x35" C221800091 G-C457

Recommended Grout:
Colorstuk Ivory
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



MAX BLACK




MAX BLACK LAPPATO
12"x24" C220401071 G-C457



MAX BLACK LAPPATO
17"x35" C221800101 G-C472



MAX BLACK NATURE
12"x24" C220400361 G-C453



MAX BLACK NATURE
17"x35" C221800071 G-C457

Recommended Grout:
Colorstuk Black
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



MAX GREY



MAX GREY LAPPATO
12"x24" C220400621 G-C457



MAX GREY LAPPATO
17"x35" C221800061 G-C472



MAX GREY NATURE
12"x24" C220400371 G-C453




MAX GREY NATURE
17"x35" C221800081 G-C457

Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"


MAX MOSAIC

URBATEK | TILE



MAX BEIGE NATURE MOSAIC
12"x12"* C223024771 G-C497

Recommended Grout:
Colorstuk Ivory
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



MAX BLACK NATURE MOSAIC
12"x12"* C223024781 G-C497

Recommended Grout:
Colorstuk Black
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



MAX GREY NATURE MOSAIC
12"x12"* C223024791 G-C497

Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

* Mesh size 12"x12"
Individual pieces 2"x2"

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

*Only Nature & Textured finishes are suitable for exterior floor applications



Shown: Max Beige

MORSE

URBATEK | TILE



MORSE BEIGE



MORSE BEIGE NATURE
12"x24" C220409021 G-C452



MORSE BEIGE NATURE
24"x24" C226001761 G-C452

Recommended Grout: 
Colorstuk Grey
Recommended Joint Width: 1/16
Tile Thickness: 3/8"



MORSE COAL



MORSE COAL NATURE
12"x24" C220409011 G-C452



MORSE COAL NATURE
24"x24" C226001791 G-C452

Recommended Grout: 
Colorstuk Cement
Recommended Joint Width: 1/16
Tile Thickness: 3/8"



MORSE GREY



MORSE GREY NATURE
12"x24" C220409031 G-C452



MORSE GREY NATURE
24"x24" C226001781 G-C452

Recommended Grout: 
Colorstuk Manhattan
Recommended Joint Width: 1/16"
Tile Thickness: 7/16"

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

*Only Nature & Textured finishes are suitable for exterior floor applications

MORSE

URBATEK | TILE



MORSE WHITE



MORSE WHITE NATURE
12"x24" C220409041 G-C452




MORSE WHITE NATURE
24"x24" C226001801 G-C452

Recommended Grout: 
Colorstuk Grey
Recommended Joint Width: 1/16
Tile Thickness: 3/8"

PURE

URBATEK | TILE



PURE BEIGE



BEIGE POLISHED
12"x24" C222996251 G-C481



BEIGE POLISHED
24"x24" C225953311 G-C489



BEIGE POLISHED
24"x47" C221000151 G-C491



BEIGE NATURE
24"x24" C225953261 G-C481



BEIGE NATURE
24"x24" C222996311 G-C477



BEIGE NATURE
24"x47" C221000121 G-C468

Recommended Grout: 
Colorstuk Beige
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



PURE WHITE



WHITE POLISHED
12"x24" C222996231 G-C481



WHITE POLISHED
24"x24" C225953291 G-C489



WHITE POLISHED
24"x47" C221000161 G-C491



WHITE NATURE
24"x24" C225953271 G-C481



WHITE NATURE
24"x24" C222996261 G-C477



WHITE NATURE
24"x47" C221000141 G-C468

Recommended Grout: 
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

*Only Nature & Textured finishes are suitable for exterior floor applications

ON

URBATEK | TILE



ON BEIGE



ON BEIGE LAPPATO
12"x24" C220400121 G-C455



ON BEIGE NATURE
12"x24" C220401101 G-C452

Recommended Grout:
Colorstuk Beige
Recommended Joint Width:
1/16" Tile Thickness: 3/8"



ON BLACK



ON BLACK LAPPATO
12"x24" C220401171 G-C455



ON BLACK NATURE
24"x24" C226001171 G-C454

Recommended Grout:
Colorstuk Black
Recommended Joint Width: 1/16"
Tile Thickness: 7/16"



ON GREY



ON GREY LAPPATO
12"x24" C220401221 G-C455



ON GREY NATURE
12"x24" C220401111 G-C452

Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 7/16"

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓


*Check slip resistance

Porcelanosa recommends:
- One Flex polymer modified thinsets
- Colorstuk Grouts


*Only Nature & Textured finishes are suitable for exterior floor applications

TIMBER ON

URBATEK | TILE



TIMBER ON BEIGE




TIMBER ON BLACK LAPPATO
8"x35" C227800171 G-C466

Recommended Grout:
Colorstuk Beige
Recommended Joint Width: 1/16"
Tile Thickness: 7/16"



TIMBER ON BLACK




TIMBER ON BLACK LAPPATO
8"x35" C227800091 G-C466

Recommended Grout:
Colorstuk Black
Recommended Joint Width: 1/16"
Tile Thickness: 7/16"



TIMBER ON GREY



TIMBER ON GREY LAPPATO
8"x35" C227800081 G-C466

Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 7/16"



TIMBER ON LIGHT GREY



TIMBER ON LIGHT GREY LAPPATO
8"x35" C227800191 G-C466

Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance

Porcelanosa recommends:
- One Flex polymer modified thinsets
- Colorstuk Grouts

*Only Nature & Textured finishes are suitable for exterior floor applications

ROX

URBATEK | TILE



ROX BEIGE



BEIGE ANTISLIP
24"x24" C225954091 G-C482

Recommended Grout: 
Colorstuk Beige
Recommended Joint Width: 1/16"
Tile Thickness: 13/16"



ROX COAL



COAL ANTISLIP
24"x24" C225954111 G-C482

Recommended Grout: 
Colorstuk Anthracite
Recommended Joint Width: 1/16"
Tile Thickness: 13/16"



ROX DARK



DARK ANTISLIP
24"x24" C225954101 G-C482

Recommended Grout: 
Colorstuk Black
Recommended Joint Width: 1/16"
Tile Thickness: 13/16"

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

*Only Nature & Textured finishes are suitable for exterior floor applications

ROX

URBATEK | TILE



ROX GREY



GREY ANTISLIP
24"x24" C225954081 G-C482

Recommended Grout: 
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 13/16"



Shown: Rox Dark

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

*Only Nature & Textured finishes are suitable for exterior floor applications

STUC

URBATEK | TILE



STUC BEIGE

- STUC BEIGE NATURE**
24"x47" C227900061 G-C473
- STUC BEIGE POLISHED**
24"x47" C227900121 G-C473
- STUC BEIGE TEXTURE**
24"x47" C227900011 G-C473

Recommended Grout:
Colorstuk Beige
Recommended Joint Width: 1/16"
Tile Thickness: 7/16"



STUC BLACK

- STUC BLACK NATURE**
24"x47" C227900041 G-C473
- STUC BLACK POLISHED**
24"x47" C227900171 G-C473
- STUC BLACK TEXTURE**
24"x47" C227900041 G-C473

Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 7/16"



STUC GREY

- STUC GREY NATURE**
24"x47" C227900051 G-C473
- STUC GREY POLISHED**
24"x47" C227900171 G-C473
- STUC GREY TEXTURE**
24"x47" C227900001 G-C473

Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 7/16"



- STUC BEIGE NATURE**
24"x24" C225800031 G-C482
47"x47" C228500061 G-C481
- STUC BEIGE POLISHED**
24"x24" C225800161 G-C482
47"x47" C228500151 G-C481
- STUC BEIGE TEXTURE**
24"x24" C225800021 G-C482
47"x47" C228500001 G-C481

- STUC BLACK NATURE**
24"x24" C225800011 G-C482
47"x47" C228500031 G-C481
- STUC BLACK POLISHED**
24"x24" C225800171 G-C482
47"x47" C228500121 G-C481
- STUC BLACK TEXTURE**
24"x24" C225800081 G-C482
47"x47" C228500021 G-C481

- STUC GREY NATURE**
24"x24" C225800001 G-C482
47"x47" C228500041 G-C481
- STUC GREY POLISHED**
24"x24" C225800171 G-C482
47"x47" C228500141 G-C481
- STUC GREY TEXTURE**
24"x24" C225800061 G-C482
47"x47" C228500081 G-C481

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance

Porcelanosa recommends:
- One Flex polymer modified thinsets
- Colorstuk Grouts

*Only Nature & Textured finishes are suitable for exterior floor applications

STUC

URBATEK | TILE



STUC WHITE

- STUC WHITE NATURE**
24"x47" C227900141 G-C473
- STUC WHITE POLISHED**
24"x47" C227900151 G-C473
- STUC WHITE TEXTURE**
24"x47" C227900161 G-C473

Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 7/16"



- STUC WHITE NATURE**
24"x24" C225800121 G-C482
47"x47" C228500131 G-C481
- STUC WHITE POLISHED**
24"x24" C225800151 G-C482
47"x47" C228500171 G-C481
- STUC WHITE TEXTURE**
24"x24" C225800161 G-C482
47"x47" C228500161 G-C481



Shown: Stuc White

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance

Porcelanosa recommends:
- One Flex polymer modified thinsets
- Colorstuk Grouts

*Only Nature & Textured finishes are suitable for exterior floor applications

TOWN

URBATEK | TILE

ADA

porcelain

recycled

rectified

V2

*Polished and Lappato finished tiles do not meet ADA guidelines



TOWN ACERO

ACERO POLISHED

12"x24" C220400401 G-C456

gloss

ACERO NATURE

12"x24" C220400471 G-C451

matte

Recommended Grout:

Colorstuk Cement

Recommended Joint Width: 1/16"

Tile Thickness: 7/16"

ACERO POLISHED

24"x24" C226000651 G-C458

gloss

ACERO NATURE

24"x24" C226000951 G-C452

matte



TOWN ARENA

ARENA POLISHED

12"x24" C220400601 G-C456

gloss

ARENA NATURE

12"x24" C220400331 G-C451

matte

Recommended Grout:

Colorstuk Cement

Recommended Joint Width: 1/16"

Tile Thickness: 3/8"

ARENA POLISHED

24"x24" C226000012 G-C456

gloss

ARENA NATURE

24"x24" C226000661 G-C452

matte



TOWN BLACK

BLACK POLISHED

12"x24" C2204005221 G-C457

gloss

BLACK NATURE

12"x24" C220400701 G-C453

matte

Recommended Grout:

Colorstuk Anthracite

Recommended Joint Width: 1/16"

Tile Thickness: 3/8"

BLACK POLISHED

24"x24" C226001341 G-C459

gloss

BLACK NATURE

24"x24" C226000141 G-C455

matte

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

*Only Nature & Textured finishes are suitable for exterior floor applications



Shown: Town Arena Polished



Shown: Town Cosmos Polished

TOWN

URBATEK | TILE



*Polished and Lappato finished tiles do not meet ADA guidelines



TOWN COSMOS



COSMOS POLISHED
12"x24" C220400261 G-C465



COSMOS POLISHED
24"x24" C226000501 G-C486




COSMOS NATURE
12"x24" C220400191 G-C455



COSMOS NATURE
24"x24" C226000171 G-C456



Recommended Grout: 
Colorstuk Black
Recommended Joint Width: 1/16"
Tile Thickness: 7/16"



TOWN EXTREME WHITE



EXTREME WHITE POLISHED
12"x24" C222997061 G-C473



EXTREME WHITE POLISHED
24"x24" C225952481 G-C481



Recommended Grout: 
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



TOWN MOKA



MOKA POLISHED
12"x24" C220400561 G-C456



MOKA POLISHED
24"x24" C226001231 G-C458



MOKA NATURE
12"x24" C220400101 G-C451



MOKA NATURE
24"x24" C226000401 G-C452



Recommended Grout: 
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance

Porcelanosa recommends:
- One Flex polymer modified thinsets
- Colorstuk Grouts


*Only Nature & Textured finishes are suitable for exterior floor applications

TOWN

URBATEK | TILE



TOWN NIQUEL



TOWN WHITE



NIQUEL POLISHED
12"x24" C220400491 G-C456



NIQUEL NATURE
12"x24" C220400741 G-C451



Recommended Grout:

Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



WHITE POLISHED
12"x24" C220400301 G-C465



WHITE NATURE
12"x24" C220400001 G-C454



Recommended Grout:

Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



NIQUEL POLISHED
24"x24" C226000051 G-C458



NIQUEL NATURE
24"x24" C226000571 G-C452



*Polished and Lappato finished tiles do not meet ADA guidelines

TOWN MOSAIC


URBATEK | TILE



MOSAIC TOWN WHITE POLISHED
12"x12" * C229998071 G-C470

MOSAIC TOWN WHITE NATURE
12"x12" * C229998231 G-C470


Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



MOSAIC TOWN ACERO POLISHED
12"x12" * C229998331 G-C470

MOSAIC TOWN ACERO NATURE
12"x12" * C229998301 G-C470

Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



MOSAIC TOWN MOKA POLISHED
12"x12" * C229998351 G-C470

MOSAIC TOWN MOKA NATURE
12"x12" * C229998281 G-C470


Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



MOSAIC TOWN COSMOS POLISHED
12"x12" * C229998221 G-C470

MOSAIC TOWN COSMOS NATURE
12"x12" * C229998211 G-C470


Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



MOSAIC TOWN BLACK POLISHED
12"x12" * C229998131 G-C470

MOSAIC TOWN BLACK NATURE
12"x12" * C229998201 G-C470


Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



MOSAIC TOWN ARENA POLISHED
12"x12" * C229998271 G-C470

MOSAIC TOWN ARENA NATURE
12"x12" * C229998341 G-C470

Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



MOSAIC TOWN NIQUEL POLISHED
12"x12" * C229998321 G-C470

MOSAIC TOWN NIQUEL NATURE
12"x12" * C229998291 G-C470

Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"

* Mesh size 12"x12"
Individual pieces 2"x2"

Application:

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance

Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

*Only Nature & Textured finishes are suitable for exterior floor applications

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance


Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

*Only Nature & Textured finishes are suitable for exterior floor applications

TRAVERTINO

URBATEK | TILE



TRAVERTINO BEIGE



TRAVERTINO BEIGE
12"x23" C220409001 G-C453



TRAVERTINO BEIGE
17"x35" C226001821 G-C453



TRAVERTINO BEIGE
24"x24" C21800781 G-C457

Recommended Grout: 
Colorstuk Beige
Recommended Joint Width: 1/16"
Tile Thickness: 7/16"

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance

Porcelanosa recommends:
- One Flex polymer modified thinsets
- Colorstuk Grouts

*Only Nature & Textured finishes are suitable for exterior floor applications




Shown: Travertino Beige



Shown: Yazz Black Lappato

YAZZ

URBATEK | TILE



*Polished and Lappato finished tiles do not meet ADA guidelines



YAZZ BLACK



YAZZ BLACK LAPPATO
12"x24" C220400571 G-C455



YAZZ BLACK NATURE
12"x24" C220400501 G-C453



YAZZ BLACK PICKED ANTI-SLIP
12"x24" C220400151 G-C453



Recommended Grout: 
Colorstuk Anthracite
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



YAZZ BLACK LAPPATO
24"x24" C226000041 G-C456



YAZZ GREY



YAZZ GREY LAPPATO
12"x24" C220400851 G-C455



YAZZ GREY NATURE
12"x24" C220400751 G-C453



YAZZ GREY PICKED ANTI-SLIP
12"x24" C220401301 G-C453



Recommended Grout: 
Colorstuk Grey
Recommended Joint Width: 1/16"
Tile Thickness: 3/8"



YAZZ GREY LAPPATO
24"x24" C226001051 G-C456




Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	*
Walls	✓	✓	✓	✓

*Check slip resistance

Porcelanosa recommends:
- One Flex polymer modified thinsets
- Colorstuk Grouts

*Only Nature & Textured finishes are suitable for exterior floor applications




XLIGHT™


EXTRA LIGHT AND THIN PORCELAIN

BASIC

XLIGHT | TILE



BASIC AUTUMN
39"x118" C226500611 G-C709
Recommended Grout:
Colorstuk Caramel
Recommended Joint Width: 1/32"



BASIC BONE
39"x118" C226500421 G-C709
Recommended Grout:
Colorstuk Vanilla
Recommended Joint Width: 1/32"

BASIC BONE POLISHED
39"x118" C226500741 G-C717
Recommended Grout:
Colorstuk Vanilla
Recommended Joint Width: 1/32"

BASIC BONE MOSAICS
7/8"x19" C272100081 G-C715
2"x5" C229996681 G-C702
2"x2" C229996451 G-C700
7/8"x4" C229996441 G-C735
7/8"x7/8" C229996531 G-C706



BASIC CLAY
39"x118" C226500411 G-C709
Recommended Grout:
Colorstuk Moka
Recommended Joint Width: 1/32"

BASIC CLAY POLISHED
39"x118" C226500691 G-C717
Recommended Grout:
Colorstuk Moka
Recommended Joint Width: 1/32"

BASIC CLAY MOSAICS
7/8"x19" C272100091 G-C715
2"x5" C229996391 G-C702
2"x2" C229996271 G-C700
7/8"x4" C229996311 G-C735
7/8"x7/8" C229996721 G-C706

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	✓




All sizes are approximate
*Only Nature & Textured finishes are suitable for exterior floor applications



BASIC DARK
39"x118" C226500531 G-C714
Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/32"

BASIC DARK MOSAICS
7/8"x19" C272100161 G-C719
2"x5" C229996331 G-C734
2"x2" C229996651 G-C702
7/8"x4" C229996601 G-C736
7/8"x7/8" C229996411 G-C711



BASIC LAVA
39"x118" C226500511 G-C709
Recommended Grout:
Colorstuk Brown
Recommended Joint Width: 1/32"

BASIC LAVA MOSAICS
7/8"x19" C272100041 G-C715
2"x5" C229996671 G-C702
2"x2" C229996811 G-C700
7/8"x4" C229996501 G-C735
7/8"x7/8" C229996771 G-C706



BASIC SAND
39"x118" C226500551 G-C709
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/32"

BASIC SAND POLISHED
39"x118" C226500731 G-C717
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/32"

BASIC SAND MOSAICS
7/8"x19" C272100111 G-C715
2"x5" C229996611 G-C702
2"x2" C229996631 G-C700
7/8"x4" C229996851 G-C735
7/8"x7/8" C229996821 G-C706

Application:


AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	✓



All sizes are approximate
*Only Nature & Textured finishes are suitable for exterior floor applications

BASIC

XLIGHT | TILE




BASIC SILVER
39"x118" C226500581 G-C709
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/32"

BASIC SILVER POLISHED
39"x118" C226500701 G-C717
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/32"

BASIC SILVER MOSAICS
7/8"x19" C272100181 G-C715
2"x5" C229996831 G-C702
2"x2" C229996351 G-C700
7/8"x4" C229996361 G-C735
7/8"x7/8" C229996841 G-C706



BASIC SKY
39"x118" C226500601 G-C709
Recommended Grout:
Colorstuk Manhattan
Recommended Joint Width: 1/32"



BASIC SNOW
39"x118" C226500501 G-C714
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/32"

BASIC SNOW POLISHED
39"x118" C226500721 G-C721
Recommended Grout:
Colorstuk Blanco
Recommended Joint Width: 1/32"

BASIC SNOW MOSAICS
7/8"x19" C272100101 G-C719
2"x5" C229996421 G-C734
2"x2" C229996551 G-C702
7/8"x4" C229996461 G-C736
7/8"x7/8" C229996251 G-C711

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	✓




Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

All sizes are approximate
*Only Nature & Textured finishes are suitable for exterior floor applications

BASIC

XLIGHT | TILE



BASIC SPRING
39"x118" C226500591 G-C709
Recommended Grout:
Colorstuk Moka
Recommended Joint Width: 1/32"



BASIC STEEL
39"x118" C226500471 G-C709
Recommended Grout:
Colorstuk Manhattan
Recommended Joint Width: 1/32"

BASIC STEEL POLISHED
39"x118" C226500711 G-C717
Recommended Grout:
Colorstuk Manhattan
Recommended Joint Width: 1/32"

BASIC STEEL MOSAICS
7/8"x19" C272100051 G-C715
2"x5" C229996691 G-C702
2"x2" C229996661 G-C700
7/8"x4" C229996431 G-C735
7/8"x7/8" C229996641 G-C706



BASIC STONE
39"x118" C226500631 G-C718
Recommended Grout:
Colorstuk Beige
Recommended Joint Width: 1/32"

BASIC LAVA MOSAICS
7/8"x19" C272100091 G-C715
2"x5" C229996391 G-C702
2"x2" C229996271 G-C700
7/8"x4" C229996311 G-C735
7/8"x7/8" C229996721 G-C706

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	✓




Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

All sizes are approximate
*Only Nature & Textured finishes are suitable for exterior floor applications

BASIC

XLIGHT | TILE



BASIC SUMMER
39"x118" C226500621 G-C717
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/32"



BASIC TERRA
39"x118" C226500641 G-C709
Recommended Grout:
Colorstuk Terracota
Recommended Joint Width: 1/32"



BASIC WINTER
39"x118" C226500651 G-C709
Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/32"

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	✓




Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

All sizes are approximate
*Only Nature & Textured finishes are suitable for exterior floor applications

CODE

XLIGHT | TILE



CODE BEIGE
39"x118" C226500481 G-C707
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/32"



CODE COAL
39"x118" C226500441 G-C707
Recommended Grout:
Colorstuk Cement
Recommended Joint Width: 1/32"



CODE GREY
39"x118" C226500571 G-C707
Recommended Grout:
Colorstuk Manhattan
Recommended Joint Width: 1/32"



CODE WHITE
39"x118" C226500461 G-C707
Recommended Grout:
Colorstuk Grey
Recommended Joint Width: 1/32"

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	✓



Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

All sizes are approximate
*Only Nature & Textured finishes are suitable for exterior floor applications

CONCRETE

XLIGHT | TILE



CONCRETE BEIGE NATURE
39"x118" C226500781 G-C714
Recommended Grout: 
Colorstuk Beige
Recommended Joint Width: 1/32"

CONCRETE BEIGE MOSAICS
7/8"x19" C272100021 G-C719
2"x5" C229996481 G-C734
2"x2" C229996521 G-C702
7/8"x4" C229996741 G-C736
7/8"x7/8" C229996761 G-C711



CONCRETE GREY NATURE
39"x118" C226500671 G-C714
Recommended Grout: 
Colorstuk Grey
Recommended Joint Width: 1/32"

CONCRETE GREY MOSAICS
7/8"x19" C272100121 G-C719
2"x5" C229996791 G-C734
2"x2" C229996901 G-C702
7/8"x4" C229996371 G-C736
7/8"x7/8" C229996861 G-C711



CONCRETE BLACK NATURE
39"x118" C226500661 G-C714
Recommended Grout: 
Colorstuk Anthracite
Recommended Joint Width: 1/32"

CONCRETE BLACK MOSAICS
7/8"x19" C272100061 G-C719
2"x5" C229996591 G-C734
2"x2" C229996401 G-C702
7/8"x4" C229996801 G-C736
7/8"x7/8" C229996751 G-C711

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	✓



Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

All sizes are approximate



*Only Nature & Textured finishes are suitable for exterior floor applications




Shown: Concrete Grey Nature 39" x 118"

EMOTION


XLIGHT | TILE




EMOTION BONE
39"x118" C226500491 G-C712
Recommended Grout:
Colorstuk Vanilla
Recommended Joint Width: 1/32"



EMOTION BONE DECO
39"x118" C226500431 G-C712
Recommended Grout:
Colorstuk Vanilla
Recommended Joint Width: 1/32"



EMOTION DARK
39"x118" C226500561 G-C704
Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/32"



EMOTION SNOW
39"x118" C226500451 G-C704
Recommended Grout:
Colorstuk White
Recommended Joint Width: 1/32"

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	✓



Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

All sizes are approximate
*Only Nature & Textured finishes are suitable for exterior floor applications



Shown: Emotion Dark 39" x 118"



Shown: Nvy White Nature 39" x 118"

NOX

XLIGHT | TILE



NOX CORTEN
39"x118" C226500541 G-C714
Recommended Grout: 
Colorstuk Tobacco
Recommended Joint Width: 1/32"

NVY

XLIGHT | TILE



NVY WHITE NATURE
39"x118" C226500521 G-C710
Recommended Grout: 
Colorstuk White
Recommended Joint Width: 1/32"

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	✓




Porcelanosa recommends:
- One Flex polymer modified thinsets
- Colorstuk Grouts

All sizes are approximate
*Only Nature & Textured finishes are suitable for exterior floor applications

RUST

XLIGHT | TILE



RUST BEIGE
39"x118" C226500831 G-C707
Recommended Grout:
Colorstuk Ivory
Recommended Joint Width: 1/32"



RUST BEIGE
19"x39" C226800661 G-C468
Recommended Grout:
Colorstuk Ivory
Recommended Joint Width: 1/32"



RUST DARK
39"x118" C226500821 G-C707
Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/32"

RUST DARK MOSAICS
7/8"x19" C272100151 G-C716
2"x5" C229996241 G-C703
2"x2" C229996511 G-C701
7/8"x4" C229996381 G-C705
7/8"x7/8" C229996701 G-C708



RUST DARK
19"x39" C226800651 G-C704
Recommended Grout:
Colorstuk Anthracite
Recommended Joint Width: 1/32"

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	✓



Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts


All sizes are approximate
*Only Nature & Textured finishes are suitable for exterior floor applications



Shown: Rust Dark 39" x 118"

TRAVERTINO

XLIGHT | TILE



TRAVERTINO BEIGE
39"x118" C226800691 G-C488
Recommended Grout:
Colorstuk Beige
Recommended Joint Width: 1/32"

TRAVERTINO BEIGE MOSAICS
7/8"x19" C272100071 G-C720
2"x5" C229996871 G-C735
2"x2" C229996881 G-C733
7/8"x4" C229996891 G-C706
7/8"x7/8" C229996911 G-C713



TRAVERTINO BEIGE
19"x39" C226500841 G-C710
Recommended Grout:
Colorstuk Beige
Recommended Joint Width: 1/32"

Application:

AREA	Residential	Light Commercial	Commercial	Exteriors
Floors				
Walls	✓	✓	✓	✓



Porcelanosa recommends:

- One Flex polymer modified thinsets
- Colorstuk Grouts

All sizes are approximate
*Only Nature & Textured finishes are suitable for exterior floor applications




Shown: Travertino Beige 39" x 118"



INSTALLATION

CHROME COLLECTION

Chromed brass decorative profile for wall tiles. It substitutes the traditional decorative ceramic freeze. Suitable for trimming corners and transitions between ceramic tiles



PRO-MATE 3

Chromed Brass

CODE	H (mm)	H (Inches)
B71342608	6	1/4
B71133001	8	5/16
B71133002	9	23/64
B71133003	10	25/64
B71133004	12.5	1/2

PRO-MATE 5

Chromed Brass

CODE	H (mm)	H (Inches)
B71342611	7	9/32
B71132003	9	23/64
B71132004	11	7/16
B71134004	12.5	1/2

PRO-PART

Chromed Brass

CODE	H (mm)	H (Inches)
B73134001	7	9/32
B73134002	9	23/64
B71342552	10	25/64
B73134003	11	7/16
B73134004	12.5	1/2
B73141312	12.5	1/2
B73134005	15	19/32

Chromed Brass Corner

CODE	H (mm)	H (Inches)
B73134301	7	9/32
B73134302	9	23/64
B71342554	10	25/64
B73134303	11	7/16
B73134304	12.5	1/2
B71342541	15	19/32

PRO-PART Li

Chromed Brass

CODE	H (mm)	H (Inches)
B71342618	4.5	3/16
B71342542	11	7/16
B71342543	12.5	1/2

Chromed Brass Corner

CODE	H (mm)	H (Inches)
B72141343	11	7/16
B71342550	12.5	1/2

PRO-TELO MOSAIC

Chromed Brass

CODE	H (mm)	H (Inches)
B72141345	4	5/32
B72141355	4	5/32

COLORSTUK RAPID N

#B22501001	white	
#B22502002	manhattan	
#B22502003	bahama	
#B22502004	cement	
#B22502005	anthracite	
#B22502006	black	
#B22502007	caramel	
#B22502008	terracotta	
#B22502009	ivory	
#B22502010	brown	
#B22502011	tobacco	
#B22502013	grey	
#B22502016	beige	
#B21522220	moka	
#B22902006	black	

COLORSTUK 2-12

#B21521001	white	
#B21522002	manhattan	
#B21522004	cement	
#B21522005	anthracite	
#B21522006	black	
#B21522009	ivory	
#B21522016	beige	
#B21522224	grey	
#B21522223	moka	
#B21522222	brown	
#B21922002	manhattan	
#B21922003	cement	
#B21922004	anthracite	

COLORSTUK 0-4

#B21501001	white	
#B21502002	manhattan	
#B21502003	bahama	
#B21502004	cement	
#B21502005	anthracite	
#B21502006	black	
#B21502009	ivory	
#B21502010	brown	
#B21502016	beige	
#B21522218	caramel	
#B21522217	moka	
#B21522219	grey	
#B21901001	white	
#B21902002	manhattan	

COLORSTUK ESPECIAL

#B24302045	acid	
#B24302049	cherry	
#B24302043	dark	
#B24302047	moka	
#B24302042	nacare	
#B24302044	vanilla	
#B24302046	white	
#B24302051	graphite	

EPOTECH AQUA

#B42562016	anthracite	
#B42562017	beige	
#B42562020	white	
#B42562018	cherry	
#B42562019	grey	
#B41061004	ivory	
#B35200002	epoxy cleaning kit	

EPOTECH

B#42562001	crystal	
B#42562002	gold	
B#42562005	silver	
B#35200002	epoxy cleaning kit	





SYMBOL KEY

The following symbols are used throughout this catalog:



ADA

ADA

Meets ADA COF guidelines (>0.6)



anti-slip

ANTISLIP

Surface texture which minimises the risk of slippage. Smooth finishes that guarantee safe steps.



exterior

EXTERIORS

Tiles displaying this icon are those which have features (compaction degree, water absorption, texture...) that makes them suitable for the covering of settings undergoing harsh climate conditions.



gloss

GLOSS

Shiny surface finish with a high degree of light reflection.



luster

LUSTER

An application applied to the surface which either brings out part or all of the gloss in the decoration so that the relief, the pattern or the design of the tile is highlighted.



matte

MATTE

Natural, not shiny, surface finish.



metallized

METALLIZED

Collection of porcelain tiles with metallic surface appearance, with a coloured body which is similar to the surface decoration.



one-flex

ONE-FLEX

one-flex by PORCELANOSA is the recommended setting material for this tile.



tone variation

TONE VARIATION

Tiles marked with this icon have a high degree of shade variation. As a result, a board with a tiled surface might be needed to reflect the true appearance and shade variation once laid.



install horizontally

INSTALL HORIZONTALLY

Tiles marked with this icon must be laid out horizontally.



install vertically

INSTALL VERTICALLY

Tiles marked with this icon must be laid out vertically.



porcelain

PORCELAIN

Dense tiles, fired at very high temperatures. They are more resistant to heavy traffic and have very low absorption rates.



rectified

RECTIFIED

Name given to the finish of tiles dimensionally improved after firing. The process enhances the aesthetic quality of the setting created.



recycled

RECYCLED

Contains pre-recycled consumer content



tixocem

TIXOCEM

An adhesive used for absorbant ceramic and porcelain tiles. For interior and exterior use. Water and front resistant.



V1

V1

All the pieces from the same production run are similar.



V2

V2

Clearly distinguishable differences in texture and/or pattern with similar colors.



V3

V3

While the color present on a single piece of tile will be indicative of the colors to be expected on other tiles, the amount of color on each piece will vary significantly.



V4

V4

Random color differences from tile to tile, so that one tile may have totally different colors from that on other tiles. Thus, the final installation will be unique.



requires full grouting

REQUIRES FULL GROUTING

Tiles marked with this symbol (mainly mosaics and complementary tile pieces) need to be grouted across their entire surface.



install horizontally

INSTALL HORIZONTALLY

Tiles marked with icon are advised to be laid out horizontally, but can be laid vertically.




install vertically

INSTALL VERTICALLY

Tiles marked with icon are advised to be laid out vertically, but can be laid horizontally.

INSTALLATION GUIDE
CERAMIC TILES



1 - Choosing the proper tools and implements (notched trowel, rubber mallet, suction-cups and cross-spacers or installing tiles, rubber trowel for grouting is of the utmost importance.

2 - The substrate (wall or floor) to be tiled must be perfectly level with no defects in planarity. We recommend that damp areas be waterproofed beforehand. A difference in thickness in the adhesive later will produce different stresses on the ceramic tile surface which will result in projecting tile edges.


3- The surface to be tiled must be completely free of dust or any other substance that could negatively affect tile adhesion. This will promote better bonding strength of the adhesive on the substrate.

4- During installation, there should be enough light to allow us to easily spot any sort of defect, especially the appearance of projecting tile edges. During this phase, work should be performed with more lighting than that which will illuminate the area once the work is finished. The use of spotlights will prove helpful in this regard.




5- Selecting the type of adhesive to use is fundamental. We must take into account the properties of the substrate to be tiled (surface of brick, wood, plaster, metal , etc.), as well as the characteristics of the chosen ceramic tiles (porous wall tiles, stone are tiles or porcelain tiles). The appropriate adhesive is recommended in the PORCELANOSA catalogues.

6-The thin-bed installation method is recommended, with a flexible adhesive. For formats larger than 31,6x31,6 (1.000 cm) the buttering-floating technique is recommended, that consists of applying the adhesive on both the substrate and the back of the tile.



7- Being as these are rectified tiles, they require careful handling, to avoid nipped edges, chipping or scratches on the surface of tiles. The Ceramic Tile Guide* recommends that tiles not be installed with a joint width less than 1.5mm. between pieces.

8- For the installation of rectified materials, it is recommended that cross-spacers of at least 1mm. be used. In rustic models the minimum joint recommended is 3mm. It is recommended that rectangular tiles, then arranged in a staggered layout, be installed at 3/4th-piece intervals.




9- During installation stoppages, it should be kept in mind that the tiles already installed have contracted, and those which we are going to install will experience the same movement. Therefore, it is necessary to predict the possible movement, since if we continue tiling on the same level, the subsequent contraction may give rise to a slight difference in level.

10- It is recommended that you consider the inclusion of perimeter joints, which will help to absorb any movements after installation. These joints must be left empty, or else filled with a compressible material; the minimum recommended width for those joints is 8 mm. This joint is concealed with the skirting or with the tile itself.




11- If the substrate already has its own structural joints or dividing joints, these should be respected when ceramic tiles are installed. It must be remembered that the maximum surface area to be covered with ceramic tiles without dividing joints is 50m to 70m for interiors and half that size for exteriors.

12- During the installation phase, before setting has fully taken place, we should continuously check already installed pieces, since there is still time to fix any faults. A rubber mallet can be used to tap down projecting tiles and a suction-cup can be used to pull up pieces that are sunken in excess.




13- Before grouting, it should be made sure that installation joints (between tile and tile) are empty and free of bonding materials and traces of dirt and grime. Any intermediary substance may make installation joints less effective, in addition to hindering the adhesion of the grout.

14- Joints should be grouted once tiles are firmly bonded to the substrate. In the special case of floor tiles, the manufacturer's recommendations should be followed, so as to enable enough time to elapse before tiles are walked on or subjected to any loads.



15- The grouting material should be applied with a rubber trowel, and the use of metallic trowels should be avoided at all times, since they may damage the glazed surface of tiles. Grouts in a wide range of colours are available on the market, which make it possible to match the shade of any setting created. The appropriate grout colour is recommended in the PORCELANOSA catalogues.


16- Removing excess grouting material should be performed using a sponge dampened in water. This operation should be done in timely fashion, since if the grouting material is left in contact with the glazed surface of tiles for too long, it hinders cleaning, especially in those models the surface of which has relief.



17- It is absolutely necessary that already installed ceramic floor tiles be protected with the proper means so as to prevent possible damages until the building project is complete, due to the presence of abrasive materials and ongoing movement of tools. This will not only help to protect tiles, but it will also make subsequent cleaning easier.

18- The use of cleaning agents that contain hydrofluoric acid (HF) and solid detergents with particles that may abrade the tile surface should be avoided. Hydrofluoric acid would completely remove the glazed surface of tiles, thus causing irreparable damage.

INSTALLATION GUIDE
OUTDOOR CERAMIC TILES



1- When installing tiles, it is extremely important that you choose suitable tools and instruments (notched trowel, rubber mallet, tile spacers, rubber trowel, and sponge for optimum results when grouting).

2- It is essential that you design and create suitable drainage slopes to avoid stagnation problems and prevent the build-up of surface water.



3- Make sure that the ground is properly waterproofed to prevent ground moisture from filtering through and to protect against the formation of bloom, moss, etc.

4- The substrate must be compact throughout in terms of thickness and surface finish, and any parts that are brittle or that could become easily detached should be removed. The substrate must also be free of dust, fat, or any other substances that could interfere with adhesion. Finally, make sure that the surface is completely even. All drainage slopes that you have previously created must be maintained when preparing the substrate



5- The installation substrate must be stable in terms of dimension and structure, and sufficient time left for drying and setting shrinkage to occur. We recommend leaving one week for each centimetre of adhesive applied. If the surface needs to be used sooner, you might consider using a quicksetting compound.

6- Correctly plan the layout of the area to be tiled in advance. When planning the layout, decide where to place perimeter and intermediate expansion joints, maintain structural joints, and do not install any tiles on these to prevent any breakage or cracking after installation.



7- In outdoor areas prone to frost, the crack must be covered well and y class C2 cement-based adhesives as per European standard EN 12004 (Adhesives for Ceramic Tiles) to install outdoor ceramic tiles. Follow the manufacturer's instructions at all times to enjoy the full benefits offered by the adhesive's properties.

8- Apply all adhesives with a notched trowel using the thin-bed method. Make sure that the size of your trowel is suited to the size of the tiles you are installing. For outdoor or large-format tiles, always use the floating and buttering method, i.e. spread the adhesive over both the substrate and the underside of the tile.



9- Ensure that you seal tile joints properly by using a grouting mortar suited to outdoor use (Class CG2 cementbased grouting mortars as per EN 13888 - Grouting Material for Ceramic Tiles). For applications requiring greater elasticity, adhesion, and mechanical resistance, we recommend mixing your cementbased mortar with a special latex additive.

10- The correct sealing of joints is a very important part of the tiling process. Outdoor tiles should never be butted together. A joint of a least 5 mm should be left between tiles although this can be increased in areas subject to sharp temperature changes. Make sure that all joints are clean before grouting them.




11- Make sure that you follow the manufacturer's instructions when applying the grouting material. If you are using antislip tiles or a latex-based grout, make sure you clean away all traces of grout before it has time to dry.

12- In all cases, consider the creation of perimeter joints. These should be created at all transitions between floor tiles and vertical elements such as walls, pillars, foundation blocks, or other types of flooring. Perimeter joints should have a minimum width of 8 mm.



13- The width and depth of all floor structural joints must be strictly observed. Movement joints are critical to protecting ceramic tiles against damage caused by movements – both normal building movements and movements caused by changes in temperature, moisture, etc.

14- When filling movement joints, do not use absorbent, closed-cell, high-compression, or temperature-resistant grouting materials. Seal joints with a highly elastic, waterproof material that is suited to the width of the joint. This sealant must also offer sufficient mechanical and thermal resistance.



15- Intermediate expansion joints must be created in areas measuring between 9 and 25m². These joints should form a square with each side measuring no more than 5 m. A joint width of at least 8 mm should be left although this.

16- Porcelain tiles should always be used in outdoor areas prone to frost (these tiles have a water-absorption rate of under 0.5%). Do not allow water to accumulate in ungrouted joints during frost periods as freezing-thawing cycles could damage the tiles. When installing steps, strictly follow all instructions provided by PORCELANOSA.



17- You can increase safety levels in wet areas where there is a risk of slippage by choosing a tile with anti-slip properties. Bear in mind, however, that these tiles are more difficult to clean (they are more susceptible to the build-up of dirt, and dirt, in general, tends to be more difficult to remove).

18- When finished tiling, make sure that you remove all traces of grout and adhesive promptly as the longer that these are in contact with the tiled surface, the more difficult they are to remove. Do not use cleaning agents containing fluorhydric acid or any other aggressive materials.

LOCATIONS

CANADA BRAMPTON

170 Steelwell Road, Unit 102
Brampton, Ontario L6T 5T3, CA
Phone: 416.572.8625

CALIFORNIA



ANAHEIM

1301 S. State College Blvd. Suite E
Anaheim, CA 92806
Phone: 714.772.3183



SAN FRANCISCO

78 Division Street
San Francisco, CA 94103
Phone: 415.593.7763



SAN JOSE

391 East Brokaw Road
San Jose, CA 95112
Phone: 408.467.9400



WEST HOLLYWOOD

8900 Beverly Blvd. Suite 101
West Hollywood, CA 90048
Phone: 310.300.2090

COLORADO



DENVER

Denver Design District
(Open to the Public)
601 S Broadway
Denver, CO 80209
Phone: 303.802.3210

CONNECTICUT



RIVERSIDE

1063 E. Putnam Ave
Riverside, CT 06878
Phone: 203.698.7618

FLORIDA



MIAMI

8700 NW 13th Terrace
Miami, FL 33172
Phone: 305.715.7153



POMPANO BEACH

3400 N. Powerline Road
Pompano Beach, FL 33069
Phone: 954.968.7666

GEORGIA



ATLANTA

Atlanta Decorative Arts Center
349 Peachtree Hills Avenue NE Suite B2
Atlanta, GA 30305
Phone: 404.973.0640

ILLINOIS



CHICAGO

Luxe Home at the Merchandise Mart
222 Merchandise Mart Plaza Suite 149
Chicago, IL 60654
Phone: 312.204.6220

MARYLAND



NORTH BETHESDA

11500 Rockville Pike
North Bethesda, MD 20852
Phone: 301.294.8193



ROCKVILLE

(Warehouse/Distribution & Outlet)
701 Dover Road Unit B
Rockville, MD 20850
Phone: 301.294.8193

WASHINGTON, D.C.

1000 Connecticut Ave NW
Washington, DC 20036

MASSACHUSETTS



BOSTON

Boston Design Center
1 Design Center Place Suite 505
Boston, MA 02210
Phone: 617.963.7666

NEW JERSEY



EAST BRUNSWICK

252 Route 18 North
East Brunswick, NJ 08816
Phone: 732.613.1915



PARAMUS

65 Route 17 South
Paramus, NJ 07652
Phone: 201.712.0556



RAMSEY

(Corporate Headquarters)
600 Route 17 North
Ramsey, NJ 07446
Phone: 201.995.1310

NEW YORK



MANHATTAN

202 Fifth Avenue
New York, NY 10010
(Intersection: Fifth Ave., Broadway,
& E. 25th St.)
Phone: Coming Soon



MANHATTAN

New York Design Center
200 Lexington Avenue, Suite 609
New York, NY 10016
Phone: 212.252.7370



WESTBURY

775 Old Country Road
Westbury, NY 11590
Phone: 516.338.0097

PENNSYLVANIA



KING OF PRUSSIA

645 W. DeKalb Pike (US Route 202)
King Of Prussia, PA 19406
Phone: 484.751.0050

TEXAS



DALLAS

Decorative Design Center
1617 Hi Line Drive Suite 415
Dallas, TX 75207
Phone: 214.377.2327



DALLAS

Showroom & Distribution Center
11639 Emerald Street Suite 100
Dallas, TX 75229
Phone: 469.310.2870



HOUSTON

4006 Richmond Avenue
Houston, TX 77027
Phone: 281.605.2695

WASHINGTON SEATTLE

88 Spring Street, Suite 120
Seattle, WA 98104
Phone: 206.673.8395

GENERAL INQUIRIES



Email: info@porcelanosa-usa.com
Phone: 1.877.PORSA.US
www.porcelanosa-usa.com

2015

PORCELANOSA S.A. reserves the right to modify and/or discontinue certain models displayed in this catalog. The colors of pieces displayed herein may differ slightly from originals. The settings shown in this catalog are design proposals for advertising purposes. In real situations in which the tiles are laid, the installation instructions published by PORCELANOSA should be followed.

2015 PORCELANOSA

The contents of this catalog are protected by virtue of the Spanish Intellectual Property Act, Royal Legislative Decree 1/1996. The partial or total reproduction of this catalog, without the express authorization of PORCELANOSA, is punishable under the Spanish Criminal Code.